JJ-N-171C
November 16, 1977
SUPERSEDING
Int. Fed Spec. JJ-N-00171b (DSA-DM)
October 3, 1967 and
Fed. Spec. JJ-N-171a
March 20, 1953

FEDERAL SPECIFICATION

NET, INSECT

This specification was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

1. SCOPE

1.1 Scope. This specification covers an insect net suitable for use in capturing entomological specimens.

2. APPLICABLE DOCUMENTS

2.1 The following documents of the issue in effect on date of invitation for bids or request for proposal, form a part of the specification to the extent specified herein:

Federal Specifications:

V-T-276	- Thread, Cotton.
PPP-B-585	- Boxes, Wood, Wirebound.
PPP-B-601	- Boxes, Wood, Cleated-plywood.
PPP-B-621	- Boxes, Wood, Nailed and Lock-corner.
PPP-B-636	- Boxes, Shipping, Fiberboard.
PPP-B-676	- Boxes, Setup.

Federal Standards:

Fed. Std. No. 123	- Marking for Shipment, (Civil Agencies).
Fed. Std. No. 751	- Stitch, Seam and Stitching.

(Activities outside the Federal Government may obtain copies of Federal Specifications, Standards, and Handbooks as outlined under General Information in the Index of Federal Specifications and Standards and at the prices indicated in the Index. The Index, which includes cumulative monthly supplements as issued, is for sale on a subscription basis by the Superintendent of Documents, US Government Printing Office, Washington, DC 20402.

FSC 6640

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:56Z
Check the source to verify that this is the current version before use.

(Single copies of this specification and other Federal Specifications required by activities outside the Federal Government for bidding purposes are available without charge from Business Service Centers at the General Services Administration Regional Offices in Boston, New York, Washington, DC, ATlanta, Chicago, Kansas City, MO, Fort Worth, Denver, San Francisco, Los Angeles, and Seattle, WA.

(Federal Government activities may obtain copies of Federal Specifications, Standards, and Handbooks and the Index of Federal Specifications and Standards from established distribution points in their agencies.)

Military Specifications:

MIL-C-3395 - Cloth, Netting, Nylon.
MIL-L-10547 - Liners, Case and Sheet, Overwrap; Water-Vaporproof or Waterproof, Flexible.

Military Standards:

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.

(Copies of Military Specifications and Standards required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

3. REQUIREMENTS

3.1 Material. Material shall be as specified in 3.1.1 through 3.1.4, of high quality throughout, and suitable in all respects for the purpose intended.

3.1.1 Net bags. The net bag shall be fabricated of nylon or dacron netting cloth. Nylon netting shall be in accordance with MIL-C-3395, type I, except color shall be natural (Griege). Dacron netting shall be in accordance with MIL-C-3395, except material shall be dacron, color shall be natural (Griege) and breaking strength requirement shall not apply.

3.1.1.1 Thread. The thread for stitching and seaming shall be white cotton thread conforming to Specification V-T-276, type 1A2, ticket numbers 30, 40 or 50, 3 ply or type 1C1, ticket numbers 30, 40 or 50, 2 ply.

3.1.2 Frame. The frame shall be fabricated from spring steel wire, 8 gage (0.1620 inch diameter) minimum.

Source: https://assist.dla.mil -- Downloaded: 202610-26T11:56Z
Check the source to verify that this is the current version before use.

3.1.3 Handle. The handle shall be fabricated from hardwood or aluminum alloy.

3.1.4 Ferrule. The ferrule shall be fabricated from brass, aluminum or plated steel.

3.2 Style, design and dimensions. The net shall consist of two net bags, a frame, a handle and a ferrule. The second of the two bags shall serve as a replacement for the first.

3.2.1 Net bag. Each net bag shall be 12 ± 1/8 inches in diameter and 28 ± 1/4 inches deep. The bag shall be sewed in quadrants or halves and shall have a muslin hem 36 ± 1/4 inches long. The muslin hem and netting and the quadrants or halves of the netting shall be joined by thread. Stitching shall conform to FED-STD-751, class 301, lock stitch. Seam for connection of quadrants or halves shall have at least two rows of stitching. Seam for connection of hem to netting shall have at least one row of stitching. Stitching shall go through two thicknesses of muslin and one thickness of netting. Muslin shall sandwich netting. Distance from stitching on hem to top of hem shall be at least 1-3/4 inches. The hem shall be continuous except for one opening. Opening shall be at least 1-3/4 inches wide and shall extend to the top of hem but shall not extend beyond stitching of hem. Muslin shall be folded back at opening to prevent fraying. Opening shall function as the point of entry of frame in attachment of bag to frame.

3.2.2 Frame. The frame shall be circular with a diameter of 12 ± 1/8 inches. In the area of the attachment, the frame may have curved or hooked ends, suitable for providing a firm attachment to the handle by means of a ferrule slipped over the ends. The frame shall be readily detachable from the handle to permit easy replacement of the net bag.

3.2.3 Handle. The handle shall be 32 to 36 inches long and of one piece construction. If fabricated of hardwood, the handle shall be finished with a semi-gloss acrylic lacquer, a dull cellulose lacquer, a dull acrylic lacquer or a lusterless enamel; if fabricated from aluminum alloy, no finish is required.

3.2.4 Ferrule. The ferrule shall be of a size suitable to attach the frame securely to the handle, yet shall permit easy removal of the frame.

3.3 Identification marking. Each net shall be permanently and legibly marked with the name or registered trademark of the manufacturer.

3.4 Workmanship. Workmanship shall be first class throughout. Insect nets and bags shall be free from defects listed in table II and any other defects which detract from their appearance or may impair their serviceability.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:56Z
Check the source to verify that this is the current version before use.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records. Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and for a period of three years after delivery of the supplies to which such records relate.

4.1.2 Inspection. Inspection, as used in this specification, is defined as both examination (such as visual or auditory investigation without the use of special laboratory appliances or procedures) and testing (determination by technical means of physical and chemical properties) of the item.

4.1.3 Certificate of quality. Certificate of quality, supplied by the manufacturer of the component or material, may be furnished in lieu of actual performance of such testing by the contractor, provided lot identity has been maintained and can be demonstrated to the Government. The certificate shall include the name of the contractor, the contract number, the name of the manufacturer or supplier, the NSN, the Item Identification, the name of the material, the lot number, the lot size, the sample size, the date of testing, the test method, individual test results and the specification requirements.

4.2 Sampling for examination. Sampling for examination shall be conducted in accordance with MIL-STD-105 and table I. When nets are supplied, the unit of product shall be one net as specified in 3.2. When bags are supplied, the unit of product shall be one bag.

TABLE I. Sampling for examination

Visual Examination	Inspection level	AQL (percent defective)
Major	II	2.5
Minor	II	4.0
Dimensional Examination	S-2	2.5

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:56Z
Check the source to verify that this is the current version before use.

4.3 Examination. The nets or bags shall be examined to determine compliance with all the requirements in this specification. Examination shall be in accordance with but shall not be restricted to the defects listed in table II.

TABLE II. Classification of defects

Category	Defects
Major	
101	Component missing.
102	Handle not smooth.
103	Handle not free of sharp edges.
104	Handle not free of splinters (hardwood only).
105	Finish on handle not free of blisters (hardwood only).
106	Frame not smooth.
107	Frame not free of sharp edges.
108	Frame cannot be secured to handle.
109	Frame cannot be easily removed from handle.
110	Bag cannot be attached to frame.
111	Bag cannot be easily removed from frame.
112	Bag not free of cuts and tears.
Minor	
201	Handle not free of scratches or tool marks.
202	Finish does not completely cover handle (hardwood only).
203	Seam connecting quadrants or halves of net does not have two rows of stitching.
204	Muslin does not sandwich netting, stitching does not go through two thicknesses of muslin and one thickness of netting.
205	Muslin not folded back at handle opening.
206	Manufacturers identification mark not present, legible, complete or permanent.

4.3.1 Dimensional examination. The nets or bags shall be examined for defects in dimensions. Any dimension not within tolerance specified herein shall be classified as a defect. When bags are supplied without frames, compliance with dimensional requirements shall be considered to be in compliance with Major 110 and 111 of table II.

4.3.2 Examination for preparation for delivery. An examination shall be made to determine whether the packaging, packing and marking comply with the requirements of Section 5. Defects shall be scored as specified in table III. Sampling shall be in accordance with MIL-STD-105. The sample unit shall be one container fully prepared for delivery. The lot shall be the number of containers offered for inspection at one time. The inspection level shall be S-2 and the acceptable quality level shall be 4.0 percent defective.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:56Z
Check the source to verify that this is the current version before use.

TABLE III. Examination for preparation for delivery

Examination	Defect
Containers	Not as specified.
Quantity	Quantity in interior packages and shipping containers not as specified.
Packaging and packing materials	Any component missing or damaged.
Workmanship	Inadequate application of components, imcomplete closure of container flaps, tape, or containers distorted.
Markings	Omitted, incorrect, illegible, improper size, location, sequence, or method of application.

4.3.3 Examination of closure, waterproofing and banding of containers shall be in accordance with the appendix of the applicable box specification.

5. PREPARATION FOR DELIVERY

5.1 Packaging. Packaging shall be level A or C as specified (see 6.1).

5.1.1 Level A.

5.1.1.1 Unit package.

5.1.1.1.1 Net. Each net with extra bags (see 3.2) shall be disassembled and packaged in a box of appropriate size constructed in accordance with PPP-B-676 or PPP-B-636, type CF, class domestic. Closure of box shall be as specified in the appendix of the applicable box specification.

5.1.1.1.2 Bag. Each bag shall be neatly folded and packaged in a plastic bag of appropriate size. Closure shall be adequate to prevent accidental opening.

5.1.1.2 Intermediate package. Twelve (12) bags shall be packaged in a box of appropriate size constructed in accordance with PPP-B-676 or PPP-B-636, type CF, class domestic. Closure of box shall be as specified in the appendix of the applicable box specification. Intermediate package is not required for the nets.

5.1.2 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:56Z
Check the source to verify that this is the current version before use.

5.2 Packing. Packing shall be level A or C as specified (see 6.1).

5.2.1 Level A. Twelve (12) nets with extra bags (see 3.2) or one hundred forty-four (144) bags shall be packed in an exterior container designed for a type 2 load and constructed in accordance with PPP-B-585, class 3, style 3; PPP-B-601, overseas type; PPP-B-621, class 2, or PPP-B-636, class weather resistant, grade V3c. Closure and strapping shall be as specified in the appendix of the applicable box specification.

5.2.1.1 Case liner. Each level A wood box shall be lined with a waterproof case liner conforming to MIL-L-10547. Closure and sealing shall conform to applicable paragraphs of appendix thereto. Case liner shall not be required for fiberboard boxes. Fiberboard box shall be waterproof as specified in the appendix of PPP-B-636.

5.2.2 Level B. Twelve (12) nets with extra bags (see 3.2) or one hundred forty-four (144) bags shall be packed in an exterior container designed for a type 2 load constructed in accordance with PPP-B-585, class 1, style 3; PPP-B-601, domestic type; PPP-B-621, class 1; or PPP-B-636, class domestic. Closure shall be as specified in the appendix of the applicable box specification.

5.2.3 Level C. Units shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, to point of delivery called for in the contract or purchase order.

5.3 Marking.

5.3.1 Civil agencies. Marking for shipment shall be in accordance with Fed. Std. No. 123.

5.3.2 Military activities. Each unit, intermediate package and exterior container shall be marked as specified in MIL-STD-129.

6. NOTES

6.1 Ordering data. Purchasers should select the preferred options permitted herein and include the following information in procurement documents:

a. Title, number, and date of this specification.
b. Selection of applicable levels of packaging and packing (see 5.1 and 5.2).

Source: https://assist.dla.mil -- Downloaded: 202610-26T11:56Z
Check the source to verify that this is the current version before use.

6.2 National Stock Number (NSN) coverage. This specification covers the following items appearing in the Federal Supply Catalog:

National Stock Number	Item Identification
6640-00-435-6100	NET, INSECT
6640-00-435-6105	BAG, INSECT NET

Custodians:
Army - MD
Navy - MS
Air Force - 03

Review activity:
DOD - MB

Preparing activity:
DLA-DM

Civil Agency Coordinating Activities:
VA-DMS
GSA-FSS

Project No. 6640-1003

Orders for this publication are to be placed with General Services Administration, acting as agent for the Superintendent of Documents. See Section 2 of this specification to obtain copies of documents referenced herein. Price 70 cents each.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:56Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE
JJ-N-171C NET, INSECT

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A
☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?
   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 68 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:56Z
Check the source to verify that this is the current version before use.

FOLD

DEFENSE PERSONNEL SUPPORT CENTER
2800 South 20th Street
Philadelphia, PA 19101

POSTAGE AND FEES PAID
DEFENSE SUPPLY AGENCY
DoD - 304

U.S. MAIL

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

HEADQUARTERS, DEFENSE PERSONNEL SUPPORT CENTER
ATTN: DIRECTORATE OF MEDICAL MATERIEL, CODE ATT
2800 SOUTH 20TH STREET
PHILADELPHIA, PA 19101

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:56Z
Check the source to verify that this is the current version before use.