MIL-C-19553A(SHIPS)
AMENDMENT 2
4 April 1984
SUPERSEDING
AMENDMENT 1
5 February 1962

MILITARY SPECIFICATION

COMPRESSORS, CENTRIFUGAL DISPLACEMENT TYPE
MOTOR DRIVEN, OIL-FREE AIR FOR NAVAL
SHIPBOARD LOW PRESSURE AIR SERVICE

This amendment forms a part of Military Specification MIL-C-19553A(SHIPS), dated 26 June 1959, and is approved for use by the Naval Sea Systems Command, Department of the Navy and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 2

2.1, under "SPECIFICATIONS, MILITARY": Delete reference to "NAVY DEPARTMENT General Specifications for Inspection of Material."

PAGE 3

* 2.1: Add the following:

"PUBLICATIONS

NAVAL SEA SYSTEMS COMMAND (NAVSEA)
0900-LP-001-7000 - Piping Systems Brazed, Fabrication and Inspection."

* 3.1: Delete and substitute:

"3.1 First article. When specified (see 6.1), a sample shall be subjected to first article inspection (see 4.3.6 and 6.2)."

PAGE 7

* 3.3.10.9: Add as last sentence: "Silver brazed joints shall be in accordance with NAVSEA 0900-LP-001-7000. For joints 1/2 inch and above, preinserted ring fittings shall be used. For sizes below 1/2 inch, face feed fittings may be used."

FSC 4310

Source: https://assist.dla.mil -- Downloaded: 202610-19T06:10Z
Check the source to verify that this is the current version before use.

PAGE 14

* 4.1: Delete and substitute:

"4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements."

PAGE 15

* Add as new paragraph 4.3.3.1:

"4.3.3.1 Inspection and test of joints in systems designated as hazardous shall be in accordance with NAVSEA 0900-LP-001-7000."

* 4.3.6: Delete and substitute:

4.3.6 First article tests. First article tests shall be conducted at the place of manufacture for the hydrostatic test specified in 4.3.3 and at a laboratory satisfactory to the Naval Sea Systems Command for the tests specified in 4.3.7 to 4.3.10, inclusive. First article tests shall be conducted on each size to determine that performance and design of the compressor are in compliance with this specification."

PAGE 18

4.4: Delete.

PAGE 19

* 6.1: Add: "(m) First article inspection, if required (see 3.1)."

PAGE 20

* 6.2: Delete and substitute:

"6.2 First article inspection. Invitations for bids should provide that the Government reserves the right to waive the requirement for samples for first article inspection as to those bidders offering a product which has been previously acquired or tested by the Government, and that bidders offering such products, who wish to rely on such production or test, must furnish evidence with the bid that prior Government approval is presently appropriate for the pending contract."

Source: https://assist.dla.mil -- Downloaded: 202610-19T06:10Z
Check the source to verify that this is the current version before use.

* 6.2.1: Delete.

The margins of this amendment are marked with an asterisk to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Preparing activity:
Navy - SH
(Project 4310-N092)

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T06:10Z
Check the source to verify that this is the current version before use.