WW-P-541/6B
INT. AMENDMENT-1
May 2, 1988

INTERIM AMENDMENT

TO

FEDERAL SPECIFICATION SHEET

PLUMBING FIXTURES (DRINKING FOUNTAINS)
(DETAIL SPECIFICATION)

This interim amendment was developed by the Naval Facilities Engineering Command, Naval Construction Battalion Center, Port Hueneme, CA 93043, based upon currently available technical information. It is recommended that Federal agencies use it in procurement and forward recommendations for changes to the preparing activity at the address shown above.

The General Services Administration has authorized the use of this interim amendment as a valid exception to WW-P-541/6B, dated August 1, 1980.

Page 2

Paragraph 3.1 General. (After first sentence)

ADD: Furnished copper piping, tubing, and fittings which are part of the potable water supply for the unit, shall have lead content limited to not more than 8 percent. Solders and fluxes used for joining metals shall have lead content limited to not more than 0.2 percent.

MILITARY INTERESTS:

Custodians

Army - ME
Navy - YD
Air Force - 99

Review Activities

DLA - CS

User Activities

Army - CE
Navy - MC, MS

CIVIL AGENCY COORDINATING ACTIVITIES:

DOE - AEC
GSA - FSS
HUD - HCC

PREPARING ACTIVITY

Navy - YD

Project No. 4510-N006

FSC 4510

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:23Z
Check the source to verify that this is the current version before use.