MIL-F-63337(AR)
AMENDMENT 2
8 MAY 1987
SUPERSEDING
AMENDMENT 1
30 JUNE 1982

MILITARY SPECIFICATION

FIRING ATTACHMENT, BLANK AMMUNITION: M19

This Amendment forms a part of Military Specification MIL-F-63337(AR), dated 19 October 1979, and is approved for use within the U.S. Army Armament, Munitions and Chemical Command and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

Throughout the specification, change all "MX19" to "M19" wherever it appears.

2.1: SPECIFICATIONS, MILITARY: Delete:

"MIL-A-48078 - Ammunition, Standard Quality Assurance Provisions, General Specification for"

and substitute:

"MIL-W-63150 - Weapons and Support Material, Standard Quality Assurance Provisions for".

PAGE 3

4.1: Delete "MIL-A-48078" and substitute "MIL-W-63150".

PAGE 4

4.3.2: Delete "MIL-A-48078" and substitute "MIL-W-63150".

4.3.3: Delete: "See MIL-A-48078" and substitute "If any assembly, component or test specimen fails to comply with any of the applicable requirements, the first article sample shall be rejected. The Government reserves the right to terminate its inspection upon failure of an assembly, component or test specimen in the sample to comply with any of the stated requirements.".

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:41Z
Check the source to verify that this is the current version before use.

PAGE 5

* TABLE I. First Article Inspection: Under "Chamber" delete "Salt Spray Test"; for "No. of Sample Units" delete "(a)"; for "REQUIREMENT PARAGRAPH" delete "3.2"; for "PARAGRAPH REFERENCE/INSPECTION METHOD" delete "4.5.2".

(Note: Amendment 1 added the Salt Spray Test on the Chamber)

PAGE 6

* TABLE I. First Article Inspection: Under "CLAMP, THREADED", delete "(Dwg. D9326857)" and substitute "(Dwg. 9326860)".

PAGE 7

4.4.1: Delete in its entirety and substitute:

"4.4.1 Inspection lot formation. The term "inspection lot" is defined as a homogenous collection of units of product from which a representative sample is drawn or which is inspected 100 percent to determine conformance with applicable requirements. Units of product selected for inspection shall represent only the inspection lot from which drawn and shall not be construed to represent any prior or subsequent quantities presented for inspection. Homogeneity shall be considered to exist provided the inspection lot has been produced by one manufacturer, in one unchanged process, using the same materials and methods in accordance with the same drawings, same drawing revisions, same specifications and same specification revisions, and complies with the provisions for submission of product as specified in MIL-STD-105. All material submitted for inspection in accordance with this specification shall comply with the homogeneity criteria specified herein, regardless of type of inspection procedure which is being applied to determine conformance with requirements. Lot numbering, as required, shall be in accordance with MIL-STD-1168. Blank firing attachments shall be assembled from component parts that have met all inspection requirements specified herein.".

4.4.2: Delete in its entirety and substitute the following:

"4.4.2 Examination. The examinations listed in the item detail specification for Classification of Defects shall be performed on inspection lots as defined in 4.4.1 of this specification.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:41Z
Check the source to verify that this is the current version before use.

a. Sampling plans. Unless otherwise specified in the Classification of Defects and Test Tables, sampling plans for Major and Minor defects shall be in accordance with MIL-STD-105, Inspection Level II attributes inspection, unless 100% is indicated.

b. Critical defects. Unless otherwise specified, inspection for Critical defects shall be 100 percent.

PAGE 8

4.4.2.1: Critical category: Delete "None defined" and substitute:

* "1. Diameter of the smallest hole in the center" 100% 3.2 SMTE

(NOTE: Amendment 2 deleted "Gage" and substituted "SMTE").

Major Category:

* Major 101: Delete in its entirety
Major 102: Delete in its entirety
* Major 108: Delete "(.85)" and substitute "(.86)"
* Majors 103 thru 113: Delete "Gage" and substitute "SMTE"
* Minor 201" Delete "Gage" and substitute "SMTE"

PAGE 9

4.4.2.2:

* Majors 103 thru 107: Delete "Gage" and substitute "SMTE"

PAGE 10

4.4.3.2, Major Category:

* Major 108: Delete "(.50)" and substitute "(.45)"
* Majors 103 thru 113: Delete "Gage" and substitute "SMTE"

PAGE 11

* 4.4.2.3, Major 114: Delete "Gage" and substitute "SMTE"

Source: https://assist.dla.mil -- Downloaded: 202610-23T02:41Z
Check the source to verify that this is the current version before use.

PAGE 13

* 4.4.2.5, Major 101: Delete "Gage" and substitute "SMTE"

PAGE 14

* 4.4.2.6, Majors 103 thru 114: Delete "Gage" and substitute "SMTE"

PAGE 15

* 4.4.2.6, Majors 115 thru 119: Delete "Gage" and substitute "SMTE"

PAGE 16

* 4.4.2.7, Majors 103 thru 106: Delete "Gage" and substitute "SMTE"

PAGE 17

Major Category:

* Major 103: Delete in its entirety
* Major 104: Delete in its entirety
* Major 105: Delete "Gage" and substitute "SMTE"

PAGE 19

4.4.4: Delete "See Section 6 of MIL-A-48078 and 6.3 herein" and substitute "See Mil-W-63150 and 6.3 herein.".

PAGE 20

4.5.4: Delete in its entirety and substitute the following:

"4.5.4 Functioning. The assemblies selected for the functioning test shall be assembled to the .50 Caliber M2, Heavy Barrel Machine Gun, Government Standard Caliber .50, M1A1 blank cartridges shall be used for this test. A standard belt, consisting of one hundred (100) rounds, shall be fired in approximately twenty (20) round bursts. Any assembly which fails to comply with the requirements specified in 3.5 shall be classed defective. All test results shall be recorded.".

6.2: Delete in its entirety and substitute the following:

"6.2 Ordering data. Procurement documents shall specify the following:

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:41Z
Check the source to verify that this is the current version before use.

6.2.1 Procurement requirements.

a. Title, number and date of this and the item detail specification.

b. Quantity required and delivery schedules.

c. Serialization requirements, if possible.

d. Quality Conformance Inspection, if other than specified in Section 4 of item detail specification.

e. First Article sample requirtements, if other than specified in Section 4 of item detail specification.

f. Packaging requirements, if other than specified in Section 5 of item detail specification.

g. Certificates of conformance for each lot or shipment of product.

6.2.2 Contract data requirements.

a. Contract data reqirements for inspection equipment designs (conforming to Data Item Description DI-E-1118 or DI-R-1714 with appropriate addendum to each).

b. Data cards. When required by incorporation of DD Form 1423 into the contract, data cards shall be prepared for each lot in accordance with Data Item Description DI-L-1410".

6.3: Delete "MIL-A-48078" and substitute "MIL-W-63150".

* 6.3: Delete "DRDAR-QAF-I, ARRADCOM" and substitute "AMSMC-QAF-I(D), ARDEC".

PAGE 21

* 6.4: Delete in its entirety and substitute the following:

"6.4 Drawings. Drawings listed in Section 2 of this specification under the heading U.S. Army Armament, Research, Development and Engineering Center (ARDEC) may also include drawings prepared and identified as U.S. Army Research and Development Command ARRADCOM), Englewood Arsenal, Frankford Arsenal, Rock Island Arsenal, Picatinny Arsenal drawings. Technical data originally prepared by these activities are now under the cognizance of ARDEC."

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:41Z
Check the source to verify that this is the current version before use.

The margins of this Amendment are marked with an asterisks or vertical lines to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluated the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 1005-A654)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:41Z
Check the source to verify that this is the current version before use.