MIL-W-48238A (PA)
18 November 1974
SUPERSEDING
MIL-W-48238 (MU)
3 August 1973

MILITARY SPECIFICATION

WRENCH, ARMING M22

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 This specification covers the parts and assembling for the M22 Arming Wrench.

2. APPLICABLE DOCUMENTS

2.1 The following documents of the issue in effect on date of invitation for bids, or request for proposals, form a part of this specification to the extent specified herein.

SPECIFICATIONS

MILITARY

*MIL-A-48078 - Ammunition, Standard Quality Assurance Provisions, General Specification For

STANDARDS

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes (ABC-STD-105)
MIL-STD-331 - Fuze and Fuze Components, Environmental and Performance Tests for
MIL-STD-1169 - Packaging, Packing, and Marking for Shipment of Inert Ammunition Components.

FSC: 1345

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:18Z
Check the source to verify that this is the current version before use.

DRAWINGS

*U.S . ARMY PICATINNY ARSENAL

9209342 - Wrench, Arming, NM, Mine, M22

*(For meaning of asterisk (*) see 6.4).

(Copies of specifications, standards, and drawings required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the Contracting Officer).

3. REQUIREMENTS

3.1 Material. - Materials and parts shall be in accordance with applicable drawings and specifications.

3.2 Wrench. - The wrench shall comply with all requirements specified on drawing (Dwg.) 9209342 and with all requirements specified on applicable specifications.

3.3 Protective finish. - There shall be no evidence of rust or corrosion of metals due to salt deposits when the wrenches are subjected to salt fog per MIL-STD-331, Test 107.1.

*3.4 Workmanship. - All parts and assemblies shall be fabricated and finished in a thorough workmanlike manner, and all manufacturing, processing, and assembly operations shall be correctly performed. They shall be clean and free of burrs, sharp edges, unblended radii, surface defects, chips, dirt, grease and oil (except where specifically required), method used shall not be injurious to any part or assembly nor shall they be contaminated by the cleaning agent. Exterior surface coatings shall be continuous except for a few light scratches not exposing base material. All required markings shall be neat and sharply defined. Required packing shall be dry.

4. QUALITY ASSURANCE PROVISIONS

*4.1 Responsibility for Inspection and Standard Quality Assurance Provisions. - Unless otherwise specified herein or in the contract, the provisions of MIL-A-48078 shall apply and are hereby made a part of this detail specification-,

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:18Z
Check the source to verify that this is the current version before use.

*4.2 Classification of inspection. - The following type of inspection shall be conducted on this item.

a. Quality Conformance Inspection

4.3 Quality Conformance Inspection

*4.3.1 Inspection lot formation. - Inspection lots shall comply with the lot formation provisions of MIL-A-48078. Each inspection lot of wrenches shall contain:

a. Parts from one manufacturer.

*4.3.2 Examination. - (See MIL-A-48078) . Unless otherwise specified in the classification of defects and test tables, sampling plans for major and minor defects shall be in accordance with MIL-STD-105, Inspection Level II. Equipment necessary for the performance of the inspections listed shall be in accordance with 4.3.4.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:18Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF DEFECTS & TESTS

PARAGRAPH	TITLE	SHEET 1 OF 1	DRAWING NUMBER
*4.3.2.1	Wrench, Arming, NM, Mine, M22		9209342
			NEXT HIGHER ASSEMBLY 9209342

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical:	None defined				
Major B:					
131.	Inside width of wrench		0.40%	3.2	Gage
132.	Width of wrench steps (four places)		0.40%	3.2	Gage
133.	Depth of wrench steps (four places)		0.40%	3.2	Gage
134.	Height of wrench		0.40%	3.2	Gage
135.	Total length, max.		0.40%	3.2	Gage
Minor:					
201.	Marking missing, misleading or unidentifiable		0.65%	3.2	Visual
202.	Evidence of poor workmanship		0.65%	3.4	Visual

NOTES:

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:18Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:18Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF DEFECTS & TESTS

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER
*4.3.2.2	Carton, Sealed				See Section 5
					NEXT HIGHER ASSEMBLY
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical:	None defined				
Major B:					
131.	Contents loose upon shaking carton		0.40%	3.2	Manual
132.	Carton deformed or damaged so that contents are exposed or liable to become exposed		0.40%	3.2	Visual
133.	Sealing strip incomplete, badly wrinkled, or not in contact with surface for at least half inch around entire carton		0.40%	3.2	Visual
Minor:					
201.	Marking missing, misleading or illegible		0.65%	3.2	Visual
202.	Evidence of poor workmanship		0.65%	3.4	Visual

NOTES:

4.3.3 TESTING

4.3.3.1 Protective finish (see 3.3) - Major A defect - A sample of ten (10) wrenches shall be selected from each lot for this test. If any wrench fails to comply with the requirements specified the lot shall be rejected. The test shall be as specified in 4.4.1.

*4.3.4 Inspection Equipment. - The inspection equipment required to perform the inspections and tests prescribed in this specification is identified in the 'Paragraph Reference/ Inspection Method' column in the tables starting with paragraph 4.3.2.1 and the test method paragraphs (see 4.4). The contractor shall submit for approval, inspection equipment designs in accordance with the terms of the contract. See Section 6 of MIL-A-48078, and Section 6.2 herein.

4.4 Test Methods and Procedure

4.4.1 Protective finish. - The wrenches shall be subjected to the salt fog specified in MIL-STD-331, Method 107.1 except that exposure test time shall be 24 hours minimum (min.).

5. PREPARATION FOR DELIVERY

5.1 Preservation and packaging

5.1.1 Level C. - The wrenches shall be packaged in accordance with MIL-STD-1169 in such a manner that no damage will occur during shipment.

5.2 Packing

5.2.1 Level C. - The wrenches shall be packed in accordance with MIL-STD-1169.

5.3 Marking and labeling. - Marking of cartons shall be in accordance with MIL-STD-1169.

6. NOTES

*6.1 Ordering Data. - Procurement docuemnts shall specify the following:

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:18Z
Check the source to verify that this is the current version before use.

a. Title, number and date of this specification.
b. Provisions of MIL-A-48078.

*6.2 Submission of Inspection Equipment Designs for Approval (See MIL-A-48078). Submit equipment designs as required, to Commander; Picatinny Arsenal, ATTN: SARPA-QA-T Dover, New Jersey 07801.

*6.3 Distribution of ammunition data cards. - Distribution of data cards shall include the following: Commander, Picatinny Arsenal, ATTN: SARPA-QA-A-M Dover, New Jersey 07801.

*6.4 The margins of this specification are marked with an astersik to indicate where changes (additions, modifications , corrections, deletions) from the previous issue were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractor are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous issue.

Custodian:
Army-PA

Preparing Activity:
Army-PA

Project Number: 1345-A-096

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:18Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:18Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 202610-22T19:18Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY
DOD – 314

U.S. MAIL

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

COMMANDER
Picatinny Arsenal
ATTN: SARPA-QA-A
Dover, New Jersey 07801

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:18Z
Check the source to verify that this is the current version before use.