MIL-C-35075C

8 August 1973
SUPERSEDING
MIL-C-0035075B(GL)
31 December 1970, and
MIL-C-35075A
18 May 1965

MILITARY SPECIFICATION

* CAKE, FRESH, BAKED, AND CAKE, FROZEN, BAKED

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

* 1.1 Scope. This specification covers prepared, fresh baked cakes and baked frozen cakes for use by the Armed Forces as items of general issue. (For definition of cakes by kind, weight, shape, flavored layers, flavored icing, and optional ingredients, see 3.4.)

1.2 Classification. The product shall be of the following types, as specified (see 6.1):

Type I - Fresh

Type II - Frozen

2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issue in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein:

STANDARDS

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes
MIL-STD-1105 - Sanitary Standards for Bakeries

(Copies of standards required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

FSC 8920

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T07:53Z
Check the source to verify that this is the current version before use.

PUBLICATION

U. S. Department of Health, Education, and Welfare

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder

(Application for copies should be addressed to the Superintendent of Documents, U. S. Government Printing Office, Washington, D. C., 20402.)

3. REQUIREMENTS

3.1 First article. When specified (see 6.1), the supplier shall furnish a sample for first article testing and approval (see 4.3.1 and 6.2).

* 3.2 Material. All materials shall be clean, sound, wholesome and free from evidence of insect infestation, objectionable or foreign matter.

* 3.3 Finished product. The cake shall be properly baked and shall not be soggy, burned, scorched or caramelized. When the cake (frozen cake shall have been conditioned to 65 to 75°F) is bisected vertically, with a sharp knife, it shall show crumb, and filling (if used), in nearly symmetrical pattern and uniform texture from side to side. The cake and icing (if used), shall be free from fissures or cracks and shall have a moist feel in the mouth. The cake shall possess a flavor typical of the product and shall be free from objectionable flavors and odors. The icing, when used, shall not adhere to the packaging material. The net weight of the finished product shall be as specified (see 6.1). No cake shall be more than 5 percent underweight for units weighing one pound or less, 2 percent underweight for units weighing more than one but less than ten pounds or 1 percent underweight for units weighing more than ten pounds. The cake shall be sliced or unsliced, as specified (see 6.1).

3.3.1 Temperature. The type II product shall be frozen and stored at temperatures not to exceed 0° F. Shipping temperature for type II product shall not exceed +15° F.

3.3.2 Age of the product. Age at time of shipment of the type I product shall not exceed 24 hours and the age of the type II product shall not exceed 15 days.

3.4 Definitions. The fresh or frozen cake shall have the following characteristics:

Source: https://assist.dla.mil -- Downloaded: 202610-21T07:53Z
Check the source to verify that this is the currentversion before use.

(a) Kind. The specific product to be procured, e.g., devils food, spice, chocolate layer, pound, with or without icing, etc. (see 6.1).

(b) Weight. The weight shall be expressed in units of ounces, or pounds and ounces and shall comply with 3.3. It shall be the net weight of product per unit package.

(c) Shape. Shape shall describe the characteristic particular shape and contour of the cake, e.g., round, rectangular, cup, sheet, or loaf (see 6.1).

(d) Layer. A cake layer shall be derived from baking either a batter or a foam unit or combination thereof. The number of layers shall be indicated along with the predominant flavor or flavors of the layer, e.g., 3-layer chocolate, 2-layer vanilla, etc. (see 6.1).

(e) Icing or frosting. Icing or frosting shall be the covering of the cake, when used, that is derived from a mixture of sugar, water, or other liquid, flavoring, and sometimes whites of eggs, or any additional ingredient which will produce a commercial-type icing. The flavor of the icing shall be indicated, e.g., chocolate icing, pineapple icing, maple icing, etc. (see 6.1). All frozen cakes shall be iced or frosted on top and sides which are exposed to the air, i.e., any side without baking liner.

(f) Optional, additional ingredients. When specified (see 6.1), the cakes shall contain any of the following: fruits, candied fruits, chocolate pieces, candy pieces, pecans, walnuts, spices, or coconut, and (except spices) shall be characterized by appearing as separate, distinct and identifiable pieces, when used either in the layer, icing or both.

* 3.5 Federal Food, Drug and Cosmetic Act. All deliveries shall conform in every respect to the provisions of the Federal Food, Drug, and Cosmetic Act and regulations promulgated thereunder.

3.6 Workmanship. The product shall be prepared, processed and packaged under modern sanitary conditions and in accordance with good commercial practice. The product shall be prepared in establishments meeting the requirements of MIL-STD-1105.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T07:53Z
Check the source to verify that this is the current version before use.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

* 4.2 Preacceptance inspection. The product shall be rejected if produced in plants not meeting the requirements of 3.6.

4.3 Inspection. Sampling for inspection shall be performed in accordance with MIL-STD-105, except where otherwise indicated hereinafter.

4.3.1 First article inspection (see 3.1, 6.1 and 6.2). The samples of the product which the supplier intends to supply shall be inspected to determine compliance with all product requirements of this specification. In the event these samples are found to be in noncompliance with these requirements, the Government reserves the right to disallow the supplier from commencing delivery production.

4.3.2 Examination of ingredients. Each ingredient shall be examined organoleptically, as necessary, to determine conformance to 3.2. The sample unit shall be approximately 1-pound of flour, sugar and shortening, respectively, and approximately 1/4 pound of each of the other ingredients derived from a primary container. The sample size shall be five. In the event a lot consists of less than five containers, a sample unit shall be extracted from each container in the lot. One or more sample units not conforming to the requirements shall indicate an unacceptable ingredient and use of such shall be cause for rejection of the involved finished product.

* 4.3.3 Examination of temperatures. Examination shall be performed to determine conformance to 3.3.1, as concerns freezing and storage temperature of type II product. Records shall be maintained. Nonconformance shall be cause for rejection of the involved product.

* 4.3.4 Examination of end item. Examination shall be in accordance with tables II through IV and 4.3.4.1. The sampling plans and acceptance criteria shall be as shown in table I. Acceptable quality levels (AQLs) shall be expressed in terms of defects per hundred units for tables II and IV and percent defective for table III.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T07:53Z
Check the source to verify that this is the current version before use.

* 4.3.4.1 Age of product. Conformance to 3.3.2 shall be ascertained by examination of date marking on packages. Fresh cakes which will be more than 24 hours old at time of shipment or frozen cakes which will be more than 15 days old at time of shipment shall not be acceptable.

* TABLE I. Sampling plans

Table	Inspection level	Sample unit	Lot size expressed in	AQLs		
				Major	Minor	Total
II	I	1 wrapped cake	Cakes	1.5	-	4.0
III	S-3	1 cake	Cakes	-	2.5	-
IV	S-2	1 cake	Cakes	1.5	-	10.0

* TABLE II. Examination of primary container

Category		Defect
Major	Minor	
101		Not type wrapping material specified
102		Nomenclature missing, incorrect or illegible
	201	Other required label information missing, incorrect or illegible
103		Packaging material not completely protecting cake
104		Hole or tear in packaging material
105		Not clean
106		Dating on package not as specified or not placed in an easily discernible location

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T07:53Z
Check the source to verify that this is the current version before use.

TABLE III. Examination for net weight 1/ 2/

Category	Defect
Minor	
201	Net weight more than 5 percent under specified weight (cake 1 pound or less) 2/
202	Net weight more than 2 percent under specified weight (cake more than 1 pound but not more than 10 pounds) 3/
203	Net weight more than 1 percent under specified weight (cake more than 10 pounds) 3/

1/ Lot shall be rejected if sample data indicates a lot average net weight less than specified net weight.

2/ Report results to nearest 1/4 ounce.

3/ Report results to nearest ounce.

TABLE IV. Examination of product characteristics 1/ 2/

Category		Defect
Major	Minor	
101		Type and characteristics not as specified
	201	Icing (when required) adheres to packaging material
	202	Cake and icing (when required) not free from cracks or fissures
102		Not sliced when specified
103		Broken or crushed

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T07:53Z
Check the source to verify that this is the current version before use.

TABLE IV. Examination of product characteristics 1/ 2/ (cont'd)

Category		Defect
Major	Minor	
	203	Crumb and filling (if required) not in nearly symmetrical pattern or uniform texture when cake is bisected vertically with knife
104		Not characteristic flavor of product, or product has objectionable flavor
105		Product dry to the taste
106		Cake not properly baked (i.e., burned, scorched, caramelized, or soggy)
107		Optional, additional ingredients not identifiable (see 3.4 f)

1/ Presence of foreign material (e.g., filth, insect, insect part, glass, wood, metal, etc.) shall be cause for rejection of the lot.

2/ See 3.4 for definitions.

4.4 Tests. Not applicable.

5. PREPARATION FOR DELIVERY

5.1 Packaging, level C. Commercial packaging in waxed paper, regenerated cellulose film, or plastic film is acceptable. The product shall be so packaged that protection from dirt, filth, or other contamination is ensured.

5.2 Packing, level C. Commercial type containers are acceptable.

* 5.3 Labeling and marking. Commercial labeling and marking will be acceptable provided that cake and icing flavors are included for fresh and frozen cakes, and the day of production is included in the label for fresh cakes and the month and day is included on the label of frozen cakes, in an easily discernible location (may be abbreviated). In addition, shipping containers for frozen cakes shall be marked on top with the following information, in letters not less than 1 inch high:

KEEP FROZEN

(0°F or Below)

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T07:53Z
Check the source to verify that this is the current version before use.

6. NOTES

* 6.1 Ordering data. Procurement documents should specify the following:

(a) Title, number, and date of this specification.
(b) Type of product required (see 1.2).
(c) When a first article is required (see 3.1, 4.3.1 and 6.2).
(d) Net weight of finished product required, and whether the cakes are to be sliced or unsliced (see 3.3).
(e) Kind and shape of cake, flavor, number of layers, icing flavors desired and when optional, additional ingredients are required (see 3.4).

* 6.2 First article. When a first article is required, it shall be inspected and approved under the appropriate provisions of ASPR 7-104.55. The first article should be a preproduction sample. The first article should consist of one (1) of each required kind, unless otherwise specified. The contracting officer should include specific instructions in all procurement instruments regarding arrangements for inspection and approval of the first article.

6.3 The margins of this specification are marked with an asterisk to indicate where changes (additions, modifications, corrections, deletions) from the previous issue were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and suppliers are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous issue.

Custodians:

Army - GL
Navy - SA
Air Force - 45

Review activities:

Army - MD
Navy - MC, MS
DP - SS

Preparing activity:

Army - GL

Project No. 8920-0266

Source: https://assist.dla.mil -- Downloaded: 202610-21T07:53Z
Check the source to verify that this is the current version before use.

SPECIFICATION ANALYSIS SHEET

Form Approved
Budget Bureau No. 22-R255

INSTRUCTIONS: This sheet is to be filled out by personnel, either Government or contractor, involved in the use of the specification in procurement of products for ultimate use by the Department of Defense. This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with a minimum amount of delay and at the least cost. Comments and the return of this form will be appreciated. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments and suggestions submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or serve to amend contractual requirements.

SPECIFICATION
CAKE, FRUIT, BAKED, AND CAKE, FROZEN, BAKED MIL-C-35075C

ORGANIZATION

CITY AND STATE

CONTRACT NUMBER

MATERIAL PROCURED UNDER A
☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3. IS THE SPECIFICATION RESTRICTIVE?
   ☐ YES ☐ NO *(If "yes", in what way?)*

4. REMARKS *(Attach any pertinent data which may be of use in improving this specification. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity)*

SUBMITTED BY *(Printed or typed name and activity - Optional)*

DATE

DD FORM 1 JAN 66 1426 REPLACES EDITION OF 1 OCT 64 WHICH MAY BE USED.

Source: https://assist.dla.mil -- Downloaded: 202610-21T07:53Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE ARMY
U. S. ARMY NATICK LABORATORIES
NATICK, MASS. 01760

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

STSNLT-DQS

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY
DOD-314

Commander
US Army Natick Laboratories
ATTN: STSNLT-DQS
Natick, MA 01760

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T07:53Z
Check the source to verify that this is the current version before use.