MILITARY SPECIFICATION

POTATO STICKS AND CHIPS, FRENCH FRIED

This amendment forms a part of Military Specification MIL-P-35020D dated 20 June 1977 and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 2

Under "United States Standards for Grades of Potatoes for Chipping" change the application for copy reference from "the Fresh Fruit and Vegetable Inspection, Fruit and Vegetable Division, Consumer and Marketing Services, US Department of Agriculture, Washington, DC 20250" to "the Information Division, Agricultural Marketing Service, US Department of Agriculture, Washington, DC 20250".

PAGE 3

Delete Fry Color Standards and respective copy order reference.

PAGE 4

3.2.1, lines 5, 6 and 7. Change "Not less than 95 percent by weight of the potato sticks shall be equal to or lighter than color designation 3 of the USDA Visual Aid POT-L-1 Fry Color Standards" to "Not less than 90 percent by weight of the potato sticks shall be equal to or lighter than color designation 3 of the test for Fry Color of the United States Standards for Grades of Potatoes for Chipping."

3.1.3, line 2. After "matter" delete "and" substitute "but".

3.2.1, line 10. Change "10 percent" to "10 percent, by weight,".

PAGE 5

3.2.2, lines 5, 6 and 7. Change "Not less than 95 percent by weight of the potato chips shall be equal to or lighter than color designation 3 of the USDA Visual Aid POT-L-1 Fry Color Standards" to "Not less than 90 percent, by weight, of the potato chips shall be equal to or lighter tha color designation 3 of the test for Fry color of the United States Standards for Grade of Potatoes for Chipping".

3.2.2, line 9. After "original" delete "peeled and".

PAGE 6

4.3.1.4, line 3. After "documentation" delete "from the contractor of the bag material" and substitute "furnished by the contractor".

FSC 8940

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T07:49Z
Check the source to verify that this is the current version before use.

PAGE 7

Table I. Change "One pound or kg composite" to "One pound or 0.45 kg composite".

4.3.3, line 5. Change "percent defective for tables III and V" to "percent defective for tables III, V and VI".

PAGE 8

Table II, reference table IV. Add "4.0" to Minor AQL table column.

Table III, Minor defect 202. Change "Net weight 10 percent under specified net weight (container required to have 7/8 to 1 1/2 ounces) (24.8 to 42.5 g). 3/" to "Net weight more than 10 percent under specified net weight (container required to have 7/8 to 1 1/2 ounces) (24.8 to 42.5 g). 3/"

PAGE 9

Footnote 2/. Change "Packages containing 5-1/2 to 16 oz. (156 to 454 g) of product" to "Packages containing 5-1/2 oz. (156 g) of product shall be weighed to the nearest 1/8 oz. (g)."

Table IV. Delete Major Defect 153.
Under "Applicable to types I and II Product" and under "Applicable to type I product" add "153 More than 10 percent by weight darker than color designation 3 of the test for Fry color of the United States Standards for Grades of Potatoes for Chipping."

4.3.3, table IV, line 25. After "Major 156 - Defect — original", delete "peeled and".

PAGE 10

Table V, lines 5 through 9. Change "inches" to "inches of mercury" and "kPa" to "kPa of mercury". Also substitute the word "examined" for "tested".

4.3.3.3. Change paragraph to "Examination of labeling for primary containers. Examination of labeling for filled and sealed primary containers shall be in accordance with MIL-L-1497 and the Federal Food, Drug and Cosmetic Act, see 5.4.1 and 5.4.2."

PAGE 11

4.3.3.4, line 4. Delete comma between "marking" and "missing".

4.3.4.1, line 1. Delete "The filled and sealed cans" and substitute "When the filled cans have been sealed under an atmosphere of nitrogen, they".

Source: https://assist.dla.mil -- Downloaded: 202640-21T07:49Z
Check the source to verify that this is the current version before use.

PAGE 11 (cont'd)

4.3.4.1, lines 5, 6 and 7. Delete "The AQL should be expressed as percent defective. A major defect shall be scored if a sample unit has more than 2.0 percent (to nearest 0.1 percent) residual oxygen" and add "The acceptable quality level expressed as percent defective shall be 1.5".

4.4, line 3. Correct spelling "contracting".

PAGE 12

4.4.1.1.2, lines 6 and 7. Change "not more than 100 mm (13.3 kPa) of mercury" to "not more than 100 mm of mercury (13.3 kPa)."

4.4.2.1, line 2. Change "(12.7 mm)" to "(13 mm)".

PAGE 13

4.4.4, lines 6 and 7. Change "1 inch (3.38 kPa) of vacuum shall be added" to "1 inch of mercury vacuum (3.38 kPa of pressure) shall be made".

line 16. Change "29.9 inches (0 pressure) of mercury" to 29.9 inches of mercury (0 pressure)".

4.5, Examination and test methods. Delete heading and paragraph.

PAGE 14

5.1.1.1, line 8. Change "two" to "2.0".

PAGE 15

Table VII, line 7. Change Product type "III" to Product type "II".

5.2, line 2. After table VII insert "as applicable".

PAGE 16

Insert paragraph heading "5.4 Labeling and Marking" and change paragraph numbering 5.3.1, 5.3.2 5.3.3 and 5.4 to 5.4.1, 5.4.2, 5.4.3 and 5.4.4 respectively.

PAGE 17

6.2, line 2. Change "5.2.2.1" to "5.2.2.3".

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T07:49Z
Check the source to verify that this is the current version before use.

MIL-P-35020D
Amendment-1

Custodians:

Army - GL
Navy - SA
Air Force - 50

Review activities:

Army - MD
Navy - MC, MS
DP - SS

Preparing activity:

Army - GL

Project No. 8940-0356

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T07:49Z
Check the source to verify that this is the current version before use.