INCH-POUND

MIL-C-28858A(EC)
AMENDMENT 2
20 July 1989
SUPERSEDING
AMENDMENT 1
23 May 1986

MILITARY SPECIFICATION

COUPLER GROUP, ANTENNA, OA-9123/SRC

This amendment forms a part of Military Specification MIL-C-28858A(EC), dated 2 December 1985, and is approved for use by the Space and Naval Warfare Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 2

2.1.1, "STANDARDS", "MILITARY" after "MIL-STD-415", add: "MIL-STD-454 Standard General Requirements For Electronic Equipment".

* 2.1.1, "STANDARDS", "MILITARY" after "DoD-STD-1686", add:

"MIL-STD-2000 Standard Requirements For Soldered Electrical And Electronic Assemblies".

* 2.1.2, "PUBLICATIONS": Delete:

"NAVAL AIR SYSTEMS COMMAND (NAVAIR)

WS-6536D Process Specification Procedures And Requirements For Preparation And Soldering Of Electrical Connections"

and substitute:

"DEPARTMENT OF DEFENSE (DoD)

DoD 4245.7M Transition From Development To Production".

AMSC N/A FSC 5985

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T19:54Z
Check the source to verify that this is the current version before use.

PAGE 3

3.1, last sentence: Delete.

PAGE 4

* Delete "3.2.2.4" and substitute "3.3.2.4".

PAGE 5

* 3.4.2.2, to end of line 1: Add "Operating temperature ranges and".

* 3.4.2.2, line 2: Delete "paragraph" and substitute "paragraphs".

* After "3.5.1", add the following new paragraph:

"3.5.1.1 Parts rescreening. Parts rescreening shall be conducted in accordance with DoD 4245.7M under piece part control.".

PAGE 7

3.6.7, line 2: Delete "excced" and substitute "exceed".

* 3.6.12.1: Delete and substitute:

"3.6.12.1 E^3 control. The multicoupler shall be self-compatible and shall operate compatibly in the intended electromagnetic environment. The production units shall comply with the requirements of MIL-STD-461, Part 5, Class A4, including hardening against the effects of an electromagnetic pulse (EMP), conducted and radiated. Compliance shall be verified in accordance with the test procedures of MIL-STD-462.".

* 3.6.12.2, title: Delete and substitute "EMP.".

PAGE 9

3.7.2: Delete and substitute:

"3.7.2 Controls, indicators, and panels. The controls, indicators, and operator and maintenance panels shall conform to the criteria of MIL-STD-1472. The color coding and marking of pin jacks and other test points shall be in accordance with MIL-STD-415. Abbreviations used on panels shall conform to MIL-STD-12.".

* 3.10, line 2: Delete "in 3.10.1 through 3.10.4.1." and substitute "herein.".

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T19:54Z
Check the source to verify that this is the current version before use.

PAGE 10

3.14.1, first sentence: Delete and substitute: "Workmanship shall conform to MIL-STD-454, Requirement 9.".

* 3.14.1, line 3: Delete "WS 6536D." and substitute "MIL-STD-2000, Task F.".

PAGE 13

* 4.5.7: Delete and substitute:

"4.5.7 Electromagnetic compatibility (EMC). EMC verification testing shall be in accordance with MIL-STD-462. Applicable tests include CE01, CE03, CS01, CS02, CS06, CS11, RE01, RE02, RS01, RS02, RS03, and RS05. The RE02 limit may be relaxed by 20 dB at fundamental frequencies of operation in the narrowband mode.".

PAGE 20

* 4.8.2.2, line 1: Delete "10" and substitute "15".

* 4.8.2.2, line 2: Delete "5°C" and substitute "10°C".

PAGE 25/26

APPENDIX A: Delete.

The margins of this amendment are marked with an asterisk to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Preparing activity:
NAVY - EC

(Project No. 5985-N597(EC))

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T19:54Z
Check the source to verify that this is the current version before use.