
MILITARY SPECIFICATION SHEET

CONNECTOR, COMPONENT PARTS, ELECTRICAL BACKPLANE, PRINTED WIRING, COMPLIANT PIN, FEED-THROUGH

This specification sheet is approved for use by the Naval Electronics Systems Command, and is available for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the pin described herein shall consist of this document and the latest issue of specification MIL-C-28859(EC)



WRAPPOST GEOMETRY

C	D	E	PARALLELISM	STRAIGHTNESS
.025 (NOM) .022 (MIN)	.025 (NOM) .022 (MIN)	.0355 (MAX) .0325 (MIN)	.002	.005in/in.

FIGURE 1. Compliant pin, feed-through.

© Denotes changes

Source: https://assist.dla.mil - Downloaded: 2026-10-20T19:56Z
Check the source to verify that this is the current version before use.

NOTES:
1. Part to be free of burrs and sharp edges except as noted.
2. Dimensions apply after plating.
3. Unless otherwise specified, tolerance on .xx shall be ±.01; on .xxx shall be ±.005 and on .xxxx shall be ±.0001.
4. Recommended printed wiring board thickness 0.125 ±0.013 inch.

FIGURE 1. Compliant pin, feed-through. (Continued)

REQUIREMENTS:

Material: Copper alloy, UNS No. C 72500, Temp H08, in accordance with ANSI/ASTM B 122-79, 3/4 hard minimum phosphor bronze UNS C 51000 in accordance with ASTM B 159, or beryllium copper alloy in accordance with QQ-C-533, alloy 172, with minimum Knopp microhardness of 310.

Finish: Gold plate, MIL-G-45204, Type II, Grade C, Class 1, 50 microinches minimum over nickel plating, QQ-N-290, Class 1, 50 microinches minimum.

Dimensions and configuration: See FIGURE 1.

Mounting hole: 0.040 ±.003 inch inside diameter plated-through hole.

Military part number: M28859/3 - (dash number from TABLE I).

TABLE I. Dash numbers and dimensions.

DASH NUMBERS AND DIMENSIONS			
DASH NUMBER	OVERALL LENGTH A ±.010	WRAPPOST LENGTH B (MIN)	POST LENGTH C (±.010)
01	.493	0	.318
02	.668	.175	.318
03	.743	.250	.318
04	.843	.350	.318
05	.993	.500	.318
06	1.118	.625	.318
07	1.243	.750	.318
08	.540	0	.365
09	.715	.175	.365
10	.790	.250	.365
11	.890	.350	.365
12	1.040	.500	.365
13	1.165	.625	.365
14	1.290	.750	.365
15	.405	0	.230
16	.580	.175	.230
17	.655	.250	.230
18	.755	.350	.230
19	.905	.500	.230
20	1.030	.625	.230
21	1.155	.750	.230

Review activity:
DESC - ES

Preparing activity:
Navy - EC
(Project 5935-N260)

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T19:56Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE
MIL-C-28859/3C(EC)	Connector, Component Parts, Electrical Backplane, Printed Wiring, Compliant Pin, Feed-Through

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR ☐ USER ☐ MANUFACTURER ☐ OTHER *(Specify)*: _____
b. ADDRESS *(Street, City, State, ZIP Code)*	

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T19:56Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document*(s)* or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE NAVY

Naval Electronic Systems Command
Washington, DC 20363

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 12503 WASHINGTON D. C.
POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE NAVY

COMMANDER
NAVAL ELECTRONIC SYSTEMS COMMAND
DEFENSE STANDARDIZATION PROGRAM BRANCH
DEPARTMENT OF THE NAVY
WASHINGTON, DC 20363
ATTN: ELEX 8111

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T19:56Z
Check the source to verify that this is the current version before use.