MILITARY SPECIFICATION SHEET

HEAT SINK, ELECTRICAL-ELECTRONIC COMPONENT, SEMICONDUCTOR DEVICE, CLASS 1 (FORMED)

This amendment forms a part of MIL-H-87111/5B, dated 18 April 1986, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 1

Title: Delete and substitute as printed above.

PAGE 2


FIGURE 1, configuration C: Delete ".09" and substitute ".060 - .090".

FIGURE 1, configuration D: Delete ".093" and substitute ".063 - .093".

PAGE 5

FIGURE 1, add the following new configuration L:

"







FSC 5999

AMSC N/A

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T11:49Z
Check the source to verify that this is the current version before use.

FIGURE 1, add following new configuration M:






Source: https://assist.dla.mil -- Downloaded: 2026-10-23T11:49Z
Check the source to verify that this is the current version before use.

PAGE 6

FIGURE 1, delete table and substitute the following:

| 1/ Part number M87111/05- | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hole pattern (see figure 2) 3/ | | | | | | | | | | | | | | | | | | | As shown on figure 1 | Config-uration | Dimension A (±0.25) | 2/ Thermal resistance at 75°C rise |
| H1 | H2 | H3 | H4 | H5 | H6 | H7 | H8 | H9 | H10 | H11 | H12 | H13 | H14 | H15 | H16 | H17 | H18 | H19 | | | | |
| 1-001 | 1-011 | 1-021 | 1-031 | 1-041 | 1-051 | 1-061 | 1-071 | 1-081 | 1-091 | 1-101 | 1-111 | 1-121 | 1-131 | 1-141 | 1-151 | 1-161 | 1-171 | 1-181 | | A | --- | 4.2°C/W |
| 1-002 | 1-012 | 1-022 | 1-032 | 1-042 | 1-052 | 1-062 | 1-072 | 1-082 | 1-092 | 1-102 | 1-112 | 1-122 | 1-132 | 1-142 | 1-152 | 1-162 | 1-172 | 1-182 | | B | --- | 11.0°C/W |
| 1-003 | 1-013 | 1-023 | 1-033 | 1-043 | 1-053 | 1-063 | 1-073 | 1-083 | 1-093 | 1-103 | 1-113 | 1-123 | 1-133 | 1-143 | 1-153 | 1-163 | 1-173 | 1-183 | | C | .500 (12.70) | 11.5°C/W |
| 1-004 | 1-014 | 1-024 | 1-034 | 1-044 | 1-054 | 1-064 | 1-074 | 1-084 | 1-094 | 1-104 | 1-114 | 1-124 | 1-134 | 1-144 | 1-154 | 1-164 | 1-174 | 1-184 | | C | .750 (19.05) | 8.6°C/W |
| 1-005 | 1-015 | 1-025 | 1-035 | 1-045 | 1-055 | 1-065 | 1-075 | 1-085 | 1-095 | 1-105 | 1-115 | 1-125 | 1-135 | 1-145 | 1-155 | 1-165 | 1-175 | 1-185 | | C | 1.000 (25.40) | 6.9°C/W |
| 1-006 | 1-016 | 1-026 | 1-036 | 1-046 | 1-056 | 1-066 | 1-076 | 1-086 | 1-096 | 1-106 | 1-116 | 1-126 | 1-136 | 1-146 | 1-156 | 1-166 | 1-176 | 1-186 | | C | 1.250 (31.75) | 6.2°C/W |
| 1-007 | 1-017 | 1-027 | 1-037 | 1-047 | 1-057 | 1-067 | 1-077 | 1-087 | 1-097 | 1-107 | 1-117 | 1-127 | 1-137 | 1-147 | 1-157 | 1-167 | 1-177 | 1-187 | | D | .500 (12.70) | 7.4°C/W |
| 1-008 | 1-018 | 1-028 | 1-038 | 1-048 | 1-058 | 1-068 | 1-078 | 1-088 | 1-098 | 1-108 | 1-118 | 1-128 | 1-138 | 1-148 | 1-158 | 1-168 | 1-178 | 1-188 | | D | .750 (19.05) | 5.9°C/W |
| 1-009 | 1-019 | 1-029 | 1-039 | 1-049 | 1-059 | 1-069 | 1-079 | 1-089 | 1-099 | 1-109 | 1-119 | 1-129 | 1-139 | 1-149 | 1-159 | 1-169 | 1-179 | 1-189 | | D | 1.000 (25.40) | 4.4°C/W |
| 1-010 | 1-020 | 1-030 | 1-040 | 1-050 | 1-060 | 1-070 | 1-080 | 1-090 | 1-100 | 1-110 | 1-120 | 1-130 | 1-140 | 1-150 | 1-160 | 1-170 | 1-180 | 1-190 | | D | 1.250 (31.75) | 3.3°C/W |
| 1-191 | 1-200 | 1-209 | 1-218 | 1-227 | 1-236 | 1-245 | 1-254 | 1-263 | 1-272 | 1-281 | 1-290 | 1-299 | 1-308 | 1-317 | 1-326 | 1-335 | 1-344 | 1-353 | | E | .500 (12.70) | 7.5°C/W |
| 1-192 | 1-201 | 1-210 | 1-219 | 1-228 | 1-237 | 1-246 | 1-255 | 1-264 | 1-273 | 1-282 | 1-291 | 1-300 | 1-309 | 1-318 | 1-327 | 1-336 | 1-345 | 1-354 | | E | .750 (19.05) | 6.2°C/W |
| 1-193 | 1-202 | 1-211 | 1-220 | 1-229 | 1-238 | 1-247 | 1-256 | 1-265 | 1-274 | 1-283 | 1-292 | 1-301 | 1-310 | 1-319 | 1-328 | 1-337 | 1-346 | 1-355 | | E | 1.000 (25.40) | 5.0°C/W |
| 1-194 | 1-203 | 1-212 | 1-221 | 1-230 | 1-239 | 1-248 | 1-257 | 1-266 | 1-275 | 1-284 | 1-293 | 1-302 | 1-311 | 1-320 | 1-329 | 1-338 | 1-347 | 1-356 | | E | 1.250 (31.75) | 4.2°C/W |
| | | | | | | | | | | | | | | | | | | | 1-362 | F | .500 (12.70) | 7.2°C/W |
| | | | | | | | | | | | | | | | | | | | 1-363 | F | .750 (19.05) | 6.1°C/W |
| | | | | | | | | | | | | | | | | | | | 1-364 | F | 1.000 (25.40) | 5.2°C/W |
| | | | | | | | | | | | | | | | | | | | 1-365 | F | 1.250 (31.75) | 4.2°C/W |
| | | | | | | | | | | | | | | | | | | | 1-366 | G | .500 (12.70) | 12.2°C/W |
| | | | | | | | | | | | | | | | | | | | 1-367 | G | .750 (19.05) | 7.9°C/W |
| | | | | | | | | | | | | | | | | | | | 1-368 | G | 1.000 (25.40) | 6.7°C/W |
| 1-195 | 1-204 | 1-213 | 1-222 | 1-231 | 1-240 | 1-249 | 1-258 | 1-267 | 1-276 | 1-285 | 1-294 | 1-303 | 1-312 | 1-321 | 1-330 | 1-339 | 1-348 | 1-357 | | H | --- | 14.5°C/W |
| | | | | | | | | | | | | | | | | | | | 1-369 | I | --- | 16.0°C/W |
| | | | | | | | | | | | | | | | | | | | 1-370 | J | --- | 21.0°C/W |
| 1-196 | 1-205 | 1-214 | 1-223 | 1-232 | 1-241 | 1-250 | 1-259 | 1-268 | 1-277 | 1-286 | 1-295 | 1-304 | 1-313 | 1-322 | 1-331 | 1-340 | 1-349 | 1-358 | | K | .250 (6.35) | 19.7°C/W |
| 1-197 | 1-206 | 1-215 | 1-224 | 1-233 | 1-242 | 1-251 | 1-260 | 1-269 | 1-278 | 1-287 | 1-296 | 1-305 | 1-314 | 1-323 | 1-332 | 1-341 | 1-350 | 1-359 | | K | .500 (12.70) | 19.7°C/W |
| 1-198 | 1-207 | 1-216 | 1-225 | 1-234 | 1-243 | 1-252 | 1-261 | 1-270 | 1-279 | 1-288 | 1-297 | 1-306 | 1-315 | 1-324 | 1-333 | 1-342 | 1-351 | 1-360 | | K | .750 (19.05) | 19.7°C/W |
| 1-199 | 1-208 | 1-217 | 1-226 | 1-235 | 1-244 | 1-253 | 1-262 | 1-271 | 1-280 | 1-289 | 1-298 | 1-307 | 1-316 | 1-325 | 1-334 | 1-343 | 1-352 | 1-361 | | K | 1.000 (25.40) | 19.7°C/W |
| | | | | | | | | | | | | | | | | | | | 1-371 | L | --- | |
| | | | | | | | | | | | | | | | | | | | 1-372 | M | .500 (12.70) | |
| | | | | | | | | | | | | | | | | | | | 1-373 | M | .750 (19.05) | |
| | | | | | | | | | | | | | | | | | | | 1-374 | M | 1.000 (25.40) | |



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T11:49Z
Check the source to verify that this is the current version before use.

FIGURE 3, add the following new configuration L:






FIGURE 3, add the following new configuration M:






Source: https://assist.dla.mil -- Downloaded: 2026-10-23T11:49Z
Check the source to verify that this is the current version before use.

## CONCLUDING MATERIAL

Custodians:
Army - ER
Navy - EC
Air Force - 85

Review activities:
Navy - TD
Air Force - 11, 19, 99
DLA - ES

User activities:
Navy - AS, CG, MC, SH

Preparing activity:
Air Force - 85

Agent:
DLA - ES

(Project 5999-0273)



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T11:49Z
Check the source to verify that this is the current version before use.