MIL-S-13001C
AMENDMENT-3

17 November 1975
SUPERSEDING
Amendment-2
18 September 1973

MILITARY SPECIFICATION

SIFTING MACHINE, FLOUR, ELECTRIC (FOR FIELD BAKERIES)

This amendment forms a part of Military Specification MIL-S-13001C, dated 25 February 1972, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 2

2.1, after "MIL-STD-462 - Electromagnetic Interference Characteristics, Measurement Of." Add the following:

"PUBLICATIONS

DEPARTMENT OF THE ARMY TECHNICAL MANUALS

TM 10-410 - Bread Baking."

PAGE 4

3.1, line 2, between "sample" and "for". Insert "of the item to be procured under this specification".

Add new paragraphs 3.1.1 and 3.1.2 as follows:

"3.1.1 Initial production testing sample. When specified (see 6.2), the supplier shall furnish a sample for initial production inspection and approval (see 4.2.1 and 6.8).

3.1.2 Inspection comparison testing sample. When specified (see 6.2), the supplier shall furnish a sample for comparison inspection and approval (see 4.2.2 and 6.9)."

3.2.1.1, lines 1 and 2. Delete "preproduction sample" and substitute "first article".

Line 6. Delete "standards" and substitute "requirements".

FSC 7320

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T23:56Z
Check the source to verify that this is the current version before use.

PAGE 5

3.2.2.1 (1), line 3. Delete "preproduction sample" and substitute "first article".

3.2.2.1 (2), lines 5 and 6. Delete "preproduction sample" and substitute "first article".

PAGE 6

3.4, last sentence. Delete and substitute: "When tested as specified in 4.4.1, the sifter shall start, stop, and operate without evidence of malfunction, parts failure, parts separation, binding, or overheating of bearings. When tested as specified in 4.4.2, the sifter shall sift flour at a sustained rate of not less than 290 pounds in not more than 5 minutes."

PAGE 7

3.4.1.3.1, last sentence. Delete "One of the three conductors" and substitute "The green conductor".

PAGE 9

4.2, line 1. Delete "preproduction sample" and substitute "first article".

Lines 5 and 6. Delete "preproduction sample" and substitute "first article".

Lines 6 and 7. Delete "preproduction sample" and substitute "first article".

Add new paragraphs 4.2.1 and 4.2.2 as follows:

"4.2.1 Initial production sample inspection. When an initial production sample is required, the sifter shall be examined for defects in table I, dimensions specified and tested as specified in 4.4.1 and 4.4.2, and when applicable tested as specified in 4.4.3. The presence of any defect or dimension not as specified, or failure of any test shall be cause for rejection of the initial production sample.

"4.2.2 Comparison sample inspection. Where a comparison sample is required, the sifter shall be examined for defects in table I, dimensions specified and tested as specified in 4.4.1 and 4.4.2, and when applicable tested as specified in 4.4.3. The presence of any defect or dimension not as specified, or failure of any test shall be cause for rejection of the comparison sample."

Source: https://assist.dla.mil -- Downloaded: 20261O-17T23:56Z
Check the source to verify that this is the currentversion before use.

PAGE 11

4.3.3.3, line 1. Delete "preproduction sample" and substitute "first article".

PAGE 12

4.4.2 Delete and substitute:

"4.4.2 Performance test. The sifting machine shall sift not less than 290 pounds of hard straight flour as defined in TM 10-410 to determine compliance with the performance requirement of 3.4. Any nonconformance with specified requirements shall constitute failure of this test."

4.4.3, line 2. Delete "preproduction sample" and substitute "first article".

PAGE 14

6.2 Add the following new subparagraphs:

"(e) When initial production testing sample is required (see 3.1.1, 4.2.1 and 6.2.1).

(f) When inspection comparison testing sample is required (see 3.1.2, 4.2.2 and 6.2.2).

Add new paragraphs 6.2.1, 6.2.2 and 6.2.3 as follows:

"6.2.1 Initial production test. When an initial production test sample is required, the contracting officer should include specific instructions in all procurement instruments regarding arrangements for inspection and approval of the initial production test sample.

6.2.2 Inspection comparison test. When a comparison test sample is required, the contracting officer should include specific instructions in all procurement instruments regarding arrangements for inspection and approval of the comparison test sample.

6.2.3 Contract data requirements. Any data items to be delivered under any contract for items covered by this specification should be specifically called for in the contract in accordance with the applicable regulations of the procuring activity."

6.3 Delete and substitute:

"6.3 First article. When a first article is required, it shall be inspected and approved under the appropriate provisions of ASPR 7-104.55. The first article should be a preproduction sample, initial production item or other

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T23:56Z
Check the source to verify that this is the current version before use.

specific item described under the definition of a first article in the ASPR. The contracting officer should specify the appropriate type of first article and the number of units to be furnished. The contracting officer should include specific instructions in all procurement instruments regarding arrangements for inspection and approval of the first article."

Custodians:

Army - GL
Navy - MC

Preparing activity:

Army - GL

Project No. 7320-0612

Source: https://assist.dla.mil -- Downloaded: 20261O-17T23:56Z
Check the source to verify that this is the currentversion before use.