MILITARY SPECIFICATION

PRIMER, PERCUSSION, M61 PARTS AND LOADING, ASSEMBLING AND PACKING

This Amendment forms a part of Military Specification MIL-P-20449C(MU), dated 18 October 1968, and is approved for use by the US Army Armament Research and Development Command, and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

* Add the following preamble under the title:

"This specification is approved for use by the US Army Armament Research and Development Command, and is available for use by all Departments and Agencies of the Department of Defense."

2.1 Specifications:

Military: Delete "MIL-I-45607 - Inspection Equipment, Supply & Maintenance of".

PAGE 2

DRAWINGS: Add the following:

8815988 - Primer Holder
8815993 - Pin, Firing
8816003 - Primer, Holder Adapter
8816015 - Ball Steel

Delete: "Publications US Army Munitions Command ET-8831157 - Equipment Tabulation".

PAGE 4

* 4.2.1 Delete in its entirety and substitute the following:

"4.2.1 Submission. The contractor shall submit a first article sample (see 6.1c) as designated by the Contracting Officer for evaluation. The first article sample shall consist of the following:

FSC 1390

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T07:50Z
Check the source to verify that this is the current version before use.

a. 25 each of every component part, component subassembly, and final assembly for examination (see 4.2.2).

b. 450 each final assemblies for sensitivity testing (see 4.3.3.1.1).

c. 300 each final assemblies for dud testing (see 4.3.3.1.2).

All parts, subassemblies and final assemblies shall have been produced by the contractor or furnished by a supplier using the same production processes, procedures and equipment which will be used in fulfilling the contract. All parts and materials, including packaging and packing shall be obtained from the same source of supply as will be used in regular production. Prior to submission, the contractor shall inspect the sample to the degree necessary to assure that it conforms to the requirements of the contract and he shall submit a record of this inspection with the sample, including statements of findings and certificates of conformance of materials (see 4.1.1e). A sample containing known defects shall not be submitted unless specifically authorized by the Contracting Officer. A first article sample, or portion thereof, as directed by the Contracting Officer shall also be submitted whenever there is a lapse in production for a period in excess of 90 days, or whenever a change occurs in manufacturing process, material used, drawing or specification such as to significantly affect product uniformity as determined by the Government.

PAGE 5

* 4.2.2 Delete in its entirety and substitute the following:

"4.2.2 Inspections to be performed. Component parts, component subassemblies and final assemblies will be subjected by the Government to any or all of the examinations specified in 4.3.2 of this Specification and any or all requirements of the applicable drawings.

PAGE 7

4.3.2.2 Major 101, Add after Profile: "of point".

PAGE 11

4.3.4 Delete in its entirety and substitute the following:

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T07:50Z
Check the source to verify that this is the current version before use.

"4.3.4 Inspection Equipment. Inspection equipment required to perform the inspection prescribed in this specification is identified in the Examination (see 4.3.2) and Test Method (4.4) paragraphs herein. See 6.3 for details concerning responsibilities for inspection design and approval."

4.3.4.1, 4.3.4.2 Delete in their entirety.

PAGE 12

4.4.1.1 Add after last sentence: "Method of Inspection shall be in accordance with drawings 8815988, 8815993, 8816003 and 8816015.

PAGE 15

6.3 Delete and substitute the following:

"6.3 Inspection equipment designs. Inspection equipment designs are of two types; Government Special Inspection Equipment (SIE) designs and contractor designs. SIE designs are designated by drawings numbers under the "Method of Inspecton" headings in Section 4. Design responsibility for all other inspection equipment is assigned to the contractor. The contractor need not furnish any design when a complete Government SIE design is provided. Unless otherwise specified, however, the contractor may submit alternate or modified contractor designs of SIE in accordance with 6.3.2 and 6.3.3 should he elect to do so.

6.3.1 Delete and substitute the following:

"6.3.1 SIE designs. SIE designs may consist of any of the following:

a. Detailed drawings which completely depict all information necessary for the fabrication and use of the item of inspection equipment.

b. A source control drawing or a specification control drawing as defined in MIL-STD-100.

c. An envelope drawing, as defined in MIL-STD-100, which establishes the criteria which a detail design shall meet. When envelope drawings are specified, the contractor shall prepare designs which comply with the criteria therein.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T07:50Z
Check the source to verify that this is the current version before use.

6.3.2 Delete and substitute the following:

"6.3.2 Contractor designs. Contractor designs are required for all inspection equipment for which SIE designs are not specified and may include commercial equipment which the contractor proposes to use. (Commercial equipment is defined as unmodified equipment which is cataloged and available for purchase by the general public.) Contractor designs shall include appropriate operating instructions, calibration procedures and maintenance procedures. Commercial equipment shall be fully described by catalog listings or other means which provide sufficient information to permit identification and evaluation by the Government and may include illustrations and engineering data. Designs shall be prepared for any special fixture(s) required to be used with commercial equipment or with SIE designs if not otherwise covered thereby (see 6.3.1.c). Designs shall be of the category and form (per MIL-D-1000) specified in the Contract Data Requirements Lists (DD Form 1423). The Contractor is referred to MIL-HDBK-204, "Inspection Equipment Design" for guidance. The specification number and the applicable five-digit defect code number (or other specific identifying information) from Section 4 of this specification shall be referenced on each contractor design, together with the component of assembly drawing number and revision letter to which the specified design applies.

6.3.3 Delete and substitute the following:

"6.3.3 Submission of designs for approval. Contractor designs shall be approved by the Government prior to fabricating or procuring the equipment. Designs shall be submitted for approval to ARRADCOM, ATTN: DRDAR-QAR-I, Dover, NJ 07801 in accordance with stipulations, time frame and distribution specified in the Contract Data Requirements List (DD Form 1423) or in the contract. Partial submission of inspection equipment designs is permissible and encouraged. However, the completion date for design review will be based on the date of the final submission of designs. ARRADCOM design review will normally be accomplished within one month after receipt.

PAGE 16

6.3.4 Delete in its entirety.

6.3.5 Delete in its entirety.

Source: https://assist.dla.mil -- Downloaded: 20261O-19T07:50Z
Check the source to verify that this is the current version before use.

The margins of this amendment are marked with asterisks to indicate changes (additions, modifications, corrections, deletions) from the previous amendment. This was done as a convenience only and the Goverment assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaulate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 1390-A388)

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T07:50Z
Check the source to verify that this is the current version before use.