INCH-POUND

MIL-I-27304E(USAF)
AMENDMENT 3
15 May 1991
SUPERSEDING
AMENDMENT 2
05 FEBRUARY 1986

MILITARY SPECIFICATION

INDICATOR, RATE OF FLOW

This amendment forms a part of MIL-I-27304E(USAF), dated 4 April 1977, and is approved for use by the Department of the Air Force and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

* 2.1 Delete entirely and add new 2.1 "Government Document".

* Add: "2.1.1 Specifications, standards, and handbooks. The following specifications, standards, and handbooks form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those listed in the issue of the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto, cited in the solicitation (see 6.2)."

* Under SPECIFICATION, Federal, delete title of PPP-B-636 and add: "Box, Shipping Fiberboard." Add: "PPP-B-1672 Boxes, Shipping, Reusable With Cushioning."

* Under the beneficial comment block, line 3, delete "ASD/ENESS, Wright-Patterson AFB, OH 45433" and add: "Oklahoma City Air Logistics Center/TIMLA, Tinker AFB, OK 73145-5990."

PAGE 2

* Under SPECIFICATIONS, Military, delete "Preservation" from title of MIL-P-116. Delete "MIL-L-25142" entirely. Delete title of MIL-L-25467 and add " Lighting, Integral, Red, Aircraft Instruments General Specification For."

* Under STANDARDS, Military, delete "MIL-STD-143," "MIL-STD-794", and "MIL-STD-1186" entirely. Delete title of MIL-STD-704 and add "Aircraft Electrical Power Characteristics." Add: "MIL-STD-970 Standards And Specifications, Order of Preference For The Selection Of" and "MIL-STD-2073/1A DOD Materiel Procedures For Development & Application of Packaging Requirements."

* Under 2.1.1 delete the "Source Statement" and add new statement "(Unless otherwise indicated, copies of federal and military specifications, standards, and handbooks are available from the Standardization Document Order Desk, 700 Robbins Ave, Building #4, Section D, Philadelphia, PA 19111-5094.)"

AMSC N/A FSC 6620

DISTRIBUTION STATEMENT A. Approved for public release: distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T11:34Z
Check the source to verify that this is the current version before use.

4.6.28.2 In third sentence delete "qualifying" and add: "responsible."

4.7 Delete and add: "4.7 Inspection and test. Tests of methods of preservation and packaging shall be accomplished in accordance with Section 4 MIL-P-116, to insure compliance with Section 5 of this specification."

* Delete Section 5 entirely and add:

"5. Packaging

5.1 Preservation. Preservation shall be Level A or C as specified (see 6.2).

5.1.1 Preservation-Packing. Unless otherwise specified by the contracting activity, item shall be packaged in Quantity Unit Pack (QUP) of one each. Each item will be provided a preservation method 1C-1 IAW MIL-P-116.

5.1.2 Cleaning. Item shall be cleaned IAW MIL-P-116 C-1 process.

5.1.3 Drying. Immediately after cleaning the item shall be dried following any one or combination of the drying procedures listed in MIL-P-116. The drying procedures employed shall not be injurious to the item.

5.1.4 Level A. Item shall be preserved IAW MIL-P-116 and MIL-STD-2073-1A to provide a method 1C-1.

5.1.5 Level C. Item shall be individually preserved in a manner that will afford adequate protection against corrosion, deterioration, and physical damage during shipment from the supply source to the first receiving activity as specified in MIL-P-116 and MIL-STD-2073-1A.

5.2 Packing. Packing shall be Level A, B, or C as specified (see 6.2)

5.2.1 Container-cushioning. Intermediate container requirements shall conform to PPP-B-636 or PPP-B-1672, weather resistant unless otherwise specified by the contracting activity. Intermediate containers shall be large enough to allow for the application of sufficient cushioning material between the unit container and intermediate container. Cushioning material shall be of sufficient density and thickness to insure shock transmission does not exceed peak values in G's established for the item.

5.2.2 Level A. Item will be preserved as specified in 5.1 and shall be packed in exterior containers conforming to PPP-B-636 or PPP-B-1672, weather resistant unless otherwise specified by the contracting activity. Exterior container shall be uniform shape, size, and minimum tare and cube consistent with the protection required. Closure shall be in accordance with appropriate PPP-B-636 or PPP-B-1672 procedures as specified by contractor, Special Packaging Instructions (SPI), and contracting activity.

5.2.3 Level B. Same as Level "A" unless otherwise specified by Special Packaging Instructions (SPI) or contracting activity.

5.2.4 Level C. Item will be packed in containers in a manner that will afford adequate protection against physical damage during direct domestic shipment from

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T11:34Z
Check the source to verify that this is the current version before use.

5.3 Marking. Unit, intermediate, and exterior containers shall be marked IAW special markings required by the contractor, Special Packaging Instructions (SPI), and MIL-STD-129. The nomenclature marking requirements shall be as follows:

INDICATOR, RATE OF FLOW EFU-15A/A- * OR
EFU-42/A * ** PPH, 2-INCH SIZE ***

* APPLICABLE TYPE DESIGNATION
** APPLICABLE RANGE
*** APPLICABLE LIGHTING

5.4 Inspection and Test. Test of methods of preservation shall be accomplished in accordance with Section 5 of this specification. Packaging tests shall be conducted IAW rough handling as specified in Federal Test Method Standard No. 101."

* Under "6. NOTES" add: "(This section contains information of a general or explanatory nature that may be helpful, but is not mandatory.)"

* Add: "6.2.e Issue of DODISS to be cited in the solicitation, and if required, the specific issue of individual documents referenced see (2.1)."

PAGE 26

6.3 Delete and add: "6.3 First article. A first article is required for inspection and approval (see 3.1, 4.4.2, and 6.3.1)."

6.3.1 Delete and add: "6.3.1 First article inspection. First article inspection procedures shall be submitted to the responsible activity for formal approval before the inspection program is initiated."

6.3.2 Delete and add: "6.3.2 Test samples. The first article inspection samples shall be submitted to the responsible activity."

Custodians:
AIR FORCE -99

Preparing Activity:
AIR FORCE -71

Project Number:
6620-F487

Source: https://assist.dla.mil -- Downloaded: 202640-20T11:34Z
Check the source to verify that this is the currentversion before use.