
MILITARY SPECIFICATION SHEET

CONNECTOR, ELECTRIC, RECTANGULAR, INDIVIDUAL CONTACT SEALING, POLARIZED CENTER JACKSCREW, WIRE SEAL, SIZE 16, CRIMP REMOVABLE CONTACTS

This specification sheet is approved for use by the Naval Air Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the connectors described herein shall consist of this document and the latest issue of Specification MIL-C-85028(AS).



PART NO.	WIRE RANGE	INSULATION OD RANGE	A ±.003	B ±.003	WIRE SEAL	
					MATERIAL	COLOR
M85028/5-1	24 - 28	.041 D TO .055 D	.027	.055	RUBBER	RED
M85028/5-2	20 - 24	.051 D TO .070 D	.046	.070	↕	LAVENDER
M85028/5-3	16 - 20	.066 D TO .087 D	.062	.086	RUBBER	BROWN

FSC-5935

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T10:03Z
Check the source to verify that this is the current version before use.

INCHES	MM	INCHES	MM
.003	.08	.062	1.57
.004	10	.070	1.78
.005	.13	.080	2.03
.012	.30	.086	2.18
.027	.69	.090	2.29
035	.89	.102	2.59
046	1 17	.116	2.95
.050	1 27	.130	3.30
055	1.40	.158	4 01
060	1.52	.290	7.37

NOTES:

1. Dimensions are in inches
2. Metric equivalents (to the nearest 01mm) are given for general information only and are based upon 1 inch = 25 4mm.
3. Flash free in sealing area

Custodian:
Navy - AS
Review Activity:
Navy - EC

Preparing Activity:
Navy - AS
Project No. 5935-N033-6

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T10:03Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity

DOCUMENT IDENTIFIER AND TITLE MIL-C-85028/5(AS) CONNECTOR, ELECTRIC, RECTANGULAR, INDIVIDUAL CONTACT SEALING, POLARIZED CENTER JACKSCREW, WIRE SEAL, SIZE 16, CRIMP REMOVABLE CONTACTS

NAME OF ORGANIZATION AND ADDRESS	CONTRACT NUMBER
	MATERIAL PROCURED UNDER A ☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1 HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2 COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO (If "Yes", in what way?)

4 REMARKS

SUBMITTED BY (Printed or typed name and address - Optional)	TELEPHONE NO
	DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T10:03Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE NAVY
Naval Air Engineering Center
Lakehurst, New Jersey 08733

OFFICIAL BUSINESS

POSTAGE AND FEES PAID
DEPARTMENT OF THE NAVY
DOD 316



Engineering Specifications and Standards Department (Code 9312)
Naval Air Engineering Center
Lakehurst, New Jersey 08733

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T10:03Z
Check the source to verify that this is the current version before use.