MIL-C-60181(MU)
AMENDMENT 1
28 April 1967

MILITARY SPECIFICATION

CONTAINER, SHIPPING, REUSABLE: 10539223

This amendment forms a part of Military Specification MIL-C-60181(MU), dated 2 March 1965.

Paragraph 2.1: Delete: "MIL-A-5090 Adhesives, Heat Resistant, Airframe Structural, Metal to Metal."

Paragraph 3.3.3.2: Delete in entirety and substitute the following:

"3.3.3.2 Bonding of extrusions.- The extrusions shall be attached to the container shells with adhesive conforming to Dow Chemical Co. RTV 735 with primer 1200. The extrusions shall be tool rolled and crimped on the sides and ends to assure positive attachment to container shells. Corner radii of extrusions shall not be tool rolled or crimped."

Delete: "Figures 3 and 4" and substitute attached "Figures 3 and 4."

Custodian:

Army - MU

Preparing Activity:


Army - MU


Project No. 1220-A295Y

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:15Z
Check the source to verify that this is the current version before use.

NOTES:
1. MATERIAL SHALL BE AS SPECIFIED IN PAR. 3.2 MIL-C-60181
   STARTING THICKNESS .250±.005
   COLOR-OLIVE DRAB, COLOR NUMBER X24087 OF FED-STD-595
   FINISH-HAIRCELL GRAIN (EXTERIOR SURFACE)
   HAIRCELL GRAIN OR SMOOTH (INTERIOR OPTIONAL)
   FORMED THICKNESS .120 +.020 −.010
2. TOLERANCE-
   DECIMALS ±.062
   ANGLES +1° −0°

SUGGESTED MATERIAL SOURCES:
U.S. RUBBER CO.
CHICAGO, ILL.
PART NO. R40-4313-CPA 1492









FIGURE 3 - SHELL, BODY


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:15Z
Check the source to verify that this is the current version before use.

NOTES:
1. MATERIAL SHALL BE AS SPECIFIED IN PAR 3.2 MIL-C-60181
STARTING THICKNESS .250±.005
COLOR- OLIVE DRAB, COLOR NUMBER X24087 OF FED-STD-595
FINISH- HAIRCELL GRAIN (EXTERIOR SURFACE)
HAIRCELL GRAIN OR SMOOTH (INTERIOR OPTIONAL)
FORMED THICKNESS .120 +.020 -.010
2. TOLERANCES- DECIMALS ±.062
ANGLES +1° -0°

DECIMALS ±.062
ANGLES +1° -0°

SUGGESTED MATERIAL SOURCES:
U.S. RUBBER CO.
CHICAGO, ILL.
PART NO. R40-4313-CPA 1492








FIGURE 4- SHELL, COVER

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:15Z
Check the source to verify that this is the current version before use.