MIL-W-64044 (AR)
AMENDMENT 3
5 May 1985
SUPERSEDING
AMENDMENT 2
17 February 1984

MILITARY SPECIFICATION

WARHEAD, 2.75 INCH ROCKET, M261 AND M267, PARTS FOR

This Amendment forms a part of Military Specification MIL-W-64044 (AR), dated 7 October 1983, and is approved for use by the U.S. Army Armament, Munitions and Chemical Command, and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 2

2.1.2: Add to Product Drawings: "9334152 Obturator Support Assy".

3.2: Add to list of drawings "9334152".

PAGE 4

4.3.1: Add to Table:

"Obturator Support, Split	9334154	15 or 5/cavity whichever is greater
Obturator Support Assy	9334152	25"

PAGE 7

TABLE I: Add:

"Obturator Support, Split (Dwg. 9334154)			
Examination for defects	15(a)	3.2	4.4.2.14
Obturator Support Assy (Dwg. 9334152)			
Examination for defects	25	3.2	4.4.2.15"

FSC 1340

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:12Z
Check the source to verify that this is the current version before use.

PAGE 10

4.4.2.2, Major 103: Delete "Center" and substitute "blow-through"

Minor 202: Delete in its entirety

PAGE 20

* 4.4.2.12, add Major 111:

"111 Surface finish (Note 8) 0.40% 3.2 Gage/Visual"

PAGE 21

Add new paragraphs 4.4.2.14 and 4.4.2.15, by inserting spec. pages 21A and 21B after 21. (Attached as pages 3 and 4 of this amendment).

PAGE 23

* 6.3: Delete "US Army Armament Research and Development Command,ATTN: DRDAR-QAF-I" and substitiue "Armament Research and Development Center, US Army Armament, Munitions and Chemical Command, ATTN: AMSMC-QAF-I(D)".

*The margins of this amendment are marked with an asterisk or vertical lines to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:12Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

PARAGRAPH	TITLE	SHEET	DRAWING NUMBER
4.4.2.14	Obturator Support, Split	1 OF 1	9334154
			NEXT HIGHER ASSEMBLY: 9334152

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Outside diameter		0.40%	3.2	Gage
102	Smaller inside diameter		0.40%	3.2	Gage
103	Larger inside diameter		0.40%	3.2	Gage
104	Depth		0.40%	3.2	Gage
105	Split width, max		0.40%	3.2	Gage
106	Mold inspection	5/cavity			
Minor					
201	Evidence of poor workmanship		0.65%	3.4	Visual

NOTES:

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:12Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-W-64044(AR)
AMENDMENT 3

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER
4.4.2.15	Obturator Support Assembly				9334152
					NEXT HIGHER ASSEMBLY
					9334122
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major 101	Tape missing or improperly located		0.40%	3.2	Visual
Minor 201	Evidence of poor workmanship		0.65%	3.4	Visual

NOTES:

Source: https://assistdraft.mil -- Downloaded: 2026-10-23T03:21Z
Check the source to verify that this is the current version before use.

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 1340-A695)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:12Z
Check the source to verify that this is the current version before use.