INCH-POUND

MIL-PRF-15733G
SUPPLEMENT 1A
3 August 1998
SUPERSEDING
SUPPLEMENT 1
6 September 1984

PERFORMANCE SPECIFICATION

FILTERS AND CAPACITORS, RADIO FREQUENCY INTERFERENCE,
GENERAL SPECIFICATION FOR

This supplement forms a part of MIL-PRF-15733G, dated 6 September 1984.

PART 1

SPECIFICATION SHEETS

| | | |
|---|---|---|
| MIL-F-15733/1 | - | Filters, Radio Frequency Interference, Hermetically Sealed, Style FL22. |
| MIL-F-15733/2 | - | Filters, Radio Frequency Interference, Hermetically Sealed, Style FL24. |
| MIL-F-15733/4 | - | Filters, Radio Frequency Interference, Style FL53. |
| MIL-F-15733/16 | - | Filters, Radio Frequency Interference, Style FL74. |
| MIL-PRF-15733/23 | - | Filters, Radio Frequency Interference, Hermetically Sealed, Styles FL10 and FL11. |
| MIL-F-15733/24 | - | Filters, Radio Frequency Interference, Hermetically Sealed, Style FL12. |
| MIL-PRF-15733/25 | - | Filters, Radio Frequency Interference, Hermetically Sealed, Style FL13. |
| MIL-PRF-15733/26 | - | Filters, Radio Frequency Interference, Hermetically Sealed, Style FL14. |
| MIL-PRF-15733/27 | - | Filters and Capacitors, Radio Frequency Interference, Hermetically Sealed, Style FL15. |
| MIL-F-15733/28 | - | Filters, Radio Frequency Interference, Style FL42. |
| MIL-F-15733/30 | - | Filters, Radio Frequency Interference, Hermetically Sealed, Style FL82. |
| MIL-PRF-15733/31 | - | Filters, Radio Frequency Interference, Hermetically Sealed, Style FL83. |
| MIL-PRF-15733/33 | - | Filters, Radio Frequency Interference, Style FL38. |
| MIL-PRF-15733/34 | - | Filters and Capacitors, Radio Frequency Interference, Hermetically Sealed, Style FL90. |
| MIL-PRF-15733/38 | - | Filters, Radio Frequency Interference, Hermetically Sealed, Style FL16. |
| MIL-PRF-15733/39 | - | Filters, Radio Frequency Interference, Hermetically Sealed, Style FL91. |
| MIL-PRF-15733/40 | - | Filters, Radio Interference, Style FL35. |
| MIL-PRF-15733/41 | - | Filters, Radio Frequency Interference, Style FL84. |
| MIL-PRF-15733/43 | - | Filters, Radio Frequency Interference, Style FL70. |
| MIL-PRF-15733/44 | - | Filters, Radio Frequency Interference, Style FL45. |
| MIL-PRF-15733/46 | - | Filters, Radio Frequency Interference Suppression, Style FL41. |
| MIL-F-15733/48 | - | Filters, Radio Frequency Interference, Hermetically Sealed, Style FL92. |
| MIL-PRF-15733/49 | - | Filters and Capacitors, Radio Frequency Interference, Hermetically Sealed, Style FL93. |
| MIL-PRF-15733/51 | - | Filters, Radio Frequency Interference, Style FL48. |
| MIL-F-15733/53 | - | Filters, Radio Frequency Interference, Style FL86. |
| MIL-PRF-15733/54 | - | Filters, Radio Frequency Interference, Hermetically Sealed, Style FL94. |
| MIL-PRF-15733/55 | - | Filters, Radio Interference, Hermetically Sealed, Style FL85. |
| MIL-PRF-15733/56 | - | Filter, Radio Frequency Interference Suppression, Hermetically Sealed, Style FL61. |
| MIL-PRF-15733/57 | - | Filters, Radio Frequency Interference, Hermetically Sealed, Style FL62. |
| MIL-PRF-15733/58 | - | Filters and Capacitors, Radio Frequency Interference, Hermetically Sealed, Style FL63. |


DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T07:13Z
Check the source to verify that this is the current version before use.

| | | |
|---|---|---|
| MIL-PRF-15733/59 | - | Filters, Radio Frequency Interference, Hermetically Sealed, Style FL64. |
| MIL-PRF-15733/61 | - | Filter, Radio Frequency Interference, Styles FL30, FL32, FL34, and FL43. |
| MIL-PRF-15733/62 | - | Filters, Radio Frequency Interference, Styles FL31 and FL47. |
| MIL-PRF-15733/63 | - | Filters, Radio Interference, Style FL37. |
| MIL-F-15733/64 | - | Filters, Radio Frequency Interference, Style FL49. |
| MIL-F-15733/65 | - | Filters, Radio Frequency Interference, Style FL87. |
| MIL-PRF-15733/66 | - | Filters, Radio Frequency Interference, Style FL50. |
| MIL-PRF-15733/67 | - | Filters, Radio Frequency Interference, Hermetically Sealed, Style FL88. |
| MIL-PRF-15733/72 | - | Filters, Radio Frequency Interference, Hermetically Sealed, Style FL54. |
| MIL-PRF-15733/73 | - | Filters, Radio Frequency Interference, Hermetically Sealed, Style FL55. |
| MIL-PRF-15733/74 | - | Filters, Radio Frequency Interference, Hermetically Sealed, Style FL56. |
| MIL-PRF-15733/75 | - | Filters, Radio Frequency Interference, Hermetically Sealed, Style FL98. |

## PART II

## Functional Guide

### RFI Filters, High Frequency, Hex-Head Types

| Volts | | Current | | Specification |
|---|---|---|---|---|
| dc | ac | Amperes | Circuit type | sheet |
| 500 | 350 | 25 | Pi | 61 |
| 500 | ----- | 10 | Pi | 43 |
| 300 | ----- | 10 | Pi | 46 |
| 200 | 140 | 10 | Pi | 61 |
| 125 | 85 | .3, 15 | Multi Pi | 44 |
| 100 | 70 | 10 | Pi, L2 | 61 |
| 70 | ----- | 10 | Pi | 61 |
| 50 | ----- | 25 | Pi | 61 |

### RFI Filters, High Frequency, Solder-In

| Volts | | Current | | Specification |
|---|---|---|---|---|
| dc | ac | Amperes | Circuit type | sheet |
| 500 | 350 | 25 | Pi | 40 |
| 200 | 140 | 10 | Pi | 62 |
| 200 @ 85°C | 200 @ 85°C | 10 | Pi | 51 |
| 125 | 90 | 10 | Pi | 33 |
| 125 | ----- | 10 | Pi | 66 |
| 100 | ----- | 10 | Pi | 62 |
| 70 | ----- | 10 | Pi | 62 |
| 70 | ----- | 10 | Pi | 51 |
| 70 | ----- | 10 | Pi | 64 |



Source: https://assist.dla.mil -- Downloaded: 2026-10-18T07:13Z
Check the source to verify that this is the current version before use.

RFI Filters, Broadband Types

| Volts | | Current | | Specification |
|---|---|---|---|---|
| dc | ac | Amperes | Circuit type | sheet |
| 600 | 250 | .5, 1, 3, 5, 10, 20, 30, 50 | L1, L2, 2L1, 2L2, Pi, T | 74 |
| 600 | 250 | .5, 1, 3, 5, 10, 20, 30, 50 | L1, L2, 2L2, Pi, T | 31 |
| 400 | 115 | .5, 1, 3, 5, 10, 20, 30, 50 | L1, L2, 2L1, 2L2, Pi, T | 73 |
| 400 | 115 | 3, 5, 10, 20, 30, 50 | Pi (2 or 3 lines per case) | 75 |
| 400 | 115 | .5, 1, 3, 5, 10, 20, 30, 50 | T | 65 |
| 400 | 125 | 1, 10, 15, 20 | Pi | 41 |
| 400@85°C | 125@85°C | 1, 5, 10, 15, 20, 55 | Pi | 2 |
| 400@85°C | 125 | 2, 5, 10 | Pi | 55 |
| 300 | 125 | 10 | L1 | 34 |
| 300 | 115 | .1, .25, .5, 1, 2, 3, 10 | T, Pi, L2 | 54 |
| 250 | 115 | 1.75 | L1 | 54 |
| 200 | 150 | 1, 2, 3, 4, 5 | L1, L2, T | 59 |
| 200 | 125 | .7, 1, 1.5, 2, 3, 4, 5, 10, 15 | L1, L2, Pi | 27 |
| 200 | 125 | 2, 3, 5, 10, 20 | L1, L2, Pi | 34 |
| 200 | 125 | 15 | L2 | 38 |
| 200 | 115 | 1 | L2 | 54 |
| 150 | ----- | .1, .3, .5, 1, 2 | L1, L2, Pi | 23 |
| 150 | 125 | .25, 1, 2, 3, 4, 5 | L1, L2, Pi, T | 26 |
| 150 | ----- | 3 | Pi | 38 |
| 150 | 125 | .5, 1, 2, 3, 5, 10 | L1, L2, Pi | 34 |
| 150 | 125 | .5 | L2 | 57 |
| 125@85°C | ----- | 20 | Pi | 41 |
| 100 | ----- | .25, 1, 2, 3, 4, 5 | L1, L2, Pi, T | 25 |
| 100 | 30 | .5, 1, 2, 3, 5, 10, 20, 30, 50 | T | 30 |
| 100 | 30 | .5, 1, 3, 5, 10, 20, 30, 50 | L1, L2, 2L1, 2L2, Pi, T | 72 |
| 100 | ----- | .1, .25, .5, 1, 2, 3, 5, 10 | L1, Pi | 34 |
| 100 | ----- | .5, 1, 2, 5, 10 | L1, L2, Pi | 39 |
| 100@85°C | ----- | .25, 3, 5 | Pi | 39 |
| 100 | ----- | 15 | L2 | 49 |
| 100 | ----- | 20 | Pi | 53 |
| 100 | ----- | .5, 1, 2, 3, 5 | Pi, L1, L2, T | 67 |
| 50 | ----- | .1, .3, .5, 1, 2 | L1, L2, Pi | 23 |
| 50 | ----- | 2 | Pi | 34 |
| 50 | ----- | 10 | L1 | 39 |
| 50 | ----- | .1, .3, 2 | 2L1, 2L2 | 56 |
| 50 | ----- | 10 | L1, L2 | 58 |
| 50 | ----- | 15 | L2 | 38 |
| 50 | ----- | 15 | L2 | 49 |
| 50@85°C | ----- | 15 | Pi | 38 |
| 28 | ----- | .06, .15, .25, .3, .45, 10 | L1, L2 | 24 |
| 28 | ----- | .45, 10 | L2 | 34 |



Source: https://assist.dla.mil -- Downloaded: 2026-10-18T07:13Z
Check the source to verify that this is the current version before use.

Preparing activity:
DLA - CC

(Project 59GP-0165)



Source: https://assist.dla.mil -- Downloaded: 2026-10-18T07:13Z
Check the source to verify that this is the current version before use.