
MILITARY SPECIFICATION SHEET

CONNECTOR, ELECTRICAL, MOUNTING DEVICE, FLANGE TYPE,
3/4 MOUNTING PERIMETER DEVICE, TYPE II (MEDIUM DUTY)

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for acquiring the mounting flanges described herein shall consist of this document and the latest issue of specification MIL-C-85528.



NOTES:
1. Dimensions are in inches.
2. Metric equivalents are given for general information only.
3. Unless otherwise specified, tolerance is ±.010.
4. Classes represents shell size variances (see Table I).
5. Cross referencing-applications (see Tables II and III).

FIGURE 1. Mounting flange, Type II.

FSC 5935

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T11:02Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

Physical:

Material:

Mounting flanges - Aluminum alloy .040 thk, 2024-T3 per QQ-A-250/4 and .040 thk, 6061-T6 per QQ-A-250/11

Nut, self-locking, clinch type - Alloy steel per MIL-N-45938; if a corrosion resistant steel is required (use AISI 303 per FED-STD-66 or A286 per AMS 5734). Add -01 to Part No. (see example).

Finish:

Mounting flanges - Alodine per MIL-C-5541. Epoxy polyamide primer, 2 coats applied per MIL-P-23377, if required (see example).

Nut, self-locking, clinch type - Cadmium plate per QQ-P-416, Type II, Class 3, supplementary molybdenum disulfide coating.

MILITARY PART NUMBER:

Example: M85528/2-8-A-01-A

- Letter designation "A" indicates primer coat is required. Omission of letter indicates primer coat not required.
- Numerical designation indicates corrosion resistant nuts are required. Designation omitted indicates alloy steel nut required.
- Class
- Associated drawing shell size
- Slash sheet
- Military designator

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T11:02Z
Check the source to verify that this is the current version before use.

TABLE I. Mounting flanges.

PART NUMBER M85528/2-	CLASS	SHELL SIZE	T THRD UNC-3B	A ±.003	B ±.015	C +.015 -.000	D	E +.000 -.030
3	A	3	4-40	.625	.925	.641	.106/.166	.325
6	A	6	4-40	.469	.755	.535	.106/.166	.183
7	A	7	4-40	.719	1.019	.688	.106/.166	.433
8	A	8	4-40	.594	.880	.570	.106/.166	.308
10	A B	10	4-40 6-32	.719 .812	1.019 1.187	.720 .749	.106/.166 .123/.183	.433 .433
12	A B	12	4-40 6-32	.812 .938	1.104 1.132	.855 .938	.106/.166 .123/.183	.530 .526
14	A B	14	4-40 6-32	.906 1.031	1.198 1.406	.984 1.031	.106/.166 .123/.183	.624 .620
16	A B	16	4-40 6-32	.969 1.125	1.280 1.500	1.094 1.125	.106/.166 .123/.183	.687 .683
18	A B	18	4-40 6-32	1.062 1.203	1.406 1.578	1.220 1.234	.106/.166 .123/.183	.780 .776
19	A	19	4-40	.906	1.192	.953	.106/.166	.620
20	A B	20	4-40 6-32	1.156 1.297	1.535 1.688	1.345 1.359	.106/.166 .123/.183	.874 .865
22	A B	22	4-40 6-32	1.250 1.375	1.665 1.738	1.478 1.483	.106/.166 .123/.183	.968 .907
24	A B	24	6-32 6-32	1.500 1.375	1.891 1.785	1.560 1.595	.123/.183 .123/.183	1.000 1.031
25	A	25	6-32	1.500	1.891	1.658	.123/.183	1.125
27	A	27	4-40	.969	1.255	1.094	.106/.166	.683
28	A	28	6-32	1.562	2.000	1.820	.123/.183	1.125
32	A	32	6-32	1.750	2.312	2.062	.123/.183	1.188
36	A	36	6-32	1.938	2.500	2.312	.123/.183	1.375
37	A	37	4-40	1.187	1.500	1.281	.106/.166	.874
61	A	61	4-40	1.437	1.812	1.594	.106/.166	1.062

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T11:02Z
Check the source to verify that this is the current version before use.

TABLE II Mounting flange, cross reference Type II, Class A

PROC SPEC	MIL-STD	SHELL SIZES	PART NO	ASSOCIATED DRAWING SHELL SIZES
MIL-C-5015	3100	8S 10 10SL 12S 12 14S 14 16S 16 18 20 22 24 28 32 36	M85528/2	8 10 -- 12 12 14 14 16 16 18 20 22 24 -- -- --
	3102	8S 10S 10SL 12S 12 14S 14 16S 16 18 20 22 24 28 32 36		8 10 -- 12 12 14 14 16 16 18 20 22 24 -- -- --
MIL-C-26482	3110	8 10 12 14 16 18 20 22 24		8 10 12 14 16 18 20 22 24
	3112	8 10 12 14 16 18 20 22 24		-- -- -- -- -- -- -- -- 24
	3120	8 10 12 14 16 18 20 22 24		8 10 12 14 16 18 20 22 24
	3122	8 10 12 14 16 18 20 22 24		-- -- -- -- -- -- -- -- 24
	3470	8 10 12 14 16 18 20 22 24		-- 10 -- 14 -- -- -- -- --
	3472	8 10 12 14 16 18 20 22 24		-- 12 -- -- -- -- -- -- --
MIL-C-81703	3130	3 7 12 19 27 37		-- 10 12 14 16 --
MIL-C-27599	20026	9 11 13 15 17 19 21 23 25		10 12 14 16 18 20 22 24
	20030	9 11 13 15 17 19 21 23 25		10 12 14 16 18 20 22 24
	27334	8 10 12 14 16 18 20 22 24		8 10 12 14 16 18 20 22 24
	27335	8 10 12 14 16 18 20 22 24		8 10 12 14 16 18 20 22 24
	27338	8 10 12 14 16 18 20 22 24		-- 10 12 14 16 18 20 22 24
	27339	8 10 12 14 16 18 20 22 24		-- 10 12 14 16 18 20 22 24
MIL-C-38999	27466	9 11 13 15 17 19 21 23 25		10 12 14 16 18 20 22 24
	27469	9 11 13 15 17 19 21 23 25		10 12 14 16 18 20 22 24
	27472	8 10 12 14 16 18 20 22 24		8 10 12 14 16 18 20 22 24
	27475	8 10 12 14 16 18 20 22 24		-- 10 12 14 16 18 20 22 24
	27476	8 10 12 14 16 18 20 22 24		-- 10 12 14 16 18 20 22 24
	27496	9 11 13 15 17 19 21 23 25		10 12 14 16 18 20 22 24
	27497	8 10 12 14 16 18 20 22 24		-- -- -- 14 -- -- -- --
	27499	8 10 12 14 16 18 20 22 24		8 10 12 14 16 18 20 22 24
	27505	9 11 13 15 17 19 21 23 25		10 12 14 16 18 20 22 24
	27508	8 10 12 14 16 18 20 22 24		8 10 12 14 16 18 20 22 24
	27513	8 10 12 14 16 18 20 22 24		8 10 12 14 16 18 20 22 24
	27515	9 11 13 15 17 19 21 23 25		10 12 14 16 18 20 22 24
MIL-C-81511	------	-- -- -- -- -- -- -- -- --		-- -- -- -- -- -- -- -- --
MIL-C-83723	/1A	8 10 12 14 16 18 20 22 24		8 10 12 14 16 18 20 22 24
	/2B	8 10 12 14 16 18 20 22 24		8 10 12 14 16 18 20 22 24
	/3B	10 12 14 16 18 20 22 24		12 -- -- -- -- -- -- 24
	/4B	10 12 14 16 18 20 22 24		-- -- -- -- -- -- -- 24

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T11:02Z
Check the source to verify that this is the current version before use.

TABLE III Mounting flange, cross reference Type II, Class B

PROC SPEC	MIL-STD	SHELL SIZES	PART NO	ASSOCIATED DRAWING SHELL SIZES
MIL-C-5015	3100	8S 10 10SL 12S 12 14S 14 16S 16 18 20 22 24 28 32 36	M85528/2	-- -- -- -- -- -- -- -- -- -- -- -- -- -- --
	3102	8S 10S 10SL 12S 12 14S 14 16S 16 18 20 22 24 28 32 36		-- -- -- -- -- -- -- -- -- -- -- -- -- -- --
MIL-C-26482	3110	8 10 12 14 16 18 20 22 24		-- -- -- -- -- -- -- -- 22
	3112	8 10 12 14 16 18 20 22 24		-- -- -- -- -- -- -- -- 22
	3120	8 10 12 14 16 18 20 22 24		-- -- -- -- -- -- -- -- 22
	3122	8 10 12 14 16 18 20 22 24		-- -- -- -- -- -- -- -- 22
	3470	8 10 12 14 16 18 20 22 24		-- -- -- -- -- -- -- -- --
	3472	8 10 12 14 16 18 20 22 24		-- -- -- -- -- -- -- -- --
MIL-C-81703	3130	3 7 12 19 27 37		-- -- -- -- -- --
MIL-C-27599	20026	9 11 13 15 17 19 21 23 25		-- -- -- -- -- -- -- 22 24
	20030	9 11 13 15 17 19 21 23 25		-- -- -- -- -- -- -- -- --
	27334	8 10 12 14 16 18 20 22 24		-- -- -- -- -- -- -- -- --
	27335	8 10 12 14 16 18 20 22 24		-- -- -- -- -- -- -- -- 22
	27338	8 10 12 14 16 18 20 22 24		-- -- -- -- -- -- -- -- --
	27339	8 10 12 14 16 18 20 22 24		-- -- -- -- -- -- -- -- --
MIL-C-38999	27466	9 11 13 15 17 19 21 23 25		-- -- -- -- -- -- -- 22 --
	27469	9 11 13 15 17 19 21 23 25		-- -- -- -- -- -- -- -- --
	27472	8 10 12 14 16 18 20 22 24		-- -- -- -- -- -- -- -- --
	27475	8 10 12 14 16 18 20 22 24		-- -- -- -- -- -- -- -- --
	27476	8 10 12 14 16 18 20 22 24		-- -- -- -- -- -- -- -- --
	27496	9 11 13 15 17 19 21 23 25		-- -- -- -- -- -- -- 22 24
	27497	8 10 12 14 16 18 20 22 24		-- -- -- -- -- -- -- -- --
	27499	8 10 12 14 16 18 20 22 24		-- -- -- -- -- -- -- -- 22
	27505	9 11 13 15 17 19 21 23 25		-- -- -- -- -- -- -- 22 --
	27508	8 10 12 14 16 18 20 22 24		-- -- -- -- -- -- -- -- --
	27513	8 10 12 14 16 18 20 22 24		-- -- -- -- -- -- -- -- 22
	27515	9 11 13 15 17 19 21 23 25		-- -- -- -- -- -- -- 22 --
MIL-C-81511	-----	-- -- -- -- -- -- -- -- --		-- -- -- -- -- -- -- -- --
MIL-C-83723	/1A	8 10 12 14 16 18 20 22 24		-- -- -- -- -- -- -- -- 22
	/2B	8 10 12 14 16 18 20 22 24		-- -- -- -- -- -- -- -- 22
	/3B	10 12 14 16 18 20 22 24 --		10 12 14 16 18 20 22 24
	/4B	10 12 14 16 18 20 22 24 --		10 12 14 16 18 20 22 24

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T11:02Z
Check the source to verify that this is the current version before use.

Custodians:
Army - CR
Navy - AS
Air Force - 85

Review activities:
Army - AR, MI
Navy - EC, SH
Air Force - 11, 99
DLA - ES

User activities:
Army
Navy
Air Force

Preparing activity:
Navy - AS
(Project No. 5935-3284-2)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T11:02Z
Check the source to verify that this is the current version before use.