MIL-E-0050069E(EA)
30 June 1977
SUPERSEDING
MIL-E-0050069D(MU)
19 January 1973
USED IN LIEU OF
MIL-E-50069B
30 September 1964

MILITARY SPECIFICATION

EYERING, FIELD PROTECTIVE MASK, C4

This limited coordination Military specification has been prepared by Chemical Systems Laboratory based upon currently available technical information, but it has not been approved for promulgation as a coordinated revision of Military Specification MIL-F-50069B. It is subject to modification. However, pending its promulgation as a coordinated Military specification, it may be used in procurement.

1. SCOPE

1.1 This specification covers one type of chemical-biological mask eyering.

2. APPLICABLE DOCUMENTS

2.1 Government documents. The following documents of the issue in effect on date of invitation for bids or request for proposal form a part of this specification to the extent specified herein:

STANDARDS

FEDERAL

FED-STD-123 - Marking for Shipment (Civil Agencies).

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.

FSC 4240

: Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Commander, US Army Armament Research and Development Command, Attn: DRDAR-TSC-S, Aberdeen Proving Ground, MD 21010 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:15Z
Check the source to verify that this is the current version before use.

DRAWINGS

US ARMY ARMAMENT RESEARCH AND DEVELOPMENT COMMAND

EDGEWOOD ARSENAL

D5-2-952 - Eyering, Chemical-Biological Mask, C4.
D5-2-953 - Blank, Eyering.

(Copies of specifications, standards, drawings, and publications required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

3. REQUIREMENTS

3.1 Materials. The materials used in the manufacture of the eyering shall conform to the specifications and drawings forming a part of this specification.

3.2 Manufacture. The eyering shall be manufactured as specified on Drawing D5-2-952.

3.3 Preproduction. Prior to the start of regular production, a preproduction sample of eyerings shall be produced in accordance with this specification for examination (see 4.3). Any change in operating conditions, materials, or dies shall require a new preproduction sample.

3.4 Workmanship. The eyering shall be free from foreign matter and damage, such as bent or broken prongs, distortion, surface imperfections, or any other defects which will impair its use.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection.

4.1.1 Contractor's responsibility. Unless otherwise specified in the contract, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to specified requirements.

Source: https://assist.dla.mil -- Downloaded: 20261O-22T20:15Z
Check the source to verify that this is the current version before use.

4.1.2 Objective evidence. The supplier shall provide objective evidence acceptable to the contracting officer that the requirements of 3.1 and section 5 for which specific inspection has not been provided in this specification have been satisfied.

4.2 Classification of inspections. The inspection requirements specified herein are classified as follows:

(a) Preproduction inspection (see 4.3)
(b) Quality conformance inspection (see 4.4)

4.3 Preproduction inspection.

4.3.1 Sample. A preproduction sample of five eyerings shall be produced from each set of dies, using the same methods, materials, and equipment as will be used during regular production.

4.3.2 Inspection procedure.

4.3.2.1 For examination. The sample eyerings shall be inspected for all the requirements of the drawings and this specification.

4.3.3 Acceptance/rejection criteria. The eyerings shall pass the examination specified by 4.3.2.1 to be acceptable. The supplier shall obtain written approval from the contracting officer before proceeding with regular production.

4.4 Quality conformance inspection.

4.4.1 Lotting. A lot shall consist of the eyerings produced by one manufacturer at one plant, from the same materials, under essentially the same manufacturing conditions.

4.4.2 Sampling.

4.4.2.1 For examination. Sampling shall be conducted in accordance with MIL-STD-105.

4.4.3 Inspection procedure.

4.4.3.1 For examination. Sample eyerings shall be examined in accordance with the classification of defects and MIL-STD-105.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:15Z
Check the source to verify that this is the current version before use.

4.4.3.2 Classification of defects.

(a) Eyering, Chemical-Biological Mask, C4 (Dwg D5-2-952).

Categories		Defects
Critical:		None defined
Major:	AQL 1.0 percent defective	
#101		Prong tip length incorrect
102		Height of inner flange incorrect
*103		Profile and curvature incorrect
104		Center marks missing
105		Workmanship (3.4)
Minor:	AQL 2.5 percent defective	
201		Protective finish missing, inadequate, or incorrect

#Reference Drawing D5-2-953.
*Tool-controlled (may be periodically checked).

5. PREPAPATION FOR DELIVERY

5.1 Packaging, packing, and marking, interplant shipment (see 6.3). The eyerings shall be packaged and packed to provide adequate protection from physical damage from the supply source to the first receiving activity for immediate use or further processing. Shipping container shall be in compliance with the rules and regulations applicable to the mode of transportation. Marking shall be in conformance with FED-STD-123.

5.2 Repair parts. When eyerings are procured for storage and issue as repair parts, preservation, packaging, packing and marking shall be as specified on the packaging data sheet which is identified by the National Stock Number.

6. NOTES

6.1 Intended use. The eyering covered by this specification is intended for use in the manufacture of the M17 and M17A1 Field Chemical-Biological Masks.

Source: https://assist.dla.mil -- Downloaded: 202610-22T20:15Z
Check the source to verify that this is the current version before use.

6.2 Ordering data. Procurement documents should specify the following:

(a) Title, number, and date of this specification.

(b) Preproduction.

(1) Time allowed for supplier submission of samples for Government test and evaluation after award of contract.
(2) Name and address of test facility and shipping instructions when testing is performed by the Government.
(3) Time required for the Government to notify the supplier whether or not to proceed with production.

6.3 Interplant shipments. Packaging for supplies and materials which will not enter the military supply system. Typical interplant shipments are shipments from a vendor to a subcontractor or a prime contractor, or from a subcontractor, or from a subcontractor to a prime contractor, or from a vendor or contractor to a military arsenal or plant.

Custodian:

Army - EA

Preparing activity:

Army - EA

Project No. 4240-A703

Source: https://assist.dla.mil -- Downloaded: 202610-22T20:15Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:15Z
Check the source to verify that this is the current version before use.

SPECIFICATION ANALYSIS SHEET

Form Approved
Budget Bureau No. 22-R255

INSTRUCTIONS: This sheet is to be filled out by personnel, either Government or contractor, involved in the use of the specification in procurement of products for ultimate use by the Department of Defense. This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with a minimum amount of delay and at the least cost. Comments and the return of this form will be appreciated. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments and suggestions submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or serve to amend contractual requirements.

SPECIFICATION

ORGANIZATION

CITY AND STATE

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3. IS THE SPECIFICATION RESTRICTIVE?

☐ YES ☐ NO *(If "yes", in what way?)*

4. REMARKS *(Attach any pertinent data which may be of use in improving this specification. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity)*

SUBMITTED BY *(Printed or typed name and activity - Optional)*

DATE

DD FORM 1 JAN 66 1426

REPLACES EDITION OF 1 OCT 64 WHICH MAY BE USED.

Source: https://assist.dla.mil -- Downloaded: 202610-22T20:15Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID

OFFICIAL BUSINESS

Commander
US Army Armament Research
and Development Command
Attn: DRDAR-TSC-S
Aberdeen Proving Ground, MD 21010

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:15Z
Check the source to verify that this is the current version before use.