MILITARY SPECIFICATION SHEET

FILTERS, PARTICULATE, HIGH-EFFICIENCY FIRE RESISTANT, BIOLOGICAL USE, TYPE A, CLASSES a, b, c, d, and STYLES 0 and 1

This specification is approved for use by the US Army Armament Research and Development Command, Department of the Army, and is available for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the filter assembly described herein shall consist of this document and the latest issue in effect of MIL-F-51477(EA).

NOTES:

1. Construction. The filters shall be constructed in accordance with figure 1 or figure 2, as applicable, and to the size dimensions specified in table I.

2. Materials. Filters shall be constructed from the materials specified for the type, size, class, style and rated air flow in the general specification.

3. Performance. Filters shall meet all the applicable requirements specified in the general specification.

4. Preproduction inspection. A preproduction sample of five filters shall be manufactured using the same methods, equipment, and processes as will be used during regular production.

FSC 4240

Source: https://assist.dla.mil -- Downloaded: 202610-22T21:01Z
Check the source to verify that this is the current version before use.




FIGURE 1. Wood cased filter

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:01Z
Check the source to verify that this is the current version before use.




FIGURE 2. Metal cased filter

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:01Z
Check the source to verify that this is the current version before use.




FIGURE 3. Filters with height or length exceeding 24 inches

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:01Z
Check the source to verify that this is the current version before use.

TABLE I. Filter designation, size, and rated airflow

Code Designation	Size-Height x Length x Depth (HxLxD) (in.)	Rated Airflow cubic feet per minute (cfm)
A080805-x*-y**-50	8x8x5-7/8	50
A121205-x*-y**-125	12x12x5-7/8	125
A121805-x*-y**-175	12x18x5-7/8	175
A122405-x*-y**-250	12x24x5-7/8	250
A181805-x*-y**-275	18x18x5-7/8	275
A084005-x*-y**-275	8x40x5-7/8	275
A182405-x*-y**-375	18x24x5-7/8	375
A202205-x*-y**-375	20x22-3/8x5-7/8	375
A123605-x*-y**-375	12x36x5-7/8	375
A202405-x*-y**-400	20x24x5-7/8	400
A124005-x*-y**-400	12x40x5-7/8	400
A086005-x*-y**-400	8x60x5-7/8	400
A183005-x*-y**-475	18x30x5-7/8	475
A124805-x*-y**-500	12x48x5-7/8	500
A242405-x*-y**-500	24x24x5-7/8	500

*x - Shall be either a, b, c, or d in accordance with class of frame material specified in general specification.

**y - Shall be either 0 to 1 in accordance with style of separator material specified in general specification.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:01Z
Check the source to verify that this is the current version before use.

Intended use. The filters covered by this specification sheet are intended for use as specified in Intended use (6.1) of the general specification.

Custodian:

Army - EA

Preparing activity:

Army - EA

(Project Number 4240-A742)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:01Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS: This form is provided to solicit beneficial comments which may improve this document and enhance its use. DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity. A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed.
NOTE: This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

DOCUMENT IDENTIFIER *(Number)* AND TITLE MIL-F-51477/1(EA) FILTERS, PARTICULATE, HIGH-EFFICIENCY FIRE RESISTANT, BIOLOGICAL USE, TYPE A, CLASSES a, b, c, d, and STYLES 0 and 1

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1. ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSF OR AMBIGUOUS? PLEASE EXPLAIN BELOW.

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDED WORDING CHANGE

C. REASON FOR RECOMMENDED CHANGE(S)

2. REMARKS

SUBMITTED BY *(Printed or typed name and address — Optional)*	TELEPHONE NO.
	DATE

DD FORM 1426 1 OCT 76 EDITION OF 1 JAN 72 WILL BE USED UNTIL EXHAUSTED.

Source: https://assist.dla.mil -- Downloaded: 202610-22T21:01Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE ARMY

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

BUSINESS REPLY CARD

FIRST CLASS PERMIT NO. 12062 WASHINGTON D. C.

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE ARMY

Commander
US Army Armament Research & Development
Command
Attn: DRDAR-TSC-S
Aberdeen Proving Ground, MD 21010

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:01Z
Check the source to verify that this is the current version before use.