MIL-S-52547A(ME)
4 October 1974
SUPERSEDING
MIL-S-52547(ME)
13 December 1966

MILITARY SPECIFICATION

SUPPLEMENTARY EQUIPMENT,

MAINTENANCE COMPANY;

PACKAGING OF

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 This specification covers the requirements for preservation, packaging, packing, and marking of a maintenance-company, supplementary equipment set, NSN 4940-00-274-5705 (SC 4940-97-CL-E02).

2. APPLICABLE DOCUMENTS

2.1 The following documents of the issue in effect on date of invitation for bids or request for proposal form a part of this specification to the extent specified herein:

SPECIFICATIONS

Federal

QQ-S-781	- Strapping, Steel, Flat and Seals.
PPP-B-566	- Boxes, Folding, Paperboard.
PPP-B-601	- Boxes, Wood, Cleated-Plywood.
PPP-B-621	- Boxes, Wood, Nailed and Lock-Corner.
PPP-B-636	- Boxes, Shipping, Fiberboard.
PPP-H-1581	- Hardware (Fasteners and Related Items), Packaging and Packing for Shipment and Storage of.
PPP-P-40	- Packaging and Packing of Hand Tools.

FSC 4940

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:25Z
Check the source to verify that this is the current version before use.

Military

MIL-V-3	- Valves, Fittings, and Flanges (Except for Systems Indicated Herein); Packaging of.
MIL-C-104	- Crates, Wood; Lumber and Plywood Sheathed, Nailed and Bolted.
MIL-P-116	- Preservation-Packaging, Methods of.
MIL-H-775	- Hose, Rubber, Plastic, Fabric, or Metal (Including Tubing); and Fittings, Nozzles and Strainers, Packaging of.
MIL-S-12877	- Spray Guns, Paint, Heavy Duty.
MIL-M-18058	- Machinery, Metal and Woodworking, Support Equipment and Associated Repair Parts, Preparation for Delivery of.
MIL-T-45542	- Tool Sets, Shop Sets, and Kits (Hardware Installation, Modification and Tool) Both Common and Special: Packaging and Packing of.
MIL-W-45562	- Welding and Soldering Equipment, Supplies and Accessories, Packaging of.

STANDARDS

Military

MIL-STD-105	- Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	- Marking for Shipment and Storage.
MIL-STD-1186	- Cushioning, Anchoring, Bracing, Blocking, and Waterproofing; with Appropriate Test Methods.

(Copies of specifications and standards required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposal shall apply.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:25Z
Check the source to verify that this is the current version before use.

UNIFORM CLASSIFICATION COMMITTEE, AGENT

Uniform Freight Classification.

(Application for copies should be addressed to the Uniform Classification Committee, ATTN: Tariff Publishing Officer, Room 1106, 222 South Riverside Plaza, Chicago, IL 60606.)

NATIONAL MOTOR FREIGHT TRAFFIC ASSOCIATION, INC., AGENT

National Motor Freight Classification

(Application for copies should be addressed to the American Trucking Associations, Inc., ATTN: Tariff Order Section, 1616 P Street, NW, Washington, DC 20036.)

3. REQUIREMENTS

3.1 Preproduction pack. The supplier shall furnish a preproduction pack for examination and test within the time frame specified (see 6.2) to prove prior to starting production packaging and packing, that the applied preservation, packaging, packing, and marking comply with the requirements of this specification. Examination and tests shall be those specified in Section 4 and shall be subject to surveillance and approval by the Government (see 6.3).

3.2 Materials. Materials shall be as specified herein and in applicable specifications. Materials not specified shall be selected by the supplier and shall be subject to all provisions of this specification.

3.3 Preservation and packaging. Preservation and packaging shall be Level A or C as specified (see 6.2).

3.3.1 Level A.

3.3.1.1 Preservation. Preservatives specified herein shall conform to the applicable specification listed in and shall be applied in accordance with MIL-P-116. Methods of preservation specified herein, indicated by symbols, shall conform to the applicable symbols listed in MIL-P-116.

3.3.1.2 Handtools. Handtools such as hacksaw blades, countersink and drill, marking crayons, contact point dressers, thread-cutting taps, and measuring tape shall be preserved and packaged in accordance with PPP-P-40, Level A.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:25Z
Check the source to verify that this is the current version before use.

3.3.1.3 Hardware. Hardware such as bolts, nuts, screws, washers, cotter pins, rivets, studs, and woodruff keys shall be preserved and packaged in accordance with PPP-H-1581, Level A.

3.3.1.4 Pipe fittings. Pipe fittings such as bushings, couplings, elbows, plugs, and tees shall be preserved and packaged in accordance with MIL-V-3, Level A.

3.3.1.5 Rubber hose and fittings. Rubber hose and fittings such as hose clamps, coupling nuts, compression sleeves, drain cocks, pipe-to-tube adapters, and tees shall be preserved and packaged in accordance with MIL-H-775, Level A.

3.3.1.6 Valve seat ring inserter tool kit. The components of the valve seat ring inserter tool kit shall be preserved and packaged in accordance with MIL-T-45542, Level A, as specified for Type I.

3.3.1.7 Paint spray outfit. The paint spray outfit shall be preserved and packaged in accordance with MIL-S-12877, Level A.

3.3.1.8 Welding and soldering equipment. Items such as brazing alloy, welding rods and electrodes, soldering and welding flux, spools of solder, and any other welding and soldering equipment shall be preserved and packaged in accordance with MIL-W-45562, Level A.

3.3.1.9 Machine tools, accessories, and auxiliary equipment. Machine tools, accessories, and auxiliary equipment shall be preserved and packaged in accordance with MIL-M-18058, Level A.

3.3.1.10 Metal rods, bars, plates, and shapes. Metal rods, bars, plates, and shapes requiring the application of a contact preservative shall be coated with Type P-1 preservative.

3.3.1.11 Items to be preserved Method III. Items such as asbestos sheets, belting, cork sheets, lining material, packing material, inner-tube repair patches, wire rope clamps, shackles, thimbles, probe light kit contained in its case, hot patch vulcanizer, and the matted yarn waste shall be preserved Method III, using close-fitting boxes conforming to PPP-B-636, Type CF, Class Weather Resistant, variety as applicable. Items of like description shall be preserved together in quantities not exceeding the weight limitation of the box. The boxes shall be closed and waterproofed as specified for slotted-style boxes in accordance with the appendix to the box specification.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:25Z
Check the source to verify that this is the current version before use.

3.3.1.12 Items to be preserved Method IC-1. Items such as chamois, abrasive paper and cloth contained in their sleeves, gasket paper, lubrication fittings, padlock set, and extention lights shall be preserved Method IC-1. Items of like description shall be preserved together when practical.

3.3.1.13 Items to be perserved Method IC-2. Items such as fuses, insulation tape, welder's lens, steel wool, sharpening stones, and electrical wire shall be preserved Method IC-2. The container shall be the supplier's commercial container or a close-fitting box conforming to PPP-B-566; or PPP-B-636, Domestic Type.

3.3.1.14 Items furnished in commercial containers. Items such as carbon removing compound, cutting oil, dry cleaning solvent, sealing compound, lapping and grinding compound, radiator leak preventive compound, Prussian blue paste, shellac, or any other items commercially furnished in cans, pails, drums, or tubes shall not require preservation and packaging.

3.3.1.15 Miscellaneous components. Miscellaneous components not specifically identified herein shall be preserved and packaged as specified herein for components of similar design and construction.

3.3.1.16 Consolidated packaging. Packaged and unpackaged components requiring segregation or protection shall be consolidated packaged together in close-fitting boxes conforming to PPP-B-601, Domestic Type, style optional, or PPP-B-621, Class 1, style optional, or bundled together in quantities most convenient for handling and to accomplish the packing specified herein. Bundles shall be secured with strapping conforming to QQ-S-781, Type I, Finish A. Boxed components shall be secured within the box in a manner to prevent free movement and damage. Strapping of boxes shall not be required.

3.3.2 Level C. The components of the maintenance-company supplementary equipment set, shall be preserved and packaged to afford protection against deterioration and damage during shipment from the supplier to the initial destination.

3.4 Packing. Packing shall be Level A or C as specified (see 6.2).

3.4.1 Level A. All components of the set shall be packed together in a crate conforming to MIL-C-104, Type I or II, Class 1 or 2, Style a. The components shall be arranged within the crate in a manner to provide maximum compactness, low center of gravity, and in a manner that void spaces are held to a minimum. The contents shall be blocked, braced, and anchored in accordance with MIL-STD-1186, and the appendix to the crate specification.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:25Z
Check the source to verify that this is the current version before use.

3.4.2 Level C. All components of the set shall be packed together in a manner to assure carrier acceptance and safe delivery to destination at lowest ratings in a crate complying with Uniform Freight Classification rules or National Motor Freight Classification rules.

3.5 Marking. Packages and shipping containers shall be marked in accordance with MIL-STD-129.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Material inspection. The supplier is responsible for insuring that supplies and materials used are manufactured, examined, and tested in accordance with referenced specifications and standards.

4.2 Classification of inspections. Inspections shall be classified as follows:

(a) Preproduction pack inspection (see 4.3).
(b) Quality conformance inspection (see 4.4).

4.3 Preproduction pack inspection.

4.3.1 Examination. The preproduction pack shall be examined for the defects specified in 4.4.3. Presence of one or more defects shall be cause for rejection.

4.3.2 Test. The preproduction pack of the crated components for Level A shall be subjected to the railroad-car test as specified for guided-impact tests in accordance with MIL-STD-1186, Appendix A. The car shall strike a string of five empty cars with draft gear extended and the brakes set, at a speed of not less than 10 miles or more than 11 miles per hour. At the conclusion of the preproduction pack test, the pack shall be examined. Any shifting of contents, loosening or breaking of ties, stays, blocking or bracing, or any visual damage to the components shall constitute failure of the preproduction pack and shall be cause for rejection.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:25Z
Check the source to verify that this is the current version before use.

4.4 Quality conformance inspection.

4.4.1 Unit of product. For the purpose of inspection, a completed pack of any level prepared for shipment shall be considered a unit of product.

4.4.2 Sampling. Sampling for examination shall be in accordance with MIL-STD-105.

4.4.3 Examination. Samples selected in accordance with 4.4.2 shall be examined for the following defects. AQL shall be 2.5 percent defective.

101. Materials not as specified for Level A. Each incorrect material shall constitute one defect.
102. Methods not as specified for Level A. Each incorrect method shall constitute one defect.
103. Containers not as specified for Level A. Each incorrect container shall constitute one defect.
104. Components not preserved and packaged in accordance with the applicable referenced documents for Level A.
105. Consolidated packaging not as specified for Level A.
106. Packing not as specified for Level A.
107. Marking missing, illegible, incorrect, or incomplete.

5. PREPARATION FOR DELIVERY

(Not applicable to this specification.)

6. NOTES

6.1 Intended use. This specification is intended to be used for direct reference in contracts or orders to cover the preservation, packaging, packing, and marking of maintenance-company supplementary equipment set, NSN 4940-00-274-5705 (SC 4940-97-CL-E02).

6.2 Ordering data. Procurement documents should specify the following:

(a) Title, number, and date of this specification.
(b) Time frame required for submission of the preproduction pack (see 3.1).
(c) Level of preservation and packaging and level of packing required (see 3.3 and 3.4).

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:25Z
Check the source to verify that this is the current version before use.

6.3 Preproduction pack. Any changes or deviations of production packs from the approved preproduction pack will be subject to the approval of the contracting officer. Approval of the preproduction pack will not relieve the supplier of his obligation to preserve, package, pack, and mark the maintenance-company supplementary equipment sets in accordance with this specification (see 3.1).

Custodian:

Army - ME

Review activity:

Army - SM

Preparing activity:

Army - ME

Project No. 4940-A281

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:25Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE
MIL-S-52547A(ME) Supplementary Equipment, Maintenance Company; Packaging of

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A
☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?
   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:25Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY
DOD – 314

U.S. MAIL

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commander
US Army Mobility Equipment Research and
Development Center
ATTN: STSFB-DS
Ft. Belvoir, Virginia 22060

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:25Z
Check the source to verify that this is the current version before use.