MIL-S-52781A(ME)
6 September 1979
SUPERSEDING
MIL-S-52781(ME)
27 February 1974

MILITARY SPECIFICATION

STRIP: MARKING, ALUMINUM

This specification is approved for use by the Mobility Equipment Research and Development Command, Department of the Army, and is available for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers an aluminum marking strip.

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents of the issue in effect on date of invitation for bids or request for proposal form a part of this specification to the extent specified herein.

SPECIFICATIONS

FEDERAL

QQ-A-250/1	- Aluminum 1100, Plate and Sheet.
PPP-B-566	- Boxes, Folding, Paperboard.
PPP-B-601	- Boxes, Wood, Cleated-Plywood.
PPP-B-636	- Boxes, Shipping, Fiberboard.

FSC 6675

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: US Army Mobility Equipment Research and Development Command, ATTN: DRDME-DS, Fort Belvoir, VA 22060 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:33Z
Check the source to verify that this is the current version before use.

MILITARY

MIL-P-116 - Preservation-Packaging, Methods of.

STANDARDS

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.
MIL-STD-1188 - Commercial Packaging of Supplies and Equipment.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

3. REQUIREMENTS

3.1 Description. The marking strip shall be rectangular with two punched holes.

3.2 Material. The marking strip shall be aluminum conforming to QQ-A-250/1, Temper optional, 0.02 inch (0.51 millimeters (mm)) thick (see 6.3 and 6.4).

3.3 Dimensions. Marking strips shall be 3.00 inches ±0.03 inch (76.2 mm ±0.76 mm) long by 0.50 inch ±0.02 inch (12.7 mm ±0.51 mm) wide.

3.4 Holes. Marking strips shall have two holes punched symmetrically on the long axis and 2.50 inches ±0.03 inch (63.5 mm ±0.76 mm) center-to-center. The diameter of the holes shall be 0.06 inch ±0.01 inch (1.52 mm ±0.25 mm).

3.5 Workmanship. Metal used in fabrication shall be free from kinks and sharp bends. The straightening of material shall be done by methods that will not cause damage to the material. Corners shall be square and true.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:33Z
Check the source to verify that this is the current version before use.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Material inspection. The contractor is responsible for insuring that materials used are manufactured, examined, and tested in accordance with referenced specifications and standards, as applicable.

4.2 Classification of inspections. The inspection requirements specified herein are classified as follows:

(a) Quality conformance inspection (see 4.3).
(b) Inspection of packaging (see 4.5).

4.3 Quality conformance inspection.

4.3.1 Sampling. Sampling for examination shall be in accordance with MIL-STD-105.

4.3.2 Examination. Samples selected in accordance with 4.3.1 shall be examined for the defects specified in 4.4.1. AQL shall be 2.5 percent defective for major defects and 4.0 percent defective for minor defects.

4.4 Inspection procedure.

4.4.1 Examination. Marking strips shall be examined as specified herein for the following defects:

Major

101. Material not as specified.
102. Hole dimensions not as specified.
103. Workmanship not as specified.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:33Z
Check the source to verify that this is the current version before use.

Minor

201. Length or width not as specified.

4.5 Inspection of packaging.

4.5.1 Quality conformance inspection of pack.

4.5.1.1 Unit of product. For the purpose of inspection, a completed pack prepared for shipment shall be considered a unit of product.

4.5.1.2 Sampling. Sampling for examination shall be in accordance with MIL-STD-105.

4.5.1.3 Examination. Samples selected in accordance with 4.5.1.2 shall be examined for the following defects. AQL shall be 2.5 percent defective.

104. Materials, methods, or containers not as specified. Each incorrect material, method, or container shall be considered one defect.
105. Strips not preserved in quantities of 200 as specified.
106. Marking illegible, incorrect, incomplete, or missing.

5. PACKAGING

5.1 Preservation. Preservation shall be Level A or Commercial as specified (see 6.2).

5.1.1 Level A. The marking strips shall be preserved in accordance with MIL-P-116, Method IC-2, in quantities of 200 per unit pack. The container shall be the vendor's carton or a close-fitting box conforming to PPP-B-566.

5.1.2 Commercial. The marking strips shall be preserved in accordance with MIL-STD-1188.

5.2 Packing. Packing shall be Level A, Level B, or Commercial as specified (see 6.2).

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:33Z
Check the source to verify that this is the current version before use.

5.2.1 Level A. Marking strips preserved as specified in 5.1 shall be packed in close-fitting boxes conforming to PPP-B-601, Overseas Type, style optional.

5.2.2 Level B. Packing shall be as specified in 5.2.1 for Level A except that boxes shall be Domestic Type or shall conform to PPP-B-636, Class Weather-Resistant.

5.2.3 Commercial. Marking strips preserved as specified in 5.1 shall be packed in accordance with MIL-STD-1188.

5.3 Marking.

5.3.1 Military packaging. Marking shall be in accordance with MIL-STD-129.

5.3.2 Commercial packaging. Marking shall be in accordance with MIL-STD-1188.

6. NOTES

6.1 Intended use. The marking strip is intended to mark tape ends temporarily during measurement of surveying base lines. The strip is used in SC-6675-97-CL-E23.

6.2 Ordering data. Procurement documents should specify the following:

(a) Title, number and date of this specification.
(b) Degree of preservation and degree of packing required (see 5.1 and 5.2).

6.3 Recycled material. It is encouraged that recycled material be used, when practical, as long as it meets the requirements of this specification.

6.4 Metric values. The metric values in parentheses are for information only.

Custodian:
Army - ME

Preparing activity:
Army - ME

Review activity:
DLA - GS

Project No. 6675-A227

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:33Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:33Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

MIL-S-52781A(ME) Strip: Marking, Aluminum

NAME OF ORGANIZATION AND ADDRESS	CONTRACT NUMBER
	MATERIAL PROCURED UNDER A ☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*	TELEPHONE NO.
	DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:33Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY
DOD – 314

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commander
USA Mobility Equipment R&D Command
ATTN: DRDME-DS
Ft. Belvoir, VA 22060

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:33Z
Check the source to verify that this is the current version before use.