[METRIC]

A-A-3125
August 8, 1997

COMMERCIAL ITEM DESCRIPTION

CARDS, GUIDE, FILE

The General Services Administration has authorized the use of this Commercial Item Description in preference to Type II of Federal Specification UU-C-95 which is canceled.

1. **Scope:** This Commercial Item Description covers calendered pressboard file guide cards.

2. **Classification:** This description covers file guide cards of the following style and classes:

Style A - Drawer file
Style B - Shelf file

Class 1 - Self tab
2 - Metal tab

3. **Salient characteristics:**

A. Paper: The file guide cards shall be made of calendered pressboard and shall have a basis weight of 602.1 gms/m^2 (370 lb. 24 X 36-500) - 5%, + unlimited, when tested in accordance with TAPPI test method T410. The paper shall have a thickness of 0.635 mm $\pm$ 0.003 mm (0.025 inches $\pm$ 0.001 inches), when tested in accordance with TAPPI test method T411.

B. Construction: The guide cards shall be furnished in green, gray, blue, or as specified in the contract or purchase order. The machine direction of the card material shall run vertically for the guide cards.

Beneficial comments, recommendations, additions, deletions, clarification's, etc. and any data which may improve this document should be sent to General Services Administration, Federal Supply Service, Engineering Branch, 26 Federal Plaza, New York, NY 10278

Distribution Statement A:
Approved for public release; Distribution is unlimited.

FSC 7530

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:30Z
Check the source to verify that this is the current version before use.

C. Dimensions: File guide cards shall be square cut to the following sizes, exclusive of tabs. The first number indicates the vertical dimension. A tolerance of ± 1.58 mm (± 1/16 inch) shall be allowed for all dimensions.

Size	Dimensions
1.	18.73 cm (7-3/8 in.) X 8.25 cm (3-1/4 in.)
2.	24.13 cm (9-1/2 in.) X 29.84 cm (11-3/4 in.)
3.	24.13 cm (9-1/2 in.) X 37.46 cm (14-3/4 in.)

D. Squareness: The guide file cards shall be considered square if the difference between the two diagonal measurements is not more than ± 1.58 mm (± 1/16 inch).

E. Tabs: The guide file cards shall have the tab located along the long dimension of the card and shall be furnished in one-third cut, positions 1, 2, or 3; or one-fifth cut, positions 1, 2, 3, 4, or 5 as specified in the contract or ordering document.

Class 1, self tabs shall be 12.70 mm (1/2 inch) high, with a tolerance of ± 0.79 mm (± 1/32 inch). The tabs shall be 1/3 or 1/5 cut, as specified, with rounded corners.

Class 2, metal tabs shall be made of steel between 0.3251 mm (0.0128 inch) to 0.3581 mm (0.0141 inch) thick (29 gage) with a black eggshell finish. The metal tabs shall be fastened to the guide cards with a minimum of three eyelet's through the triangular-shaped gussets on both sides. Window openings shall be a minimum of 88.9 X 9.5 mm (3-1/2 X 3/8 inches) for 1/3 cut cards and 44.4 X 9.5 mm (1-3/4 X 3/8 inches) for 1/5 cut cards. Metal tabs shall be so constructed that the inserts are held firmly in place.

The metal tabs shall be angled for enhanced visibility of the tab insert. The projecting height of the tab shall be a minimum of 15.8 mm (5/8 inch). The maximum projecting height of the tab shall be such that the overall height of the guide card does not exceed 258.7 mm (10-3/16 inches). The back of the tab projection shall be slotted to facilitate removal of the insert.

Each metal tab shall be furnished with a transparent window of polymeric material. In addition, a blank perforated white insert suitable for typewriting shall be furnished for each tab.

Workmanship: The guide cards shall be smooth and uniformly finished, free from lint, dust, spots, scorches, folds, wrinkles, holes and any other defects which may affect the serviceability, durability, or appearance. The corners on the side with the tab shall be rounded. All corners of metal parts shall be rounded and there shall be no sharp projections or rough edges.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:30Z
Check the source to verify that this is the current version before use.

4. **REGULATORY REQUIREMENTS:**

4.1 Recovered material requirements shall be in accordance with Executive Order 12873, dated October 20, 1993 and as specified in the contract or ordering document.

4.2 Labeling: The recycled content shall be marked on the product or unit pack.

5. QUALITY ASSURANCE:

5.1 Product Conformance: The products provided shall meet the salient characteristics of this commercial item description, conform to the producer's own drawings, specifications, and quality assurance practices and be the same product offered for sale in the commercial market. The government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

5.2 Sampling for TAPPI tests shall be in accordance with TAPPI T400, plan II.

5.3 An inspection lot shall consist of all like items submitted for inspection at one time. The inspection level for visual and performance characteristics shall be S-3 with an Acceptable Quality Level (AQL) of 4.0 percent defective. The sample unit shall be one unit of issue. The supplier must provide objective evidence (tests and inspection records) that the presented material meets the requirements of the sampling plan as indicated above.

6. PREPARATION FOR DELIVERY:

Packaging, packing and marking shall be as specified in the contract or purchase order.

7. REFERENCED DOCUMENTS: The issue of each document in effect on the date of the solicitation shall be used to determine compliance with these requirements.

TAPPI test methods are available from:

Technical Association of the Pulp and Paper Industry
Technology Park/Atlanta, PO Box 105113
Atlanta, GA 30348
(404) 446-1400

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:30Z
Check the source to verify that this is the current version before use.

Copies of Executive Order 12873, dated October 20, 1993 may be obtained from:

The White House Publications Office
New Executive Office Building
White House
Att: Publications
Washington, DC. 20500

(202) 395-7332

8. **NOTES:**

A. Ordering Data: Purchasers should select the preferred options permitted herein and include the following information in procurement documents:

(1) Color.
(2) Dimensions.
(3) Self tab or metal tab.
(4) Tab cut and position.
(5) Recycled material content.
(6) Specific packaging, packing, palletization and, marking requirements.

B. **Item Identifiers/Reference Part Number System (For Cataloging Use Only)**

AA3125 - 1A2: This example describes a 9-1/2" X 11-3/4" self tab drawer guide file card.

- SIZE 1 - 18.7 cm (7-3/8") X 8.2 cm (3-1/4")
  2 - 24.1 cm (9-1/2") X 29.8 cm (11-3/4")
  3 - 24.1 cm (9-1/2") X 37.4 cm (14-3/4")
- CLASS A - 1 - Self tab.
  B - 2 - Metal tab.
- STYLE 1 - A - Drawer File.

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:30Z
Check the source to verify that this is the current version before use.

C. List of NSNs:

7530-00-988-6515	7530-00-988-6516	7530-00-988-6517	7530-00-988-6518
7530-00-988-6520	7530-00-988-6521	7530-00-988-6522	7530-00-988-6541
7530-00-988-6542	7530-00-988-6543	7530-00-988-6544	7530-00-988-6545
7530-00-988-6546	7530-00-988-6547	7530-00-988-6548	7530-00-988-6549
7530-00-988-6550	7530-00-988-6551	7530-00-989-0184	7530-00-989-2425

Military interest:

Army - GL

Preparing activity:

GSA - FSS

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:30Z
Check the source to verify that this is the current version before use.