INCH-POUND

A-A-50025B
23 November 2018
SUPERSEDING
A-A-50025A
30 September 1992

COMMERCIAL ITEM DESCRIPTION

TRUCK, HAND,BOX, LAUNDRY, PLASTIC

The General Services Administration has authorized the use of this Commercial Item Description in preference to MIL-T-43610.

1. CLASSIFICATION

1.1 Classification. This commercial item description covers plastic laundry hand trucks in the following sizes (see 5.2):

Size 1	-	6 bushel
Size 2	-	8 bushel
Size 3	-	10 bushel
Size 4	-	12 bushel
Size 5	-	14 bushel
Size 6	-	16 bushel
Size 7	-	18 bushel
Size 8	-	20 bushel

1.2 CID base part identification number (PIN). A document based PIN to Identify size number is included in section 5. This identification numbering procedure is for Government purposes and does not constitute requirement for the contractor

2. SALIENT CHARACTERISTICS

2.1 Design and construction. The body (liner) of the truck shall be fabricated from polyethylene with a minimum wall thickness of .187 inches after forming. The body (liner) shall have a tapered design that will allow nesting of empty trucks. The inside of the liner shall have a smooth and even surface without roughness or projections that can be seen or felt. The top of the body (liner) shall have a curled flange.

Comments, suggestions, or questions on this document should be addressed to DLA Troop Support – Industrial Hardware Division (ATTN: Code FHTE), 700 Robbins Avenue, Philadelphia, PA 19111-5096 or email trpsptspecspa@dla.mil. Since contact information can change, you may want to verify the currency of this address information using the ASSIST Online database at https://assist.dla.mil .

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:37Z
Check the source to verify that this is the current version before use.

2.2 Size and dimensions. The plastic laundry hard trucks shall conform to the following dimensions:

TABLE I. Size and dimensions

Size	Capacity (bushels)	Body rectangular inside dimensions			Caster Diameter (inches) (± .030)
		Length (inches) (± .5)	Width (inches) (± .5)	Depth (inch (± .5))	
1	6	29	19	21	3
2	8	33	21	23.50	3
3	10	35	23	25.50	3
4	12	35	24	28	4
5	14	39	27	28	4
6	16	39	27	30.50	5
7	18	41	29	30.50	5
8	20	47	31	30.50	5

2.3 Truck base. The truck base shall be fabricated of steel or plywood.

2.3.1 Steel. The steel shall be a minimum of 11 gauge plate with open corners, or 10 gauge, 3 inch by 3 inch angle.

2.3.2 Plywood. The plywood shall be an exterior grade, group I, grade BC or better conforming to Product Standard PS 1 plywood, and shall be a minimum .625 inch thick.

2.4 Casters. Each truck shall have 4 casters mounted without overhang at the 4 corners of the base. The casters shall be Type II, class B, style C, mounting P of either A-A-55617, ‘Caster, Industrial Medium Duty’ or A-A-55619, ‘Caster, Industrial, Heavy Duty,’ as required.

2.5 Workmanship. The completed hand truck shall be clean and properly assembled. Interior and exterior surfaces shall be smooth, free of tears, holes, cracks, burns, lumps, rough edges, imbedded dirt or foreign material, soft areas, thin sections, and any surface dirt that cannot be removed with soap and water.

3. PRODUCT CONFORMANCE PROVISIONS

3.1 Certification. The contractor shall certify, and maintain substantiating evidence, that the product offered meets the salient characteristics and requirements of this Commercial Item Description, and that the product conforms to the producer‘s own drawings, specifications, standards, and quality assurance practices. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

3.2 Metric product. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, provided they fall within specified tolerances using conversion tables contained in the latest revision of Federal Standard No. 376, and all other requirements of this Item Description are met. If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch-pound

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:37Z
Check the source to verify that this is the current version before use.

units, a request should be made to the contracting officer to determine if the product is acceptable. The contracting officer has the option of accepting or rejecting the product.

3.3 Regulatory requirements. The offer or contractor is encouraged to use recovered material in accordance with Public Law 94-580 to the maximum extent practicable.

4. PACKAGING

4.1 Packaging, packing, and marking. The hand trucks shall be packaged, packed, marked, and palletized in accordance with the domestic or overseas requirements of ASTM D 3951, as applicable.

5. NOTES

5.1 Intended use. The plastic laundry hand trucks are intended for use in laundries and dry cleaning plants for the movement of both soiled and clean laundry.

5.2 Acquisition requirements. Acquisition documents must specify the following:

a. Title, number, and date of this document.
b. Size truck required (see 1.1).

5.3 Source of documents.

5.3.1 Sources of Government documents. Copies of military and federal documents are available from:

Defense Standardization Program Automation Office
700 Robbins Avenue,
Building 4D,
Philadelphia, PA 19111-5094.)
Or online at: ASSIST Online (https://assist.dla.mil) or ASSIST Quick Search (http://quicksearch.dla.mil)

5.3.2 Source of nongovernment documents.

Product Standard PS 1 - For Construction and Industrial Plywood, is available from:


U,S, Department of Commerce
Technology Administration
National Institute of Standards and Technology
National Center for Standards and Certification Information
100 Bureau Drive
Gaithersburg, MD 20899
Or online at : https://www.nist.gov/

ASTM D 3951 - Standard Practice for Commercial Packaging, is available from:

ASTM International
West Conshohocken, PA
Or online at http://www.astm.org

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:37Z
Check the source to verify that this is the current version before use.

5.4 Part or identifying number (PIN). The PINs to be used for items acquired by this CID are as follows:



5.5 Changes from previous issues. Changes from the previous issue are identified by marginal notations.

MILITARY ACTIVITIES:

Custodians:
Army – GL
Air Force – 99

Preparing activity:
DLA - CQ

(Project 3510-2018-004)

Reviewer:
Army – MD
Air Force - 50

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:37Z
Check the source to verify that this is the current version before use.