A-A-50029
July 27, 1982

COMMERCIAL ITEM DESCRIPTION

STEAM TABLE, HOT FOOD, GAS

The General Services Administration has authorized the use of this Commercial Item Description in preference to size 4, 5, and 6, type B, of Military Specification MIL-T-43908A(GL) and type III.

Intended use.

The hot food tables are intended for use in dining facilities.

Salient characteristics.

Sizes. The tables shall be furnished in the following sizes as specified:

Size 4 - Four food storage compartments for four 12 by 20 inch food pans.
Size 5 - Five food storage compartments for five 12 by 20 inch food pans.
Size 6 - Six food storage compartments for six 12 by 20 inch food pans.

Description. The hot food tables shall maintain food at the correct serving temperature with moist heat while the food is being dispensed. The size 4, 5 and 6 table top shall accommodate 4, 5 and 6 food pans (12 by 20 inch), respectively.

Cabinet. The cabinet body shall be closed on three sides and have a dish shelf and bottom shelf. The open side shall be on the attendant's side. The cabinet shall be fabricated of stainless steel. The hot food table shall be equipped with a stainless steel carving shelf on the attendant's side and a stainless steel tray shelf on the patrons side, the full length of the table. Also, the cabinet shall be equipped with stainless steel adjustable legs.

Food compartment wells. Food compartment wells shall be constructed of stainless steel and provided with a drain and valve installed in each compartment. Each compartment shall be insulated. Valves shall be operated from the attendant's side.

Fuel system. The hot food table shall be designed to burn natural gas. Each food compartment shall be equipped with a gas burner rated at 3500 BTU/hr minimum. Gas filters shall be provided for all pilots. An automatic pilot including a 100 percent shut off shall be provided on each compartment. A pressure regulator shall be provided with each hot food table. An ANSI approved quick disconnect (socket and plug) and a 5 ft. minimum flexible metal connector consisting of a male pipe thread fitting on one end and a union with female thread on the opposite end shall be provided with the hot food table.

Thermostats. Each burner shall be equipped with an adjustable thermostat installed in the temperature control system. An "OFF" position and graduations evenly spaced shall be marked on the thermostat dial and with a temperature range of 140° to 200°F.

FSC 7310

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:37Z
Check the source to verify that this is the current version before use.

Adapters, pans and covers. Pans and covers shall be stainless steel. The size and quantity of pans for each size hot food table shall be as specified in table I. All pans shall be furnished with covers.

TABLE I. Pan sizes

Pan size	Capacity quarts	Depth inches	Quantity per table Size 4	Size 5	Size 6
Full size	15	4	3	4	5
One half size	6-3/4	4	4	6	4
One half long	6-1/2	4	2	2	4
One third size	4-1/4	4	3	3	6
Tureen	32	8	1	1	1

Standards compliance. The hot food table shall comply with American National Standards Institute No. Z83.14 and the National Sanitation Foundation Standard No. 4.

Identification plate. In addition to the marking and identification requirements of ANSI No. Z83.14, the identification plate shall include the contract number and national stock number.

Certification. The contractor shall certify that the product offered meets the salient characteristics of the description and conforms to the producers' own drawings, specifications, standards, and quality assurance practices, and is the same as the product sold in the commercial marketplace. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract. Evidence of NSF certification shall be accomplished in one of the following: "Listing of Food Service Equipment" or display the NSF seal on the finished tables, or a certification issued by NSF under their special one-time contract certification, or a certified test report by an independent testing laboratory.

Packaging.

A. Packaging. The hot food tables shall be preserved and packaged in accordance with commercial practice.

B. Packing. Packing shall be in accordance with commercial packing, complying with Uniform Freight Classification or National Motor Freight Classification, as applicable.

C. Marking. Commercial markings are acceptable, provided the following information is included:

National Stock Number
Item Description
Quantity
Date of Pack
Contract Number
Name, Address and Zip Code of Manufacturer

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:37Z
Check the source to verify that this is the currentversion before use.

Source of Information for Non-Government Association Documents.

American National Standards Institute (ANSI)
1430 Broadway, New York, NY 10018

National Sanitation Foundation (NSF) - National Sanitation Foundation,
NSF Building, Ann Arbor, MI 48105

National Motor Freight Traffic Association, Inc., Agent
National Motor Freight Classification
American Trucking Associations, Inc., Traffic Department,
1616 P Street, N.W., Washington, DC 20036

Uniform Classification Committee, Agent
Uniform Freight Classification
Uniform Classification Committee, Suite 1106
222 South Riverside Plaza, Chicago, IL 60606

MILITARY INTERESTS:

Custodian

Army - GL

Review activities

Army - MD
DLA - GS

CIVIL AGENCY COORDINATING ACTIVITY:

GSA - FSS

PREPARING ACTIVITY:

Army - GL

Project No. 7310-0662

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:37Z
Check the source to verify that this is the current version before use.