A-A-50031A
June 18, 1986
SUPERSEDING
A-A-50031
August 27, 1982

COMMERCIAL ITEM DESCRIPTION

COOKIE CUTTING MACHINE, ELECTRIC

The General Services Administration has authorized the use of this Commercial Item Description in preference to Military Specification MIL-C-40602.

1. Classification. This commercial item description covers electric, motor operated cookie cutting machines for use in Military bakeries to cut dough automatically into various cookie shapes, using dies furnished with the machine.

2. Salient characteristics.

2.1 Design and construction. The cookie cutting machine shall consist of a dough hopper, chute, feed rolls with scrapers, die plate, cutting dies, cutter fingers, cut-off wires, automatic pan conveyor and pan guides, together with appropriate controls, designed, arranged, and assembled commensurate with modern commercial practice for this type of unit. The pan guides shall adjust to accept pans ranging in size from 17 inch through 19 inches. The unit shall be adjustable for cookie thickness and spacing on the pan, and shall have a variable speed drive allowing a minimum range of from 35 strokes per minute to 70 strokes per minute. The machine when operating normally shall automatically produce cookies of uniform shape, thickness, and spacing using the dies furnished with the unit. The changing of cutting dies, normal maintenance, and minor repair shall be accomplished without major disassembly of the unit. The unit shall be equipped with two rigid casters on one end, and two swivel casters on the other end. All casters shall have rubber-tired wheels 4 to 5 inches in diameter. The cookie cutting machine shall be designed to operate from a nominal 120 volt, single-phase, 60 Hz. power source. The drive motor shall be rated at 1/3 Hp. minimum. The cookie cutting machine shall be in compliance with Underwriter's Laboratories Standard No. 73 and National Sanitation Foundation Standard No. 8.

FSC 7320

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:37Z
Check the source to verify that this is the current version before use.

2.1.1 Cutting dies. The cookie cutting machine shall be furnished with cutting dies for use in the unit being supplied, of the types and quantities as follows:

Type of cutting die	Quantity
4 round openings, 2 1/2 inches diameter	1
4 scalloped round openings, 2 1/2 inches in diameter	1
4 rectangular openings, 1 1/4 by 2 1/4 inches	1
6 round openings, 1 inch in diameter	1

2.1.2 Maximum dimensions. The cookie cutting machine shall not exceed the following overall dimensions:

72 inches in length
40 inches in width
60 inches in height

2.2 Data name plate. The cookie cutting machine shall be furnished with a data name plate in accordance with the applicable requirements of MIL-STD-130 except, the requirement for; (a) Methods of applying, (b) Identification tags, (c) Information not required, and (d) Optional marking information shall not apply. The data plate shall be made of minimum 20 gauge corrosion resisting metal and attached to the unit by rivets, screws or by welding, in such a manner as to meet the applicable NSF requirements for this machine. The plate shall bear the following information which shall be stamped, engraved, or applied by photosensitive means:

National Stock Number
Procurement Instrument Identification Number
Specification Data
Manufacturer's Name, Address, and Telephone Number
Supplier's Name, Address, and Telephone Number (List only if different from Manufacturer)
Manufacturer's Model Number
Government Approved Manual Number (see 5.1).

Each plate shall be placed so that it is readily visible to the operator during normal operating use and so as to not adversely affect the life or utility of the item.

3. Quality assurance.

3.1 Certification. The contractor shall certify that the product offered meets the salient characteristics of this description, conforms to the producer's own drawings, specifiations, standards, and quality assurance practices, and is the same as the product sold in the commercial marketplace. The government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under provisions of the contract.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:37Z
Check the source to verify that this is the current version before use.

4. Packaging.

4.1 Packaging and packing. Packaging and packing shall be commercial or export as specified (see 5.1).

4.2 Commercial packaging and packing. Each unit shall be cleaned, preserved, packaged, packed, and unitized in accordance with ASTM D 3951.

4.3 Export packaging and packing.

4.3.1 Export packaging. Each machine shall be cleaned, preserved and cushioned to protect against corrosion, deterioration and physical damage during shipping and storage. Disassembled parts and accessories shall be packaged in a fiberboard box conforming to PPP-B-636, type CF or SF, class domestic, style optional.

4.3.2 Export packing. Each machine with its parts package shall be packed in a nailed and lock-corner wood box conforming to PPP-B-621, class II, style 2, 4, or 7, type I load or a cleated plywood box conforming to PPP-B-601, overseas type, style optional. Each box shall waterproofed with a sealed case liner conforming to MIL-L-10547, type I, II, or IV, grade optional. Each box shall be closed, strapped, and provided with skids in accordance with PPP-B-601 or PPP-B-621 as applicable.

4.3.3 Palletization. When specified, shipping containers shall be palletized in accordance with MIL-STD-147 (see 5.1).

4.4 Marking (commercial and export). Marking of unit packs, shipping containers and palletized unit loads shall be in accordance with MIL-STD-129.

5. NOTES.

5.1 Ordering data:

a. Title, number, and date of this document
b. Government approved manual number to be included on data name plate (see 2.2).
c. Selection of applicable packaging and packing required (see 4.1).
d. When palletization of shipping containers is required (see 4.3.3).

5.2 Sources of information for non-government associated documents.

American Society for Testing and Materials
1916 Race Street
Philadelphia, PA 19106

National Sanitation Foundation
P.O. Box 1468
Ann Arbor, MI 48104

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:37Z
Check the source to verify that this is the currentversion before use.

Underwriters Laboratories Inc.
333 Pfingsten Road
Northbrook, IL 60062

MILITARY INTERESTS:

Custodians

Army - GL
Navy - YD

Review activities

Army - MD
Navy - MC, SA

CIVIL AGENCY COORDINATING ACTIVITY:

GSA - FSS

Preparing activity:

Army - GL

Project No. 7320-0787

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:37Z
Check the source to verify that this is the current version before use.