A-A-50043
February 22, 1983

COMMERCIAL ITEM DESCRIPTION

WARMER, FOOD, PORTABLE, INFRARED

The General Services Administration has authorized the use of this Commercial Item Description in preference to Military Specification MIL-F-43883.

Intended use. The warmers are intended for use in mess halls and cafeterias for keeping cooked foods warm until served.

Salient characteristics.

The food warmers shall be of two types as follows:

Type I - Warmers designed for 120 V, 60 Hz, 1 Ph
Type II - Warmers designed for 220 V, 50 Hz, 1 Ph

The warmer shall be designed to keep cooked foods placed in the pan at a serving temperature of 140°F in an ambient temperature of 72°F. The warmer shall be a portable, counter-top unit consisting of a heat unit(s), reflector(s), holding pan, rack, frame, and an ON-OFF switch(es). Temperature shall be controlled by adjusting the height of the heat unit(s) or by varying the imput power with a control. Parts requiring replacement shall be readily accessible without special tools. Type I food warmers shall have 6 foot long, 3 wire, power supply cord with a NEMA 5-15P plug.

Heat unit. The heat unit(s) shall utilize two standard commercial 250 watt infrared heat lamps or a tubular infrared heating element, pyrex, or alloy sheathed rated at 500 watts. Reflector(s) shall be used for optimum heat utilization. Warmers with adjustable height heat units shall have provisions for holding the frame firmly at any height within the adjustment range. The projected heating area shall be 20 inches long by 12 inches wide at low setting.

Holding pan. The holding pan shall be 20 inches long by 12 inches wide by 2-1/2 inches deep fabricated from stainless steel and shall conform to the requirements of the National Sanitation Foundation Standard No. C-2.

Rack. The pan shall have a removable rack designed to support the contents placed in the pan. The rack shall be fabricated from stainless steel and shall cover the entire bottom of the pan, providing clearance for food particles between the rack and bottom of the pan.

FSC 7310

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:38Z
Check the source to verify that this is the current version before use.

Frame. The warmer shall be open on all sides to allow removal of warmed product without removing the pan. The base of the frame shall be so designed and constructed that it will provide a stable support for the warmer when operated on a tabletop or countertop. The pan shall be supported in such a manner that the pan bottom does not contact the tabletop or countertop.

On-off switch. The warmer shall have an on-off switch(es) to activate the heat unit. The switch(es) shall be visible and accessible to the attendent and located so as to prevent the attendent from contacting the reflector in normal operation.

Standards compliance. The food warmer shall comply with the requirements of the National Sanitation Foundation Standard No. 7 and Underwriters Laboratories Standard No. 197.

Marking. The unit shall be legibly marked with manufacturer's name or trademark and model or part number plus the contract number and National Stock Number.

Certification. The contractor shall certify that the product offered meets the salient characteristics of this description, conforms to the producer's own drawings, specifications, standards, and quality assurance practices, and is the same product offered for sale in the commercial marketplace. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under provisions of the contract.

Packaging.

A. Commercial packaging. Each food warmer shall be packaged in accordance with commercial practice.

B. Commercial packing. Each food warmer shall be packed in a manner to insure carrier acceptance and safe delivery at destination, at the lowest transportation rate for such supplies. Containers shall comply with the Uniform Freight Classification or National Motor Freight Classification, as applicable.

C. Export packaging. Each food warmer shall be disassembled to the extent determined by the supplier to protect parts susceptible to damage during shipment and storage and for reduction of cubage. Parts removed shall be identified. The food warmer and parts shall be given mechanical and physical protection

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:38Z
Check the source to verify that this is the current version before use.

D. Export packing. Each food warmer shall be packed in a snug-fitting shipping container conforming to style RSC-L, grade V3c, V3s, V4s of PPP-B-636. The inside of each container shall be fitted with a box liner conforming to type CF, class weather-resistant, variety DW, grade V15c of PPP-B-636. The contents of the box shall be cushioned, blocked and braced to prevent movement while the box is in transit. Each fiberboard container shall be closed in accordance with method III, waterproofed in accordance with method V and reinforced as specified in the appendix of PPP-B-636.

E. Marking of shipping containers (commercial and export). Commercial marking for shipping containers is acceptable provided the following information is included:

National Stock Number	Date of Packaging (month/year)
Item Description	Contract Number
Quantity, Unit of Issue	Name, Address and Zip Code of Contractor

Sources of information for nongovernment documents.

National Electrical Manufacturers Association
155 East 44th Street
New York, NY 10017

National Sanitation Foundation
NSF Building
Ann Arbor, MI 48106

Underwriters Laboratories, Inc.
333 Pfingsten Road
Northbrook, IL 60062

National Motor Freight Traffic Association, Inc., Agent
National Motor Freight Classification
American Trucking Associations, Inc., Traffic Department
1616 P Street, N.W., Washington, DC 20036

Uniform Classification Committee, Agent
Uniform Freight Classification
Uniform Classification Committee, Suite 1106
222 South Riverside Plaza, Chicago, IL 60606

Source: https://assist.dla.mil -- Downloaded: 202640-26T08:38Z
Check the source to verify that this is the currentversion before use.

A-A-50043

MILITARY INTERESTS:

Custodians

Army - GL
Navy - YD
Air Force - 99

Review Activities

Army - MD
Navy - SA, MS
Air Force - 45, 84
DSA - GS

User Activities

Navy - CG, MC

CIVIL AGENCY COORDINATING ACTIVITY:

GSA-FSS

PREPARING ACTIVITY:

Army - GL

Project No. 7310-0669

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:38Z
Check the source to verify that this is the current version before use.