INCH-POUND

A-A-50053A
December 15, 1992
SUPERSEDING
A-A-50053
June 15, 1983

COMMERCIAL ITEM DESCRIPTION

CUTTERS, PAPER, GUILLOTINE, HAND OPERATED

The General Services Administration has authorized the use of this commercial item description in preference to Military Specification MIL-C-43227 .

1. CLASSIFICATION

1.1 Classification. This commercial item description covers manually operated paper cutters in the following types and sizes as specified (see 5.2):

Type I - Bench mounted model

Size 1 - 19 inch
Size 2 - 23 inch

Type II - Floor mounted model

Size 1 - 26-1/2 inch

1.2 CID based part identification number (PIN). A document based PIN to identify types and sizes is included in section 5. This identification numbering procedure is for Government purposes and does not constitute a requirement for the contractor.

Beneficial comments, recommendations, additions, deletions, clarifications, etc., and any data which may improve this document should be sent to: Commander, U.S. Army Natick Research, Development, and Engineering Center, ATTN: SATNC-UXT, Natick, MA 01760-5017.

AMSC N/A

FSC 3610

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:38Z
Check the source to verify that this is the current version before use.

2. SALIENT CHARACTERISTICS

2.1 Design and construction. The paper cutters shall be designed to cut paper stock by means of a hand lever actuated cutting knife descending across the paper stock in a slicing motion. The cut shall be parallel to a moveable back gage and perpendicular to fixed right and left hand paper guides.

2.2 Supporting structure. The paper cutters shall have a base structure for supporting the assembled paper cutter. The base shall have mounting holes located adjacent to the four corners of the base to permit bolting of the assembly to a supporting surface.

2.3 Paper clamp. The paper cutters shall have a paper clamp capable of exerting sufficient pressure to hold the paper pile firmly to insure accurate cutting .

2.4 Cutting sticks l Each paper cutter shall be provided with not less than four close grained hardwood or plastic cutting sticks.

2.5 Cutting knives. Each paper cutter shall be provided with two cutting knives.

2.6 Safety lock. Each paper cutter shall be provided with a safety lock to hold the knife in the "Up" position at the conclusion of each cutting stroke. The safety lock release shall be such as to require both hands of the operator either on the operating lever or the left hand on the safety lock release, and the right hand on the operating lever.

2.7 Finish. The paper cutters shall be finished in accordance with the manufacturers standard commercial practice.

2.8 Capacities and dimensions. The paper cutter capacities and dimensions shall be as specified in table 1.

TABLE I. Capacities and dimensions (inches)

Characteristics	Type I		Type II
	Size 1	Size 2	Size 1
Cutting width (throat width) (min.)	19	23	26-1/2
Shall cut pile of paper (height)	2-1/2	2-1/2	3-1/4
Minimum cut, back of knife (+0, -1/4)	3/4	3/4	3/4
Table space, front of knife (min.)	11	12-1/4	13-1/2
Length of cut, back of knife (+1/2, -0)	24	24	26-1/2
Height of table from base (±1)	5-1/2	5-1/2	34
Width, overall (with lever raised) (max.)	40	44	54
Length, overall (max.)	46	46	60
Height, overall (with lever raised) (max.)	44	44	70

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:38Z
Check the source to verify that this is the current version before use.

3. QUALITY ASSURANCE

3*1 certification. The contractor shall certify and maintain substantiating evidence, that the product offered meets the salient characteristics and requirements of this Commercial Item Description, and that the product conforms to the producer's own drawings, specifications, standards, and quality assurance practices. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

3.2 Metric Product. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, provided they fall within specified tolerances using conversion tables contained in the latest revision of Federal Standard No. 376, and all other requirements of this Commercial Item Description are met. If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch-pound units, a request should be made to the contracting officer to determine if the product is acceptable. The contracting officer has the option of accepting or rejecting the product.

3.3 Regulatory requirements. The offeror/contractor is encouraged to use recovered materials in accordance with Public Law 94-580 to the maximum extent practicable.

4. PACKAGING

4.1 overseas.

4.1.1 Packaging. Each paper cutter shall be lubricated, and rowing parts shall be secured. The cutter shall be cushioned and blocked to prevent damage . Tools shall be packaged and placed with the cutter.

4.1.2 Packing. Each cutter shall be packed in a fiberboard box conforming to style RSC-L, grade V3s, V4s, or V3c of PPP-B-636. The box shall be closed, waterproofed, and reinforced in accordance with the appendix of PPP-B-636 .

4.1.3 Palletization. Boxes shall be palletizd on a 4-way entry pallet in accordance with load type Ia of MIL-STD-147. Each prepared load shall be bonded with primary and secondary straps in accordance with bonding mans C and D, or film bonding means F or G. Pallet pattern shall be in accordance with the appendix of MIL-STD-147.

4.1.4 Marking. Marking shall be in accordance with MIL-STD-129.

4.2 Domestic.

4.2.1 Packaging, packing, palletization, and marking. Packaging, packing, palletization, and marking shall be in accordance with ASTM D 3951.

Source: https://assist.dla.mil -- Downloaded: 202640-26T08:38Z
Check the source to verify that this is the current version before use.

5. NOTES

5.1 Intended use. The paper cutters are intended for use in trimming, squaring, and shearing of books, pamphlets, and quantities of paper in military installations where the volume of work does not warrant the use of a rotor driven machine.

5.2 Acquisition requirements. Acquisition documents must specify the following:

a. Title, number, and date of this docuemnt.
b. Type and size of paper cutter required (see 1.1).
c. Type of packaging required (see 4.1 and 4.2).

5.3 Sources of documents.

5.3.1 Sources of Government documents. Copies of military and federal documents are available from:


Standardization Documents Order Desk
Building 4D
700 Robbins Avenue
Philadelphia, PA 19111-5094

5.3.2 Sources of non-Government association documents.

ASTM D 3951 - Standard Practice for Commercial Packaging, is available f mm:

The American Society for Testing and Material-s (ASTM)
1916 Race Street
Philadelphia, PA 19103-1187

5.4 Part identification number [PIN] . The PIN's to be used for item required by this CID are created as follows:



Source: https://assist.dla.mil -- Downloaded: 202610-26T08:38Z
Check the source to verify that this is the current version before use.