[METRIC]
A-A-1811A
December 21, 1990
SUPERSEDING
A-A-1811
April 17, 1981

COMMERCIAL ITEM DESCRIPTION

COVER, TYPEWRITER

The General Services Administration has authorized the use of this commercial item description.

This commercial item description covers gray colored dust covers, with a depth of 40 centimeters (cm), a height of 25 centimeters (cm), and available in the following sizes (widths), as specified, for non-portable typewriters.

Size	Width (centimeters)	Type
15	38	Standard
17	43	Standard
19	48	Standard
22	56	Standard
24	61	Standard
26	66	Standard
32	81	Smith, Remington, Royal
34	86	Standard
40	102	Underwood

Salient characteristics.

General. The dust cover shall be made from a coated cotton cloth or a coated polyester cloth. The cloth shall be evenly woven, free from large knots and extraneous material. The coating shall be spread uniformly on one side. The coating compound shall be either natural latex, synthetic latex or synthetic resins. Not more than three pieces of cloth shall be used in the finished product. All edges shall be hemmed with raw edges turned to the inside of the cover. All hems and seams shall be securely and neatly sewn with at least six lock stitches per 25 millimeters. The color of the thread, cloth and coating shall be approximately the same color gray.

Class 1 and Class 2 unsupported vinyl film of not less than 0.008 inch pre-embossed thickness, conforming to Type I requirements of Federal Specification L-P-375, shall also qualify as an accepted optional material. Seams (welt) shall be used to join pieces with 10 $\pm$ 3 mm seam allowance using a 22 mm film tape binding.

Tolerances. Tolerances on depth, width and height dimensions shall be $\pm$ 0.6 cm.

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited. FSC 7430

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:16Z
Check the source to verify that this is the current version before use.

Workmanship. The covers shall be free from defects such as cuts, holes or tears. Coated surfaces shall be neither scratched nor abraded. The finished units shall be free from defects which may impair their appearance, durability or serviceability.

QUALITY ASSURANCE PROVISIONS.

Responsibility for inspection and testing. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein.

Sampling. Sampling for inspection shall be in accordance with MIL-STD-105. Unless otherwise specified, Inspection level S-4, AQL of 4.0 percent defective shall apply.

Inspection. Samples selected in accordance with the requirements herein shall be visually inspected for dimensional accuracy, workmanship and the defects listed below in Table II. Any departure from specified requirements may be grounds for rejection.

Table II

Examine	Defects
Coating	Any uncoated or thinly coated area. or separation of the coating from the base of cloth. Tacky or brittle. Cracked or checked, blisters or bumps. Coating not uniform.
Seams and stitching	Seams twisted or puckered. Broken or irregular threads, open or loose seams
Film	Thickness not uniform; Tacky or brittle. Cracked or checked, blisters or lumps. Wrinkles or creases not due to normal handling.

Regulatory requirements. In accordance with section 23.403 of the Federal Acquisition Regulations, the Government's policy is to acquire items composed of the highest percentage of recovered materials practicable, consistent with maintaining a satisfactory level of competition without adversely affecting performance requirements or exposing supplier's employees to undue hazards from the recovered materials.

Preservation, packaging, packing, labeling and marking. The preservation, packaging, packing, labeling and marking shall be as specified in the contract or purchase order.

Copies of MIL-STD-105 can be obtained from the Naval Publications and Forms Center, 5801 Tabor Avenue, Philadelphia, PA 19120.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:16Z
Check the source to verify that this is the current version before use.

NOTE. Purchaser shall specify Size Number & NSN when ordering.

Size 15-------7430-00-823-8080
Size 17-------7430-00-823-8081
Size 19-------7430-00-823-8082
Size 22-------7430-00-823-8083
Size 24-------7430-00-823-8084
Size 26-------7430-00-823-8085
Size 32-------7430-00-823-8086
Size 34-------7430-00-823-8090
Size 40-------7430-00-823-8087

MILITARY INTERESTS:

NONE

PREPARING ACTIVITY:

GSA - FSS

Source: https://assist.dla.mil -- Downloaded: 20261O-26T08:16Z
Check the source to verify that this is the current version before use.