[METRIC]

A-A-1964B
July 9, 1998
SUPERSEDING
A-A-1964A
January 14, 1992

# COMMERCIAL ITEM DESCRIPTION
# ENVELOPE, WALLET

The General Services Administration, Federal Supply Service, Engineering Division, New York, NY 10278; has authorized the use of this Commercial Item Description.

1. **CLASSIFICATION:** Wallet envelopes covered by this commercial item description shall be of the following sizes and expansions, as specified in the contract or ordering document (See Section 7).

| | | |
|---|---|---|
| Size: | I - | 241.3 mm X 298.4 mm (9-1/2" x 11-3/4") |
| | II - | 241.3 mm X 374.6 mm (9-1/2" x 14-3/4") |
| | III - | 241.3 mm X 457.2 mm (9-1/2" x 18") |
| | IV - | 254.0 mm X 381.0 mm (10" x 15") |
| | V - | 254.0 mm X 406.4 mm (10" x 16") |
| | VI - | 241.3 mm X 101.6 mm (9-1/2" x 4") |

| | | |
|---|---|---|
| Expansion: | A - | 1 fold - 22.2 mm (7/8") |
| | B - | 2 folds - 44.4 mm (1-3/4") |
| | C - | 3 folds - 66.6 mm (2-5/8") |
| | D - | 4 folds - 88.9 mm (3-1/2") |

2. **SALIENT CHARACTERISTICS:**

A. Construction. Wallet envelopes shall be provided with flaps and full height gussets. Envelopes shall be supplied in the sizes specified (See Section 7). The leaves of the envelopes shall be two-ply with rounded corners. The color of the outer ply shall be red; the color of the inner ply shall be red, salmon or manila as specified. The flap shall be a continuation of the back leaf and shall overlap the front by a minimum of 101.6 mm (4 inches) when fully expanded. For the size VI wallet envelope the flap shall overlap not less than 50.8 mm (2 inches). The flap shall be scored horizontally at various locations to accommodate folding the flap within the expansion range of the wallet.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data which may improve this document should be sent to General Services Administration, Federal Supply Service, Engineering Branch, 26 Federal Plaza, New York, NY 10278

FSC 7530

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:18Z
Check the source to verify that this is the current version before use.

The gusset shall be one-ply, single piece construction with a reinforcing strip of cloth, polymeric non-woven material or latex impregnated fiber not less than 15.8 mm (5/8 inch) wide completely and securely glued to the top of the gusset on the inside face. The reinforcement strip shall be positioned flush with the top of the gusset, or no more than 1/8 inch below the top of the gusset, and shall extend fully across the inside width of the gusset, without a break in continuity. The gusset shall be the same color as the outer ply of the leaves. The gusset shall be bonded in place between the plies of the leaves. When the plies and gussets are pulled apart, failure shall be entirely in the paper stock and not the adhesive bond.

When specified, the wallets envelope shall be equipped with elastic loops or ties. The ties shall be either cotton cloth or other suitable material, at least six inches long, which can be securely fastened (See Section 7).

B. Dimensions: Dimensions shall be as specified for the applicable Size and Expansion, with a tolerance of ± 1.5 mm (± 1/16 inch), unless stated otherwise.

C. Physical Properties: The leaves and gussets shall be made of material conforming to the requirements in Table 1:

**Table 1**

| Characteristic | Requirement | | TAPPI |
|---|---|---|---|
| | Gusset | Leaves (2-ply) | Test Method |
| Basis weight, min. (24 x 36-500) | 195.2 gms/$m^2$ (120 pounds) | 390.5 gms/$m^2$ (240 pounds) | T-410 |
| Thickness, min. | 0.228 mm (0.009 inch) | 0.457 mm (0.018 inch) | T-411 |
| Bursting strength, min. | 655 kPa (95 psi) | 1310 kPa (190 psi) | T-403 |
| Tearing strength, min. (avg. both directions) | 280 grams | 550 grams | T-414 |
| Fold endurance, min. | | | |
| Machine direction | 600 | - | T-511 |
| Cross direction | 375 | - | |

D. Workmanship. The envelope wallets shall be free from holes, tears, creases, wrinkles, blisters, lumps, ply separations, exposed glue edges, and free of any defects which may affect the appearance or serviceability of the item.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:18Z
Check the source to verify that this is the current version before use.

3. **REGULATORY REQUIREMENTS:**

3.1 Recovered material requirements shall be in accordance with the Paper Products Recovered Materials Advisory Notice (Paper RMAN) which may be found in the Federal Register, Vol. 61, Part IV, dated May 29, 1996, and as specified in the contract or ordering document.

3.2 Labeling: The recycled content shall be marked on the product or unit pack.

4. **QUALITY ASSURANCE PROVISIONS:**

4.1 Product Conformance: The products provided shall meet the salient characteristics of this commercial item description, conform to the producer's own drawings, specifications, and quality assurance practices and be the same product offered for sale in the commercial market. The government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

4.2 Sampling for TAPPI tests shall be in accordance with TAPPI T400, plan II.

4.3 An inspection lot shall consist of all like items submitted for inspection at one time. The inspection level for visual and performance characteristics shall be S-3 with an Acceptable Quality Level (AQL) of 4.0 percent defective. The sample unit shall be one unit of issue. The supplier must provide objective evidence (tests and inspection records) that the presented material meets the requirements of the sampling plan as indicated above.

5. **PACKAGING, PACKING, AND MARKING:** Packaging, packing, and marking shall be as specified in the contract or order.

6. **REFERENCED DOCUMENTS:** The issue of the referenced documents in effect on the date of the solicitation or invitation to bid, shall be used to determine compliance with the requirements stated.

TAPPI test methods are available from:

Technical Association of the Pulp and Paper Industry
PO Box 105113
Atlanta, GA 30348
(404) 209-7276

The Paper Products Recovered Materials Advisory Notice (RMAN):

You may order copies via the RCRA Hotline at (800) 424-9346.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:18Z
Check the source to verify that this is the current version before use.

7. NOTES:

A. ORDERING DATA: Purchasers should include the following information in procurement documents, as applicable:

(1) Title, number and date of specification
(2) Size, expansion and style required (see Section 1)
(3) Color of inner stock required (see 2.A)
(4) With or without elastic ties or loops (See 2.A)
(5) Recovered material requirements (See 3)
(6) Packaging, packing, and marking required (see 5)

0 Item Identifiers/Reference Part Number System (for cataloging use only):

AA1964 - A 1 This example describes a 9-1/2" x 11-3/4", 7/8" - 1 fold, Envelope Wallet

Expansion:
1) A - 7/8" - 1 fold
2) B - 1-3/4" - 2 folds
3) C - 2-5/8" - 3 folds
4) D - 3-1/2" - 4 folds

Size:
A) I - 9-1/2" x 11-3/4"
B) I I - 9-1/2" x 14-3/4"
C) III - 9-1/2" x 18 "
D) IV - 10" x 15"
E) V - 10" x 16"
F) VI - 9-1/2" x 4"

**List of NSNs:** 7530-00-268-3993 7530-00-268-3994 7530-00-281-4847

**MILITARY INTEREST:**

Review Activities
Navy - SA
Air Force - 84

Custodians
Air Force - 99

**PREPARING ACTIVITY:**

GSA-FSS



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:18Z
Check the source to verify that this is the current version before use.