[METRIC]

A-A-2155B
March 22, 1994
SUPERSEDING
A-A-2155A
February 1, 1993

# COMMERCIAL ITEM DESCRIPTION

## PAPER, COPYING, XEROGRAPHIC PROCESS (Wet Toner)

The General Services Administration, Office Supplies and Paper Products Commodity Center, New York, N.Y. has authorized the use of this Commercial Item Description.

1. Scope and Classification. This description covers recycled plain, white, copy paper, cut grain long, for use in Savin wet toner copiers.

2. Salient Characteristics.

2.1 Paper shall meet all requirements herein.

2.2 Dimensions. Shall be as specified (See Paragraph 7).

2.3 Bleaching. To obtain an acceptable brightness a chemical bleaching process may be used. When specified in the ordering data, (see Paragraph 7), the bleaching process shall not include the use of chlorine, chlorine dioxide, hypochlorite or other chlorine compounds. Certification of compliance shall be made available upon request by the Government.

2.4 Curl. The paper shall be flat before and after processing through the copier with either no tendency to curl or with a curl which can be overcome under reasonable working conditions.

Beneficial comments, recommendations, additions, deletions, clarification's, etc. and any data which may improve this document should be sent to General Services Administration, Federal Supply Service, Engineering Branch, 26 Federal Plaza, New York, NY 10278

FSC 7530

Distribution Statement A:
Approved for public release;
Distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:20Z
Check the source to verify that this is the current version before use.

2.5 Workmanship. The paper shall be free from wrinkles, waviness, folds, tears, holes and any other defect which may affect performance. Reams of paper shall be free of lint, dust and glue spots. The paper shall be free of fuzziness and be cleanly cut. Parallelism of opposite edges shall have a deviation of less than 0.3% and perpendicularity of adjacent edges shall have a deviation of less than 0.3%, as measured by a Quick Scan R or equal.

2.6 Performance. The paper shall perform satisfactorily in Savin wet toner copiers, model series 7000. Operating performance shall be checked at atmospheric conditions of 21 deg. Centigrade, +/- 6 deg. Centigrade (70 deg. F, +/- 10 deg. F) and relative humidity of 50% +/- 10%. There shall be no more than one paper caused jam per thousand copies, when copied single side.

2.7 Physical tests.

Table I

| Physical Test | Requirement | Tappi Method |
|---|---|---|
| Smoothness (Sheffield)<br>wire side<br>felt side | <br>110 max<br>100 max | T-538 |
| Thickness | .084 +/-.005mm (.0035 +/-.0002 inch) | T-411 |
| Porosity | 20-30 sec | T-460 |
| Moisture, % | 4.5 +/- 1.0 | T-412 |
| Grammage (Basis Weight, (17x22-500) | 75 g/m2 ( 20 lb.), +/- 5% | T-410 |

3. Regulatory Requirements. The contractor shall certify that the minimum content standard shall be no less than 20% postconsumer materials in accordance with Executive Order 12873, section 504 (a), dated October 20, 1993 (See definitions of postconsumer materials and recovered materials in sections 203 and 205). As an alternative to meeting the standards of section 504(a) for all printing and writing papers, the minimum content standard shall be no less than 50% recovered materials that are a waste material byproduct of a finished product other than a paper or textile product which would otherwise be disposed of in a landfill, as determined by the State in which the facility is located, in accordance with Executive Order 12873, section 504 (c), dated



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:20Z
Check the source to verify that this is the current version before use.

October 20, 1993. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

3.1 Labeling. The recycled content shall be marked on the ream label and carton.

4. Quality Assurance Provisions. Unless otherwise specified in the contract, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in this commercial item description where such inspections are deemed necessary to assure that supplies and services conform to prescribed requirements.

Sampling shall be in accordance with Mil Std. 105 using the plans as specified in Table II, unless stated otherwise.

Table II

| Characteristic | Inspection Level | AQL (% defective) |
|---|---|---|
| Visual Defects | I | 6.5 |
| Examination for Dimensions | S-2 | 2.5 |
| Preparation for delivery | S-2 | 2.5 |

Sampling for physical properties, use Tappi sampling instructions. If sampling packaged reams, the test unit shall be the ream.

For operating performance, one sample per lot shall be inspected. The test unit shall be two reams (1000 sheets). For the shipment to be accepted, no failures are allowed.

The sample unit for preparation for delivery shall be one fully prepared shipping container.

5. Applicable Documents. The following documents form a part of this Commercial Item Description to the extent specified herein.



Source: https://assist.dla.mil -- Downloaded: 202610-26T08:20Z
Check the source to verify that this is the current version before use.

Unless otherwise indicated, the issue in effect on the date of invitation for bids or request for proposal shall apply:

5.1 TAPPI Standards.
Copies of Tappi Standards are available from the Technical Association of the Pulp and Paper Industry, PO Box 105113, Atlanta, Ga 30348.

5.2 Military Standards.
MIL-STD-105, Sampling Procedures and Tables for Inspection by Attributes
Copies of Military Specifications and Standards are available from Standardization Documents Order Desk, Bldg. 4D, 700 Robbins Ave., Philadelphia, Pa. 19111-5094.

5.3 Executive Order 12873. Copies of Executive Order 12873, dated October 20, 1993 may be obtained from:
The White House Publications Office
New Executive Office Building
White House
Att: Publications
Washington, DC. 20500
(202) 395-7332

5.4 Quick Scan. Quick Scan is available from Quick Scan, 826 Fairview, Park Ridge, IL 60068.

6. Packaging, packing, labeling and marking. Packaging, packing, labeling and marking shall be as specified in the contract or order.

7. Ordering Data. Purchasers should select the preferred options permitted herein, and include the following information in procurement documents:
A) Packaging, packing and marking.
B) Dimensions
C) Purchasers shall specify whether bleaching without the use of chlorine or chlorine compounds is required.

| MILITARY INTEREST: | PREPARING ACTIVITY: |
|---|---|
| NONE: DoD has no registered interest in revisions and amendments to this Commercial Item Description until further notice. | GSA-FSS |



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:20Z
Check the source to verify that this is the current version before use.