MILITARY SPECIFICATION SHEET

PANEL, GROUND DETECTOR, 120-VOLTS (SYMBOL 1005.1) AND 450-VOLT (SYMBOL 1005.2)
ALTERNATING CURRENT, THREE PHASE, 60 OR 400 HERTZ, DRIPPROOF

The complete requirements for procuring ground detector panels described herein shall consist of this document and the latest issue of specification MIL-P-24395(SHIPS).





Figure 1 - Ground detector panel.


NOTES:
1. All dimensions are in inches, unless otherwise specified. Tolerances are ±1/64 for fractions ±.005 for decimals.
2. Keep face of ground pads free of paint.

FSC 6110

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T21:45Z
Check the source to verify that this is the current version before use.



SH9084



HEX. HD. MOUNTING BOLTS
$\frac{3}{8}$-16

FIGURE 2 - WIRING DIAGRAM
FOR A.C. GROUND DETECTOR PANEL

TABLE I

PARTS FOR ONE UNIT			
SYMBOL NO.	MILITARY PART NO.	VOLTAGE APPLICATION	FUSE HOLDER
1005.1	M24395/1-001	120 VOLT A. C., 3 PHASE	MIL-F-19207/2 TYPE FHL11U
1005.2	M24395/1-002	450 VOLT A. C., 3 PHASE	MIL-F-19207/3 TYPE FHL12U

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T21:45Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

Enclosure: Shall conform to MIL-J-24142/4-001.

Push Switch:

For 120 volts: Type specified in MIL-S-8805/20 with boot specified in MIL-B-5423/7.
For 450 volts: Controls Company of America, Control Switch Division No. D20/W2, or equal with boot specified in MIL-B-5423/7.

Indicator Light:

Housing: Type LH98/3 for 120 volts and Type LH98/4 for 450 volts, 60 or 400 Hz, of MIL-L-3661/65.
Lenses: Type LC40CN3 of MIL-L-3661/54.
Lamp: Incandescent, T-1-3/4, midget, screw base MS15612-3.

Fuseholder: As specified in Table I.

Fuses: Type F03A250V3A for 120 volts and Type F60C500V3A for 450 volt in accordance with MIL-F-15160/3 and MIL-F-15160/60, respectively.

Terminal Board - Type 9TB4 as shown in MIL-T-55164/15.

Interior Wiring - Type B, size 16 in accordance with MIL-W-16878/1.

Degree of Enclosure: Dripproof.

Part Number: Consist of the basic number of this specification sheet and a dash number taken from table I.

Example: M24395/1-001.

Superseding data. Part number M24395/1-001 supersedes Symbol No. 1005 of Drawing 815-1197222.

Preparing activity:
Navy - SH
(Project 6110-N076)

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T21:45Z
Check the source to verify that this is the current version before use.