AMENDMENT 2
21 January 1981
SUPERSEDING
AMENDMENT 1
5 December 1972

MILITARY SPECIFICATION

STEEL, SPECIAL STRUCTURAL SHAPE, WELDABLE,
HIGH TENSILE (HT); FOR SUBMARINE HULLS

This amendment forms a part of Military Specification MIL-S-24412(SH), dated 1 July 1970.

PAGE 2

Table I, footnote 1/: After "elements" insert "including titanium,".

3.6 and 3.6.1: Delete.

PAGE 3

3.7.3: Delete.

PAGE 4

3.9, line 2: After "section," insert "heat number,".

3.10, line 2: Delete "consignee" and substitute "procuring center, Attn: DISC-SFA."

* 4.1 Delete and substitute:

"4.1 Responsibility for inspection. Unless otherwise specified in the contract, the contractor is responsible for the performance of all inspection requirements as specified herein. Except, as otherwise specified in the contract, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Certification of quality compliance. A certificate of quality compliance shall be prepared for each lot of material offered for acceptance (see 6.1.1). The certificate shall include actual data of specified chemical and mechanical tests. Qualitative results of nondestructive tests and other inspections or tests shall be recorded on the certificate. The certificate shall also state that each lot has been sampled, tested, and inspected in accordance with the specification and meets all specification requirements. The certificate shall be signed by a responsible representative of the contractor."

4.5.3: Delete.

FSC 9520

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T21:51Z
Check the source to verify that this is the current version before use.

PAGE 5

4.6.1: Delete and substitute:

"4.6.1 Mechanical testing. If either one of the two tensile test specimens in accordance with 4.3.2 fails to meet specification requirements, a retest is permissible. A retest shall consist of two additional tensile test specimens from the same lot. The results of both retest samples shall satisfactorily meet all specification requirements."

PAGE 6

* Add the following:

"6.1.1 Data requirements. When this specification is used in a procurement which incorporates a DD Form 1423 and invokes the provisions of 7-104.9(n) of the Defense Acquisition Regulations, the data requirements identified below will be developed as specified by the Data Item Description (DD Form 1664) and delivered in accordance with the approved Contract Data Requirements List (DD Form 1423) incorporated into the contract. When the provisions of DAR 7-104.9(n) are not invoked, the procurement document will specify that the data specified below is to be delivered by the contractor (use of the DID in this case is not required). Deliverable data required by this specification is cited in the following paragraph:

PARAGRAPH	DATA REQUIREMENT	APPLICABLE DID
4.1.1	Certificate of Quality Compliance	UDI-A-23264 Certification Data/ Report

(Copies of data item descriptions required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

6.1.1.1 The data requirements of 6.1.1 and any task in section 3, 4, or 5 of this specification required to be performed to meet a data requirement may be waived by the contracting/acquisition activity upon certification by the offeror that identical data were submitted by the offeror and accepted by the Government under a previous contract for identical item acquired to this specification. This does not apply to specific data which may be required for each contract regardless of whether an identical item has been supplied previously (for example, test reports)."

PAGE 7

Figure 1: Delete "WEIGHT TOLERENCE +2 percent -2 percent and substitute

"WEIGHT TOLERENCE +4 percent -2 percent .

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T21:51Z
Check the source to verify that this is the current version before use.

LAST PAGE

* DD 1426, SPECIFICATION ANALYSIS SHEET: Delete address and substitute:

"COMMANDER
NAVAL SEA SYSTEMS COMMAND (SEA 3112)
DEPARTMENT OF THE NAVY
WASHINGTON, DC 20362"

NOTE: The margins of this amendment are marked with an asterisk (*) to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of the marginal notations and relationship to the last previous amendment.

Preparing activity:
Navy - SH
(Project 9520-N007)

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T21:51Z
Check the source to verify that this is the current version before use.