INCH-POUND

MIL-DTL-28840/4A
26 April 2007
SUPERSEDING
MIL-C-28840/4(EC)
21 August 1978

DETAIL SPECIFICATION SHEET

CONNECTORS, ELECTRICAL, CIRCULAR, THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, METAL CONDUIT, FOR EMI SHIELDING

This specification is approved for use by all Departments and Agencies of the Department of Defense

The requirements for acquiring the product described herein shall consist of this specification sheet and MIL-DTL-28840.



FIGURE 1. Dimensions and configuration.

AMSC N/A

FSC 5935

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T19:32Z
Check the source to verify that this is the current version before use.

Size	Nominal conduit inside diameter	A dia over shield ± .010 (0.25)	L	B dia max over jacket
03	.375 (9.52)	.525 (13.34)	50 ft. max	.688 (17.47)
04	.500 (12.70)	.650 (16.51)		.812 (20.62)
05	.625 (15.87)	.765 (19.43)		.937 (23.79)
06	.750 (19.05)	.925 (23.50)		.1.078 (27.38)
08	1.00 (25.40)	1.210 (30.73)		1.437 (36.49)
10	1.25 (31.75)	1.455 (36.96)		1.695 (43.05)
12	1.500 (38.10)	1.725 (43.82)		1.956 (49.68)
16	2.000 (50.80)	2.200 (55.88)		2.469 (62.71)

NOTES:
1. Dimensions are in inches.
2. Unless otherwise specified, tolerances are ±.016 inch (0.41 mm).
3. Metric equivalents are given for information only.
4. For protective cover, see MS17349.

FIGURE 1. Dimensions and configuration – Continued.

REQUIREMENTS:

Design and construction: See figure 1.

Material for type C:
Conduit: Brass foil.
Braid: Low phosphorous bronze wire.
Insulator jacket: Neoprene.

Material for type E:
Conduit: Nickel iron foil.
Braid: Tinned coated copper.
Insulator jacket: Neoprene.

Length and tolerance in length should be specified through the ordering data.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T19:32Z
Check the source to verify that this is the current version before use.

Part or Identifying Number (PIN) example:



Changes from previous issue. Marginal notations are not used in this revision to identify changes with respect to the previous issue due to the extent of the changes.

Referenced documents. In addition to MIL-DTL-28840 this document references the following:

MS17349

CONCLUDING MATERIAL

Custodians:
Navy - EC
DLA - CC

Preparing activity:
DLA - CC

(Project 5935-2005-030)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at http://assist.daps.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T19:32Z
Check the source to verify that this is the current version before use.