MIL-B-13842C
AMENDMENT-1

20 February 1976

MILITARY SPECIFICATION

BAGS, SOILED CLOTHES

This amendment forms a part of Military Specification MIL-B-13842C, dated 17 May 1968, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 1

1.1, line 1. Delete "three" and substitute "two".

2.1, under "Federal Specifications". Delete "PPP-F-320" and its title.

PAGE 2

2.1, under "Military Standards". Delete "MIL-STD-147" and its title.

Add the following new paragraph:

"2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless a specific issue is identified, the issue in effect on date of invitation for bids or request for proposal shall apply.

National Motor Freight Traffic Association, Inc., Agent

National Motor Freight Classification

(Application for copies should be addressed to the American Trucking Associations, Inc., Tariff Order Section, 1616 P Street, N. W. Washington, DC 20036.)

Uniform Classification Committee, Agent

Uniform Freight Classification

(Application for copies should be addressed to the Uniform Classification Committee, Room 1106, 222 South Riverside Plaza, Chicago, IL 60606.)"

FSC 8465

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T02:28Z
Check the source to verify that this is the current version before use.

PAGE 10

4.3.4 and table II. Delete and substitute:

"4.3.4 Examination of preparation for delivery. An examination shall be made to determine that packaging, packing and marking complies with the section 5 requirements. Defects shall be scored in accordance with table II. The sample unit shall be one shipping container fully prepared for delivery with the exception that it need not be closed. Defects for closure listed in table II shall be examined on shipping containers full prepared for delivery. The lot size shall be the number of shipping containers in the end item inspection lot. The inspection level shall be S-2 and the AQL shall be 2.5 expressed in terms of defects per hundred units.

TABLE II. Examination of preparation for delivery

Examine	Defect
Marking	Omitted; incorrect; illegible, of improper size, location, sequence, or method of application.
Materials	Any component missing or not as specified. Any component damaged affecting serviceability.
Workmanship	Inadequate application of components, such as: incomplete closure of container flaps, loose strapping, improper taping, or inadequate stapling. Bulged or distorted container. Contents of container not completely covered top and bottom with kraft paper.
Contents	Number per container is more or less than required.

"

PAGE 11

5.2.1, 5.2.2 and table III. Delete and substitute:

"5.2.1 Level A. Fifteeen bags, of one type only, packaged as specified in 5.1, shall be packed in a snug-fitting fiberboard shipping container conforming to RSC-L, grade V2s of PPP-B-636. The inside of each shipping container shall be fitted with a liner conforming to type CF, class weather-resistant, variety DW, grade V15c of PPP-B-636. Each shipping container shall have the content completely covered on the top and bottom with a sheet of 30 pound minimum basis weight kraft paper conforming to type I, grade B of UU-P-268. Each shipping container shall be closed in accordance with method III, waterproofed in accordance with method V and reinforced as specified in the appendix of the container specificatic

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T02:28Z
Check the source to verify that this is the current version before use.

PAGE 11 (cont'd)

5.2.2 Level B. Fifteen bags, of one type only, packaged as specified in 5.1, shall be packed in a snug-fitting fiberboard shipping container conforming to style RSC-L, type CF, variety SW, of type SF, class domestic, grade 275 of PPP-B-636. The inside of each shipping container shall be fitted with a liner conforming to type CF, class domestic, variety SW, grade 275 of PPP-B-636. Each shipping container shall have the contents completely covered on the top and bottom with a sheet of 30 pound minimum basis weight kraft paper conforming to type I, grade B of UU-P-268. Each shipping container shall be closed in accordance with method II as specified in the appendix of PPP-B-636."

PAGE 12

5.2.2.1. Delete and substitute:

"5.2.2.1 When specified (see 6.2), the shipping container shall be grade V3c, V3s, or V4s, fabricated in accordance with PPP-B-636 and closed in accordance with method III as specified in the appendix of the container specification."

5.2.3, last sentence. Delete and substitute: "Containers shall be in accordance with Uniform Freight Classification or National Motor Freight Classification, as applicable."

5.3. Delete in its entirety.

Custodians:

Army - GL
Navy - SA
Air Force - 82

Review activities:

Army - MD
DSA - CT
- DM

User activity:

Navy - MC

Preparing activity:

Army - GL

Project No. 8465-0722

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T02:28Z
Check the source to verify that this is the current version before use.