[INCH-POUND]
A-A-1214A
July 20, 1992
SUPERSEDING
A-A-1214
March 10, 1981

COMMERCIAL ITEM DESCRIPTION

CLOTH, COATED

The General Services Administration has authorized the use of this commercial item description in preference to CCC-C-417.

1. SCOPE AND CLASSIFICATION

1.1 Scope. This commercial item description covers coated or laminated cloth for use as table cloths and shelf covers.

1.2 Classification. The coated cloth shall be one of the following colors, as specified (see 6.1).

White
Yellow
Green
Red

2. APPLICABLE DOCUMENTS

2.1 The documents referenced in this commercial item description shall be the issues in effect on the date of issuance of the invitation for bids or request for proposals unless otherwise specified. These documents form a part of this commercial item description to the extent specified. In the event of a conflict between this commercial item description and a document referenced herein, this commercial item description shall take precedence.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data which may improve this document should be sent to: General Services Administration, Engineering Group (7FXEE), 819 Taylor St., Fort Worth, TX 76102

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.

FSC 8305

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:12Z
Check the source to verify that this is the current version before use.

Federal Standards:

FED-STD-191 - Textile Test Methods.
FED-STD-376 - Preferred Metric Units For General Use By The Federal Government.

Copies of Federal standards are available from the General Services Administration Business Service Centers in Boston, MA; New York, NY; Philadelphia, PA; Washington, DC; Atlanta, GA; Chicago, IL; Kansas City, MO; Fort Worth, TX; Denver, CO; San Francisco, CA; Los Angeles, CA; and Seattle, WA, and the GSA Specifications Unit (3FBP-W), 7th and D Streets S.W., Washington, DC 20407.

Military Standard:

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.

Copies of military standards may be obtained from Standardization Documents Order Desk, Bldg. 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094.

ASTM Standard:

E 29 - Standard Practice For Using Significant Digits In Test Data To Determine Conformance With Specifications.

Application for copies of ASTM standards should be addressed to ASTM, 1916 Race Street, Philadelphia, PA 19103.

Color Association of the United States:

Standard Color Card of America, 10th edition.

Application for copies should be addressed to the Color Association of the United States, Inc., 343 Lexington Avenue, New York City, NY 10016.

3. SALIENT CHARACTERISTICS

3.1 Material.

3.1.1 Base cloth. The base cloth shall be a non-woven, woven, or knitted fabric made from cotton, polyester, or cotton/polyester blended yarns.

3.1.2 Coating or laminating material. The coating or laminating material used for facing the cloth shall be a synthetic resin pigmented to meet the specified color requirements.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:12Z
Check the source to verify that this is the current version before use.

3.2 Coated or laminated cloth. The coated or laminated cloth shall consist of a base cloth as specified in 3.1.1 and shall be laminated on one side. There shall be no striking through of the coating or laminating to the back of the cloth. The cloth shall meet the requirements listed below in Table I.

TABLE I

Characteristic	Requirement (minimum)	Test Method FED-STD-191
Weight	6.0 oz./sq. yd.	5041
Blocking	1 or more	5872
Crocking	8.5 Munsell value	5651.1
Colorfastness to light (except red)	Good	5660.1
Colorfastness to light (Red)	Fair	5660.1

Note: The test methods shall be used to determine if the cloth meets the stated requirements.

3.3 Colors. The colors shall match the following cable numbers of the Standard Color Card of America. The colors shall be matched to the cable specified under natural daylight or artificial daylight having a color temperature of 7500 degrees Kelvin and shall be matched under incandescent light at 2800 degrees Kelvin.

White - Cable No. 80002
Yellow - Cable No. 80090
Green - Cable No. 80119
Red (Pimento) - Cable No. 80042

3.4 Dimensions. The finished cloth shall be one continuous piece. The width shall be 53 inches, plus or minus 1 inch and shall have a length of 12 yards plus 1/2, minus 0.0 yard.

3.5 Finish. The cloth shall have a plain or satin finish.

3.6 Workmanship. The coated or laminated cloth shall be free from holes, tears, streaks, blisters, any separation of coating from the base cloth, any uncoated areas, or foreign matter that would affect the serviceability and appearance of the end product.

3.7 Regulatory requirements. The offeror/contractor is encouraged to use recovered materials in accordance with Public Law 94-580 to the maximum extent practicable.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:12Z
Check the source to verify that this is the current version before use.

3.8 Metric products. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, provided they fall within the tolerances specified using conversion tables contained in the latest revision of FED-STD-376, and all other requirements of this commercial item description are met.

3.9 Commercial item. The use of the term "commercial item description" in this document does not imply that any item or items offered are not required to conform with all requirements specified herein.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure that supplies and services conform to prescribed requirements.

4.2 Sampling. The levels of inspection and acceptable quality levels (AQL's) shall be in accordance with MIL-STD-105.

4.3 Lot formation. All cloth from the same manufacturer of the same color offered for delivery at one time shall be considered a lot for purposes of inspection and testing.

4.4 Sampling for visual and dimensional examination. A random sample of cloth shall be selected from each lot in accordance with inspection level S-4, AQL 4.0, expressed in terms of defects per hundred units. The sample cloth shall be visually and dimensionally examined to verify compliance with table II and the remainder of this commercial item description. The sample unit for visual examination shall be one linear yard of cloth. The lot size shall be expressed in units of one linear yard. The sample unit for dimensional examination shall be one roll of cloth. All dimensions are absolute as defined in ASTM E 29.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:12Z
Check the source to verify that this is the current version before use.

TABLE II. Classification of defects

Examine	Defect
Finish	Not plain or satin Color not as specified
Construction and Workmanship	Hole, cut, streak, or blister Grease or oil stain Separation of coating from base cloth Uncoated area More than one piece in roll Width not as specified Length not as specified

4.5 Testing of the end item. The cloth shall be tested in accordance with applicable test methods of FED-STD-191 for the characteristics listed in table I. The requirements specified in table I, except for blocking, apply to the average of the determinations made on a unit of product for test purposes. For blocking, the requirement shall apply to each determination separately. The sample unit shall be one continuous yard of cloth. The sample size shall be in accordance with table III. The lot size shall be expressed in units of 1 yard. The lot shall be unacceptable if one or more units fail to meet a test requirement.

TABLE III. Sampling

Lot size (yards)	Sample size (units)
800 or less	2
801 to 22,000	3
22,001 and over	5

4.6 Examination for preparation for delivery. A random sample of shipping containers shall be selected from each lot for examination of the unit, intermediate and shipping containers (as applicable) for conformance with the packaging, packing, and marking required in the contract or order. Samples shall be selected in accordance with inspection level S-2, AQL 6.5, expressed in terms of defects per hundred units. The sample unit shall be one shipping container.

5. PREPARATION FOR DELIVERY

5.1 Packaging, packing, and marking. The packaging, packing, and marking shall be as specified in the contract or order.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:12Z
Check the source to verify that this is the current version before use.

6. NOTES


6.1 Ordering data. Purchasers should select the preferred options permitted herein and include the following information in procurement documents (if applicable).

a. Title, number and date of this commercial item description.
b. Color required (see 1.2)
c. The packaging, packing, and marking desired.

6.2 CID based part identification number (PIN). Coated cloth conforming with this commercial item description shall be identified by a part identification number configuration consisting of identification of a portion of the CID number and color. An example of the part identification number configuration is shown below. This part identification numbering system is intended for identification and cross-indexing of the item within the Federal cataloging system. Part identification numbers are not required to be placed on the product or container.

Part Identification Numbering System for CID A-A-1214

Example: AA1214-1 (AA1214-1) Example: Color - White



6.3 National Stock Numbers (NSNs): The following is a list of NSNs assigned which correspond to this CID. The list may not be indicative of all possible NSNs associated with this CID.

NSN	Color	P/N
8305-00-141-5537	White	AA1214-1
8305-00-205-3316	Yellow	AA1214-2
8305-00-205-3318	Green	AA1214-3
8305-00-205-3319	Red	AA1214-4

Civil Agency Coordinating Activities:

GSA - FSS

MILITARY INTERESTS:

NONE: DoD has determined that no military activity has an official interest in this commercial item description.

Preparing Activity:

GSA - FSS

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:12Z
Check the source to verify that this is the current version before use.