[INCH-POUND]
A-A-2880
December 5, 1995

COMMERCIAL ITEM DESCRIPTION

CHISEL, BRICK

The General Services Administration has authorized the use of this Commercial Item Description as a replacement for Federal Specification GGG-C-315 for all federal agencies.

1. SCOPE.

This Commercial Item Description covers a brick chisel used for cutting brick.

2. CLASSIFICATION. Not applicable.

3. SALIENT CHARACTERISTICS.

3.1 Conformance. The brick chisel shall conform to the requirements of ANSI B209.5, except as specified.

3.2 Hardness. The cutting edge of the brick chisel shall have a Rockwell C hardness of 48 to 58. The head of the striking end shall have a Rockwell C hardness of 25 to 45. Hardness shall be tested in accordance with ASTM E18. Hardness readings shall be taken from a distance of not less than 1/4 inch from the cutting edge and within 1/2 inch of the head of the striking end.

3.3 Surface cracks.

3.3.1 Surface crack test. The brick chisel shall have no surface cracks. Each brick chisel shall be subjected to a bi-directional wet magnetic particle test in accordance with ASTM E709 or a liquid penetrant inspection in accordance with ASTM E165, Method A or B.

3.3.2 Surface rework. If the brick chisel has one or more surface cracks, the chisel may be reworked by grounding or buffing to eliminate the surface cracks(s); but must maintain the shape and dimensional requirements. All reworked chisels shall be retested.

3.4 Finish. The finish on the cutting edge shall have a maximum surface roughness of 125 micro inches or finer. The finish shall be tested in accordance with ANSI B46.1. The head of the striking end shall be uniformly chamfered. The brick chisel, including the cutting edge, shall have a rust preventative coating.

3.5 Shape and dimensions. The chisel's cutting edge shall be 4 $\pm$ 1/4 inches and the chisel's overall length shall be 7 $\pm$ 1/4 inches. Hexagonal or octagonal cross-section handles are acceptable.

Beneficial comments, recommendations, additions, deletions, clarifications, etc., and any other data which may improve this document should be sent to: General Services Administration, Federal Supply Service, Tools and Appliances Commodity Center Washington, DC 20406.

FSC 5110

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:26Z
Check the source to verify that this is the current version before use.

packaged in a fiberboard box conforming

3.6 Identification Marking. The brick chisel shall be marked with the manufacturer's name or identifying symbol, and the state or country of manufacture, unless otherwise specified. All identification markings shall be engraved, etched, molded, or indented directly on the item's surface in such a manner that it remains clearly legible throughout the life of the item.

3.7 Workmanship. Details of workmanship shall be in accordance with the best commercial practice. Paints, coatings, platings, and finishes shall be smooth, adherent, continuous, and not stained or discolored. External surfaces shall be free of tool and gouge marks, nicks, or other surfaces imperfections. The item shall be free from manufacturing workmanship defects (e.g., sharp or rough external edges, corners, or surfaces) and material workmanship defects (e.g., pits, rips, fins, burrs, tears, nodules, cracks, blisters) which may adversely impact the item's serviceability, durability, safety, or appearance.

4. REGULATORY REQUIREMENTS.

4.1 Recovery materials. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

4.2 Metric products. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, provided they fall within the tolerances specified (using conversion tables contained in the latest revision of Federal Standard 376) and all other requirements of this document are met. If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch-pound units, a request should be made to the Contracting Officer to determine if the product is acceptable.

5. QUALITY ASSURANCE PROVISIONS.

5.1 Contractor's certification. The contractor shall provide certification and maintain substantiating evidence that all items being offered for acceptance meet the requirements of this Commercial Item Description and conform to the manufacturer's drawings, specifications, standards, and quality assurance practices. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as provided for under the provisions of the contract.

5.2 Responsibility for inspection. Unless otherwise specified, the contractor is responsible for the performance of all inspection rquirements and may use any commercial facilities (including the contractor's own facilities) suitable for performance of the inspection requirements, unless disapproved by the Government. The Government reserves the right to perform any inspections deemed necessary to assure the item conforms to the specified requirements.

5.3 Bid sample(s). When a bid sample requirement is specified in the solicitation, the bid sample (s) shall be inspected for all salient characteristics. A failure of any bid sample to meet the salient characteristics shall be cause for rejection.

5.4 First article sample(s). When a first article requirement is specified in the contract, the first article sample(s) shall be inspected for all salient characteristics. A failure of any first article sample to meet the salient characteristics shall be cause for rejection.

Source: https://assist.dla.mil -- Downloaded: 20260-26T08:26Z
Check the source to verify that this is the current version before use.

5.5 Special examination requirements. Each chisel shall be tested for surface cracks prior to being presented for government acceptance.

6. PACKAGING.

6.1 Packaging. Requirements for preservation, packaging, packing, and marking shall be as specified in the contract or order.

7. NOTES. (This section contains information of a general or explanatory nature that is not mandatory.)

7.1 Addresses for obtaining copies of referenced documents.

Federal Acquisition Regulation (FAR): Government Printing Office, Superintendent of Documents, Washington, DC 20402-9371.

Federal Specifications: Federal Supply Service Bureau, Specification Section, Suite 8100, 470 L'Enfant Plaza, SW, Washington, DC 20407.

ASTM: American Society for Testing Materials, 1916 Race Street, Philadelphia, PA 19103.

ANSI: American National Standards Institute, 11 West 42nd Street, New York, NY 10036.

ANSI/ASQC Z1.4: American Society for Quality Control, P. O. Box 3005, 611 East Wisconsin Ave., Milwaukee, WI 43201-4606.

7.2 Ordering data. Purchasers should select the preferred options permitted herein and should include the following information in procurement documents:

(a) Title, number and date of this Commercial Item Description.

(b) When applicable, the appropriate NSN.

(c) When applicable, the specific type, styles, classes, sizes, etc., as specified in the Commercial Item Description.

(d) If bid samples are required and the number of samples required.

(e) If first article samples are required and the number of samples required.

(f) If lot sampling inspection is required and the applicable lot sampling requirements.

For example:

Sampling for inspection and testing. Sampling for inspection (both examinations and testing) shall be in accordance with ANSI/ASQC Z1.4.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:26Z
Check the source to verify that this is the current version before use.

Inspection. Each sample chisel shall be examined and tested for all salient characteristics. The Inspection Level shall be S-3 with an Acceptable Quality Level (AQL) of 2.5 expressed in terms of defects per hundred units.

(g) What preservation, packaging, and marking are required.

7.3 National Stock Number (NSNs). The following NSN is associated with this CID. This list may not be indicative of all possible NSNs associated with this CID.

NSN 5110-00-233-9110

MILITARY INTERESTS:

Custodians

Army - GL
Air Force - 99

Review Activity:

Air Force - 84

DoD Project 5110-0343

Preparing Activity:

GSA - FSS

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:26Z
Check the source to verify that this is the current version before use.