[INCH-POUND]
A-A-463B
December 30, 1996
(SUPERSEDING)
A-A-463A
February 14, 1991

COMMERCIAL ITEM DESCRIPTION

SCOOP, ICE CREAM, MECHANICAL

The General Services Administration has authorized the use of this commercial item description for all Federal agencies.

1. SCOPE

1.1 Scope. This commercial item description (cid) covers mechanical ice cream scoops.

2. CLASSIFICATION

2.1 Classification. The ice cream scoops shall be the following sizes.

Size 6 - 6 scoops per quart (0.946 L)
Size 8 - 8 scoops per quart
Size 12 - 12 scoops per quart
Size 20 - 20 scoops per quart
Size 30 - 30 scoops per quart

3. SALIENT CHARACTERISTICS

3.1 Materials. All metal parts of the ice cream scoop shall be fabricated from a 300 or 400 series corrosion-resisting steel in accordance with ASTM A 167 or A 276. The handle material shall be a thermosetting plastic, nylon, or polypropylene.

3.2 Design and construction. Each ice cream scoop shall consist of a bowl, bowl knife assembly, handle with color plug (on the end of the handle) or colored handle, and a spring-loaded thumb pad for operating the knife assembly. The bowl shall be fabricated from corrosion-resisting steel and shall measure a minimum of 0.025 inch in thickness. The bowl knife assembly and thumb pad shall also be fabricated from corrosion-resisting steel. The handle shall be constructed from molded thermosetting plastic, nylon, or polypropylene and threaded to a shank fabricated from corrosion-resisting steel. The color plug of the handle end or colored handle shall be as listed in table I. Each size bowl shall have the capacity listed in table I when checked with an appropriate, calibrated measure. When the spring loaded thumb pad is depressed, the bowl knife shall rotate at least 180 degrees through the bowl and be returned to its original position upon release without binding or malfunctioning.

3.3 Finish. All exposed metallic surfaces shall be smooth, free from discoloration, rust or stains. The molded handle shall be smooth.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data which may improve this document should be sent to: General Services Administration, Engineering Branch (7FXEE), 819 Taylor Street, Fort Worth, TX 76102.

FSC 7330

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:08Z
Check the source to verify that this is the current version before use.

Table I - Dimensions

Size	Color (handle/end)	Capacity Range, fl. oz.
6	White	4.4 - 5.5 (130 - 163 ml)
8	Gray	3.6 - 4.2 (106 - 124 ml)
12	Orange or Green	2.6 - 3.2 (77 - 95 ml)
20	Yellow	1.5 - 2.0 (44 - 59 ml)
30	Black	0.9 - 1.1 (27 - 33 ml)

3.4 Marking. Each ice cream scoop shall be permanently marked with the manufacturer's name, trade name or trademark. Surfaces opposite stamped markings shall show no signs of penetration.

3.5 Workmanship. Metallic surface shall be clean and not contain any rough or sharp edges, burrs, slivers, scratches, rough die marks, gouges, or scale. Molded surfaces shall be free from blisters, cracks, dirt, and flash, and all gates shall be trimmed flush. The finished ice cream scoop shall not be fractured, buckled, punctured, chipped, scratched, or malformed. The scoop shall be free from any defects that would affect serviceability or appearance.

3.6 Standard compliance. The scoops shall comply with the requirements of NSF International Criteria C-2 or Standard No. 2.

3.7 Metric products. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, providing they fall within tolerances specified and all other requirements of this document are met. If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch-pound units, a request should be made to the contracting officer to determine if the product is acceptable.

4. REGULATORY REQUIREMENTS

4.1 Recovered materials. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

5. QUALITY ASSURANCE PROVISIONS

5.1 Product conformance. The products provided shall meet the salient characteristics of this commercial item description, conform to the producer's own drawings, specifications, standards, and quality assurance practices and be the same product offered for sale in the commercial market. The Government reserves the right to require proof of such conformance.

5.2 NSF International compliance. The contractor shall submit to the contracting officer or authorized representative, prior to awarding of contract, satisfactory evidence that the items offered meet the requirements of NSF International Criteria C-2 or Standard No. 2. Satisfactory evidence of this compliance may be any of the following:
(1) Listing in the current edition of the "NSF International Listing Food Service Equipment and Related Products, Components and Materials", and display of the NSF International mark on the finished item; or
(2) Certification issued by NSF International under their special contract evaluation/certification program for government contracts; or
(3) Certified test report from a recognized independent testing laboratory acceptable to the medical authority of the service for which the item(s) are being procured stating that the item has been tested and conforms to NSF International Criteria C-2 or Standard No. 2.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:08Z
Check the source to verify that this is the current version before use.

6. PACKAGING

6.1 Preservation, packing, and marking. Preservation, packing, and marking shall be as specified in the contract or order.

7. NOTES

7.1 Part Numbering. The following part identification number procedure is for government purposes and does not constitute a requirement for the contractor.

Part Numbering System for Commercial Item Description A-A-463

Example: AA463-6 Example - Size 6

- AA463 ---- Commercial Item Description number
- -6 ---- Size (6, 8, 12, 20, or 30)

7.2 Sources of non-Government association documents.

ASTM standards are available from ASTM, 100 Barr Harbor Drive, West Conshohocken, PA 19428-2959.

NSF International standards are available from NSF International, P.O. Box 130140, Ann Arbor, MI 48113-0140.

7.3 Ordering data. Purchasers should select the preferred options permitted herein and include the following information in procurement documents (if applicable).

a. Title, number and date of this commercial item description.
b. Size required.
c. Preservation, packing, and marking desired.

7.4 National Stock Numbers (NSN's): The following is a list of NSN's assigned which correspond to this CID. The list may not be indicative of all possible NSN's associated with the CID.

Size	NSN	P/N
6	7330-00-197-1280	AA463-6
8	7330-00-197-1281	AA463-8
12	7330-00-641-6870	AA463-12
20	7330-00-680-0862	AA463-20
30	7330-00-197-1295	AA463-30

MILITARY INTERESTS:

Military Coordinating Activity:
Army - GL

Custodians:
Army - GL
Navy - SA
Air Force - 99

Review Activities:
Army - MD1, QM1
Navy - MC
Air Force - 35, 84

Preparing Activity:
GSA - FSS

(DoD Project 7330-0737)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:08Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:08Z
Check the source to verify that this is the current version before use.