A-A-50023A
June 3, 1988
SUPERSEDING
A-A-50023
April 9, 1982

COMMERCIAL ITEM DESCRIPTION

SAW, HAND, MEAT CUTTING, RECIPROCATING, ELECTRIC


The General Services Administration has authorized the use of this commercial item description.

1. CLASSIFICATION

1.1 Classification. This commercial item description covers two types of electric hand saws as follows (see 5.2):

Type I - 115 volts, AC, 60 hertz, single phase
Type II - 220 volts, AC, 50 hertz, single phase

1.2 Part identification number. The part identification number shall consist of the commercial item description number and the type number as follows:



2. SALIENT CHARACTERISTICS

2.1 Design and construction. The meat cutting hand saw shall have a reciprocating blade action with 6300 cutting strokes per minute, a 1-1/2 inch stroke length, an adjustable ring for overhead counterbalance attachment and a counterbalanced crank arm. The saw shall have a 16 inch horizontal straight back blade with 4 teeth per inch. The blade and blade support shall be removable. Maximum overall dimensions of the saw shall be 28 inches long, 10 inches wide and 10 inches high.

2.2 Electrical requirements. The saw shall be powered by a 115 volt AC, 60 Hz single phase or a 220 volt AC, 50 Hz single phase (European requirement) motor controlled by a double pole, double throw trigger switch. A heavy duty cord with a 10 foot minimum length, and a 3 prong grounding type plug shall be provided.

2.3 Codes and standards. The meat cutting hand saw shall comply with Underwriter's Laboratories (UL) Std. No. 763.

FSC 7320

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:37Z
Check the source to verify that this is the current version before use.

2.4 Data name plate (Government unique requirement see 5.4). The saw shall be furnished with a data name plate in accordance with the applicable requirements of MIL-STD-130 except the requirements for: (a) Methods of applying; (b) Identification tags; (c) Information not required and (d) Optional marking information shall not apply. The data plate shall be made of minimum 20 gauge corrosion-resisting metal and attached to the saw by rivets, screws, or welding in such a manner as to meet the applicable National Sanitation Foundation sanitary requirements for this equipment. The plate shall contain the following information which shall be stamped, engraved or applied by photosensitive means:

National Stock Number
Procurement Contract Number
Specification Data
Manufacturer's Name, Address and Telephone Number
Supplier's Name, Address and Telephone Number (List only if different from Manufacturer)
Manufacturer's Model Number
Government Approved Manual Number (when specified, see 5.2)

Each plate shall be placed so that it is readily visible to the operator during normal operating use and so as to not adversely affect the life and utility of the saw.

3. QUALITY ASSURANCE

3.1 Certification. The contractor shall certify that the product offered meets the salient characteristics and requirements of the description and except for those government unique requirements specified, conforms to the producer's own drawings, specifications, standards, and quality assurance practices, and is the same as the product offered for sale in the commercial marketplace. The contractor shall certify the product meets the "Government unique" requirements except when specific quality assurance provisions are specified for the Government unique requirements. In this case, the contractor shall provide data resulting from inspection conducted in accordance with the specified quality assurance. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

4. PACKAGING

4.1 Packaging and packing. Packaging and packing shall be commercial or export as specified (see 5.2).

4.2 Commercial packaging and packing. Each saw shall be cleaned, preserved, packaged, packed and unitized in accordance with ASTM D 3951.

Source: https://assist.dla.mil -- Downloaded: 202640-26T08:37Z
Check the source to verify that this is the currentversion before use.

4.3 Export packaging and packing.

4.3.1 Export packaging. Each saw shall be cleaned, preserved and cushioned to protect against corrosion, deterioration and physical damage during shipping and storage. Each saw shall then be placed in a fiberboard box conforming to PPP-B-636, type CF, class weather-resistant. Each box shall be closed and waterproofed in accordance with PPP-B-636.

4.3.2 Export packing. Four saws, packaged as specified in 4.3.1, shall be packed in a wood-cleated plywood box conforming to PPP-B-601, type domestic, style optional, or a wood-cleated fiberboard box conforming to PPP-B-591, class II. Each box shall be closed and strapped in accordance with PPP-B-601 or PPP-B-591, as applicable.

4.3.3 Palletization. When specified (see 5.2), shipping containers shall be palletized in accordance with MIL-STD-147.

4.4 Marking (commercial and export). Marking of unit pack, shipping container and unit load shall be in accordance with MIL-STD-129 or ASTM D 3951, as applicable.

5. NOTES

5.1 Intended use. The saw covered by this commercial item description is intended for use in blocking carcass primal cuts.

5.2 Ordering data. Acquisition documents should specify the following:

a. Title, number and date of this document.
b. Type required (see 1.1).
c. Government approved manual number to be included on the data name plate when manuals are purchased under the contract (see 2.4).
d. Type of packaging and packing required (see 4.1).
e. When palletization of shipping containers is required (see 4.3.3).

5.3 Sources of documents.

5.3.1 Sources of nongovernment association documents.

ASTM D 3951 - Standard Practice for Commercial Packaging, is available from:

The American Society for Testing and Materials (ASTM)
1916 Race Street
Philadelphia, PA 19103

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:37Z
Check the source to verify that this is the current version before use.

UL Standard No. 763 - Motor Operated Commercial Food Preparing Machines, is available from:

Underwriters Laboratories, Inc. (UL)
333 Pfingsten Road
Northbrook, IL 60062

5.3.2 Source of governmental documents. Copies of Military and Federal documents are available from:

Naval Publications and Forms Center
5801 Tabor Avenue
Philadelphia, PA 19120

5.4 Government unique requirements. Whenever "(Government unique requirements)" is included in the title of a paragraph under "salient characteristics" it is meant that the requirement is something that is not normally offered to the commercial marketplace by the manufacturer.

MILITARY INTERESTS:

Custodians:

Army - GL
Navy - SA
Air Force - 99

Review activities:

Army - MD, TS
Air Force - 84
DLA- GS

User activity:

Navy - MC

CIVIL AGENCY COORDINATING ACTIVITY:

GSA-FSS

PREPARING ACTIVITY:

Army - GL

Project No. 7320-0830

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:37Z
Check the source to verify that this is the current version before use.