A-A-661A
NOTICE 1
December 8, 1986

ATTACH THIS NOTICE TO FRONT OF COMMERCIAL ITEM DESCRIPTION

COMMERCIAL ITEM DESCRIPTION

ENGRAVING MACHINE, PANTOGRAPH, TRACER GUIDED

This notice is approved by the commissioner, Federal Supply Service, General Services Administration.

This notice is used to correct the date of the superceded document.

On page 1, in the upper right corner, immediately below “A-A-661, “delete “November 13, 1971,” and substitute “November 13, 1979”.

AMSC N/A FSC 3417

DISTRIBUTION STATEMENT A. Approved for public release; distribution unlimited

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:09Z
Check the source to verify that this is the current version before use.

A-A-661A
September 19, 1986
SUPERSEDING
A-A-661
November 13, 1971

COMMERCIAL ITEM DESCRIPTION

ENGRAVING MACHINE, PANTOGRAPH, TRACER GUIDED

The General Service Administration has authorized the use of this commercial item description.

1. SCOPE

1.1 Scope. This description covers a tracer guided pantographic type engraving machine of the commercial type.

1.2 Classification. This description covers machines of the following types and sizes. The type and size to be furnished shall be as specified (see 6.2).

Type I - Floor mounting.

Type II - Bench mounting.

Size 1 (see table I).
Size 2 (see table I).
Size 3 (see table I).

2. APPLICABLE DOCUMENTS

2.1 Documents. The following documents, of the issues in effect on the date of invitation for bids or request for proposals, form a part of this description to the extent specified herein. The documents should be obtained from the contracting activity or as directed by the contracting officer.

Federal Specification PPP-T-1150 - Tools and Tool Accessories for Power Driven, Metal and Woodworking Machinery, Packaging and Packing of.

AMSC N/A FSC 3417

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:09Z
Check the source to verify that this is the current version before use.

Federal Standard FED-STD-H28 - Screw Thread Standards for Federal Service.

Federal Standard FED-STD-376 - Preferred Metric Units for General Use by the Federal Government.

American Society for Testing and Materials, ASTM D 3951 - Standard Practice for Commercial Packaging.

National Fire Protection Association, NFPA 70 - National Electrical Code.

3. SALIENT CHARACTERISTICS

3.1 Design. The machine shall be new and of the manufacturer's commercial design in effect on the date of the solicitation. The machine shall be of the two dimensional type and shall be capable of engraving plastics, metal, and wood. The machine shall meet the requirements specified herein and conform to current industrial practice.

3.1.1 Type I. The type I engraving machine shall be of the floor mounted type and shall meet the requirement of table I.

3.1.2 Type II. The type II engraving machine shall be bench mounted and shall meet the requirements of table I.

TABLE I. Engraving machine requirements.

Type	Size	Copy table 1/ size	Working area 1/ size (inches) 2/	Engraving 1/ ratio
I	NA	10 x 24	4.5 x 12	2:1 to 7:1
II	1	6 x 16	3 x 9	2:1 to 7:1
II	2	6 x 16	3 x 12	2:1 to 7:1
II	3	10 x 24	6 x 18	2:1 to 8:1

1/ Requirements shall be not less than value specified.
2/ With engraving range set at a 2:1 ratio.

3.2 Material. The materials used in the manufacture of the machine shall be suitable for the purpose intended.

3.3 Measurement system. All dimensions in this description are given in US units. These measurements may be converted to SI units through the use of the conversion factors and methods specified in FED-STD-376.

3.4 Threads. All threaded parts used on the machine and its accessories shall conform to FED-STD-H28.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:09Z
Check the source to verify that this is the current version before use.

3.5 Components. The machine shall consist of at least the following components: pantograph assembly, base/table, copy table, work holder, drive motor, and cutter spindle.

3.5.1 Pantograph assembly. The machine shall be equipped with a complete pantograph assembly. The pantograph shall have ball bearings on all joints. The pantograph assembly bars shall be calibrated in a manner which will allow rapid, accurate, and positive setting of the different ratios.

3.5.2 Base/table. The base/table shall be of sufficient strength to support all of the machine components.

3.5.3 Copy table/template table. The machine shall be equipped with a copy/template table. The size shall be as specified in table I.

3.5.4 Workholder. The machine shall be furnished with a self-centering vise type workholder. Other types and configurations of workholders to be furnished shall be as specified (see 6.2).

3.5.5 Drive motor. The drive motor shall be of a size and horsepower to meet maximum operating conditions.

3.5.6 Cutter spindle. The cutter spindle shall have a depth regulator with a micrometer adjustment calibrated in 0.001 inch increments.

3.6 Electrical requirements. The electrical system shall conform to NFPA 70. Unless otherwise specified (see 6.2), the machine shall operate from a 120 volt, 60 Hz, single phase power source.

3.7 Regulatory requirement. In accordance with section 23.403 of the Federal Acquisition Regulations, the Government policy is to acquire items composed of the highest percentage of recovered materials practicable, consistent with maintaining a satisfactory level of competition without adversely affecting performance requirements or exposing suppliers' employees to undue hazards from the recovered materials.

3.8 Standard equipment. All standard equipment normally furnished by the manufacturer with his standard commercial machine shall be furnished. The following items shall be considered as standard equipment and furnished with each machine:

1 each - Tracing stylus.
1 each - Engraving cutter.

3.9 Accessories. Unless otherwise specified, the machine shall be furnished with the following accessories:

3 each - Copy holder slides for 5/8 inch master blanks - 18 inches long.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:09Z
Check the source to verify that this is the current version before use.

6 each - End stops for 5/8 inch slides.

When specified (see 6.2), additional accessories shall be furnished and fully described.

3.10 Workmanship. Workmanship of the machine shall be of a quality equal to that of comparable products furnished to the commercial market.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract, the contractor is responsible for the performance of all inspection, examinations, and test requirements specified herein. Except as otherwise specified in the contract, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in this description where such tests are deemed necessary to assure supplies and services conform to prescribed requirements.

4.2 Quality conformance inspection. Quality conformance inspection shall be applied to each machine prior to its being offered for acceptance under the contract. Quality conformance inspection shall consist of the following examination and test.

4.2.1 Examination. The machine shall be examined to determine compliance with all requirements specified herein. Failure of the item to conform with any requirement of the description shall be cause for rejection.

4.2.2 Test. Each machine shall be operated without cutting material for a period of not less than 5 minutes. Proper operation of all controls, motors, and pantograph mechanism shall be verified. A cutting test shall be made using at least three lines of five each 5/8 inch master blanks. The material to be engraved shall be at the discretion of the manufacturer. A machine ratio of 2:1 shall be used. The engraving shall be inspected to ensure the reproduction is accurate and pleasing to the eye.

4.3 Packaging inspection. Packaging shall be inspected for conformance with section 5.

5. PACKAGING

5.1 Preservation, packing, and marking. Unless otherwise specified in the contract or order, preservation, packing, and marking shall be in accordance with ASTM D 3951. When specified (see 6.2), preservation, packing, and marking shall be in accordance with Federal Specification PPP-T-1150, level as specified.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:09Z
Check the source to verify that this is the current version before use.

6. NOTES

6.1 Intended use. The machine covered by this description is intended to engrave plastic, metal, and wood items such as nameplates, badges, signs, and plaques.

6.2 Ordering data. Purchasers should select the preferred options permitted herein and include the following information in procurement documents:

a. Title, number, and date of this description.
b. Type, size, and quantity required (see 1.2).
c. Other types and configurations of work holders, if required (see 3.5.4).
d. Electrical input power requirements, if different (see 3.6)
e. Additional accessories, if required (see 3.9).
f. Packaging in accordance with PPP-T-1150, if required specify level (see 5.1).

6.3 Specification cross reference. Items covered by commercial item description A-A-661 are cross referenced to items covered by this description as follows:

A-A-661	A-A-661A
One type	Type I (new type) Type II (new type) Size 1 (new size) Size 2 (new size) Size 3 (new size)

MILITARY INTERESTS:

Custodians

Army - AL
Air Force - 99

Review Activities

Army - GL
Air Force - 84
DLA - GS

User Activities

Navy - MC, SH

CIVIL AGENCY COORDINATING ACTIVITY:

GSA - FSS

Preparing Activity:

DLA - IP

Project 3417-0172

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:09Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:09Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document*(s)* or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEFENSE LOGISTICS AGENCY
Commander
Defense Industrial Plant Equipment Center
ATTN: DIPEC-SSG
Memphis, TN 38114-5051

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 4966 WASHINGTON D. C

POSTAGE WILL BE PAID BY THE DEFENSE LOGISTICS AGENCY

Commander
Defense Industrial Plant Equipment Center
ATTN: DIPEC-SSG
Memphis, TN 38114-5051

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:09Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
b. ADDRESS *(Street, City, State, ZIP Code)*	☐ USER
	☐ MANUFACTURER
	☐ OTHER *(Specify)*: _____

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:09Z
Check the source to verify that this is the current version before use.