
FED. SUP CLASS
6220



NAME	MS PART NO.	SYMBOL NO.
STBD	MS17781-1	225.1
PORT	MS17781-2	226.1
FULL AFT	MS17781-3	227.1

APPROVED 1 JUN 1962 REVISED (A) 12 OCT 1988 (SEE SHEET 3)

This military standard is approved for use by the Naval Sea Systems Command, Department of the Navy and is available for use by all Departments and Agencies of the Department of Defense.

AMSC N/A

DISTRIBUTION STATEMENT A. Approved for public release, distribution is unlimited.


P. A. SH Other Cust	INTERNATIONAL INTEREST	TITLE: LIGHT, STATION KEEPING STARBOARD-PORT-FULL AFT	MILITARY STANDARD MS 17781A(SH)
PROCUREMENT SPECIFICATION MIL-F-16377	SUPERSEDES: DWG. 9-S-5300-L		SHEET 1 OF 4

DD FORM MAY 73 672-1 (LIMITED COORDINATION) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:08Z
Check the source to verify that this is the current version before use.

This military standard is approved for use by the Naval Sea Systems Command, Department of the Navy and is available for use by all Departments and Agencies of the Department of Defense.

FED. SUP CLASS
6220



APPROVED 1 JUN 1962 REVISED (A) 12 OCT 1988 (SEE SHEET 3)

P. A. SH Other Cust	INTERNATIONAL INTEREST	TITLE: LIGHT, STATION KEEPING STARBOARD-PORT-FULL AFT	MILITARY STANDARD MS 17781A(SH)
PROCUREMENT SPECIFICATION MIL-F-16377	SUPERSEDES: DWG. 9-S-5300-L		SHEET 2 OF 4

DD FORM 672-1 (LIMITED COORDINATION) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:08Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
6220

LIST OF MATERIAL - QUANTITIES FOR ONE UNIT

PG. NO.	NAME	QUANTITY SYM. 225.1	QUANTITY SYM. 226.1	QUANTITY SYM. 227.1	MATERIAL	SPECIFICATION	REQUIREMENTS
1	ASSEMBLY, LIGHT SHIELD, STBD.						
2	ASSEMBLY, LIGHT SHIELD, PORT						
3	ASSEMBLY, LIGHT SHIELD, FULL AFT.						
4	SCREEN, DIAGONAL	1	1	1	ALUMINUM	5052-H32	SEE REQ'T 2
5	SCREEN, DIAGONAL	1	1	1	ALUMINUM	5052-H32	SEE REQ'T 2
6	SHIELD, TOP	1	1		ALUMINUM	5052-H32	SEE REQ'T 2
7	SHIELD, TOP			1	ALUMINUM	5052-H32	SEE REQ'T 2
8	HOUSING	1	1		ALUMINUM	5052-H32	SEE REQ'T 2
9	HOUSING			1	ALUMINUM	5052-H32	SEE REQ'T 2
10	ANGLE, SUPPORT, 6 1/16 LG	2	2	2	ALUMINUM	1-1/4 x 1-1/4 x 1/8	
11	PLATE, BASE	1	1	1	ALUMINUM	5052-H32	SEE REQ'T 2
12	PAD, 1 1/4 DIA	4	4	4	ALUMINUM	5052-H32	
13	COVER	1	1	1		MS17788, PC 9	SEE REQ'T 2
14	BRACKET, MOUNTING	3	3	3		MS17788, PC 11	
15	PLATE, IDENTIFICATION	1			ALUMINUM	MIL-P-15024 TYPE A OR H, SIZE 4	
16	PLATE, IDENTIFICATION		1		ALUMINUM	MIL-P-15024 TYPE A OR H, SIZE 4	
17	PLATE, IDENTIFICATION			1	ALUMINUM	MIL-P-15024 TYPE A OR H, SIZE 4	
18	RIVET, 1/8" DIA.	2	2	2	ALUMINUM		
19	FASTENER, SPRING LOCK	3	3	3			SEE REQ'T 3
20	GROMMET, CLINCH	3	3	3			SEE REQ'T 3
21	CABLE, SAFETY (WIRE ROPE)	1	1	1		MS17339-1	
22	RIVET	2	2	2	ALUMINUM	MS17312	
23	SCREW, 3/8-16 F.H., 5/8 LG.	3	3	3	CRES.		
(A) 24	LIGHT, FIXTURE, COMPLETE	1	1	1	SYM. NO.114.1	MIL-L-24560/2	

REQUIREMENTS

1. LIGHT SHOWN HEREON SHALL COMPLY WITH AND BE TESTED IN ACCORDANCE WITH THE APPLICABLE REQUIREMENTS OF MILITARY SPECIFICATION MIL-F-16377.

2. (A) ALL ILLUMINATED SURFACES OF PCS. 4, 5, 6, 7, 8, 9, 11, & 13 SHALL RECEIVE 2 COATS OF DULL BLACK DECK PAINT PER DOD-P-15146, FORMULA NO. 104 APPLIED OVER THE PRIMER COATED SURFACES. ALL OTHER SURFACES OF PCS. 4, 5, 6, 7, 8, 9, 11, & 13 SHALL RECEIVE 2 COATS OF GRAY MACHINERY ENAMEL OF A GOOD COMMERCIAL GRADE.

3. SPRING-LOCK FASTENER SHALL BE 1/4 WING HEAD WITH CLINCH GROMMET, SIMMONS FASTENER, NO. BROADWAY, ALBANY 1, N.Y. OR EQUAL.

NOTES

1. FOR DESIGN FEATURE PURPOSES, THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN.

2. REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATIONS FOR BID.

APPROVED 1 JUN 1962 REVISED (A) 12 OCT 1988


This military standard is approved for use by the Naval Sea Systems Command, Department of the Navy and is available for use by all Departments and Agencies of the Department of Defense.

P. A. SH Other Cust	INTERNATIONAL INTEREST	TITLE: LIGHT, STATION KEEPING STARBOARD-PORT-FULL AFT	MILITARY STANDARD MS 17781A(SH)
PROCUREMENT SPECIFICATION MIL-F-16377	SUPERSEDES: DWG. 9-S-5300-L		SHEET 3 OF 4

DD FORM 672-1 (LIMITED COORDINATION) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:08Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
6220



APPROVED 1 JUN 1962 REVISED (A) 12 OCT 1988 (SEE SHEET 3)

This military standard is approved for use by the Naval Sea Systems Command, Department of the Navy and is available for use by all Departments and Agencies of the Department of Defense.

P. A. SH Other Cust	INTERNATIONAL INTEREST	TITLE	MILITARY STANDARD
		LIGHT, STATION KEEPING STARBOARD-PORT-FULL AFT	MS17781A(SH)
PROCUREMENT SPECIFICATION MIL-F-16377	SUPERSEDES: DWG. 9-S-5300-L		SHEET 4 OF 4

DD FORM 672-1 (LIMITED COORDINATION) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE (Project 6220-N359)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:08Z
Check the source to verify that this is the current version before use.