INCH-POUND

MS21340D
3 JANUARY 2022
SUPERSEDING
MS21340C
15 SEPTEMBER 1993

DETAIL SPECIFICATION SHEET

NUT, PLAIN, HEXAGON, ELECTRICAL, THIN (WITH LOCKWIRE HOLES)

Inactive for new design after 3 February 2000
and is no longer used, except for replacement purposes.

This specification is approved for use by all
Departments and Agencies of the Department of Defense.

Comments, suggestions, or questions on this document should be addressed to DLA Aviation VEB, 8000 Jefferson Davis Highway, Richmond, VA 23297-5616 or emailed to STDZNMGT@dla.mil. Since contact information can change, you may want to verify the currency of this address information using the ASSIST Online database at https://assist.dla.mil.

AMSC N/A FSC 5310

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:32Z
Check the source to verify that this is the current version before use.




Figure 1. Nut Diagram

Table I. Nut Dimensions

DASH No.		THREAD T	A		B		C	
CRES	STEEL CAD PLATED		MAX	MIN	MAX	MIN	MAX	MIN
-01	-21	.164-32 UNC-2B	.345	.336	.398	.383	.142	.122
-02	-22	.190-32 UNF-2B	.376	.367	.434	.414	.160	.135
-03	-23	.375-32 UNEF-2B	.564	.553	.651	.630	.263	.233
-04	-24	.469-32 UNS-2B	.630	.620	.731	.709	.295	.265
-05	-25	.625-24 UNEF-2B	.817	.807	.941	.919	.388	.358
-06	-26	.750-20 UNEF-2B	.943	.933	1.086	1.064	.465	.435
-07	-27	.500-20 UNF-2B	.630	.620	.731	.709	.295	.270
-08	-28	.625-18 UNF-2B	.752	.741	.868	.845	.373	.343

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:32Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

MATERIALS:

Corrosion Resisting Steel Compositions 302 (UNS S30200), 303 (S30300), 303Se (UNS S30323), 304 (UNS 30400), 304L (UNS S30403), 305 (UNS S30500), 309 (UNS S30900), 310 (UNS S31000), 316 (UNS S31600), 316L (UNS S31603), 317 (UNS S31700), 321 (UNS S32100) or 347 (UNS S34700) in accordance with AMS-QQ-S-763, ASTM-A484/A484M, ASTM-A555/A555M, ASTM-A581/A581M or ASTM-A582/A582M.

Carbon Steel Compositions 1006 (UNS G10060) thru 1095 (UNS G10950) in accordance with ASTM-A29/A29M.

PROTECTIVE TREATMENT:

Corrosion Resisting Steel Passivate in accordance with SAE-AMS2700 Method 1

Carbon Steel, Cadmium Plate in accordance with SAE AMS-QQ-P-416 type II class 2

THREADS:

Threads shall be in accordance with FED-STD-H28/2. Thread acceptability shall be to FED-STD-H28/20, system 21.

PART NUMBER:

Part number shall consist of the basic MS number followed by a dash number.

MS21340-07

Example of part number MS21340-07 - .500-20 UNF-2B, corrosion resisting steel, passivated nut with drilled holes in flats.

NOTES:

1. Break all sharp edged and remove all burrs. The resulting chamfer or countersink around both sides of the tapped hole shall not exceed .005 in depth from the bearing surface.

2. All dimensions in inches.

3. In event of a conflict between the text of this specification sheet and the references cited herein. The text of this specification sheet shall take precedence.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:32Z
Check the source to verify that this is the current version before use.

4. Referenced government (or non-government) documents of the issue listed in that issue of the Department of Defense Index of Specifications and Standards (DODISS) specified in the solicitation form a part of this standard to the extent specified herein.

5. The requirements for acquiring the product(s) described herein shall consist of this specification sheet and the issue of the following specification listed in that issue of the DODISS specified in the solicitation. FF-N-836.

Referenced Documents: This document references the following.

SAE-AMS-QQ-S-763
ASTM-A484/A484M
ASTM-A555/A555M
ASTM-A581/A581M
ASTM A582/A582M
ASTM-A29/A29M
SAE-AMS2700
SAE-AMS-QQ-P-416
FED-STD-H28/2
FED-STD-H28/20

Changes from previous issue. Marginal notations are not used in this revision to identify changes with respect to the previous issue due to the extent of the changes.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:32Z
Check the source to verify that this is the current version before use.

Custodians:
Air Force – 99
DLA – GS

Preparing Activity:
DLA – GS7

(Project 5310-2022-004)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST database at https://assist.dla.mil/.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:32Z
Check the source to verify that this is the current version before use.