MILITARY SPECIFICATION

ADAPTER, CRADLE, BOMB HANDLING ADU-211/E

1. SCOPE. This specification covers the requirements for one type of Adapter designated as the ADU-211/E, hereafter referred to as the Adapter for use in mating bombs having diameters of 20 inches, 18 inches, 14.75 inches and 12.75 inches to the MB-5 Cradle.

2. APPLICABLE DOCUMENTS. The following documents of the issue in effect on the date of invitation for bids, form a part of this specification to the extent specified herein.

SPECIFICATIONS

Military

MIL-P-116	Preservation, Method Of
MIL-B-601	Boxes, Wood Cleated Plywood
PPP-B-636	Boxes, Fiber
MIL-D-70327	Drawings, Engineering and Associated Lists

STANDARDS

Military

MIL-STD-129	Marking for Shipment and Storage
MIL-STD-130	Identification Marking of U. S. Military Property
MIL-STD-1186	Cushioning, Anchoring, Blocking and Bracing

DRAWINGS

Air Force

64D13017	Adapter, Cradle, Bomb Handling ADU-211/E

(Copies of documents required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

FSC 1190

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T12:26Z
Check the source to verify that this is the current version before use.

3. REQUIREMENTS

3.1 **PREPRODUCTION.** This specification makes provisions for preproduction testing.

3.2 **DESIGN AND CONSTRUCTION.** The adapter shall be designed and constructed in conformance to drawing 64D13017 and subsidiary drawings.

3.2.1 **FINISH.** Finish of the adapter shall be in accordance with the engineering drawings.

3.3 **PERFORMANCE.** Performance of the adapter shall consist of mating various bombs to the MB-5 Cradle during storage, transportation and loading operations.

3.4 **COMPATIBILITY.** The adapter shall provide proper fit, for bombs having diameters of 20 inches, 18 inches, 14.75 inches and 12.75 inches and shall fit properly on the MB-5 Cradle.

3.5 **IDENTIFICATION OF PRODUCT.** The adapter shall be marked for identification in accordance with MIL-STD-130.

3.6 **WORKMANSHIP.** The adapter shall be fabricated and finished in a manner that will insure that the criteria of appearance, fit and adherence to specified tolerances are observed. These criteria shall apply to all accessories and to all non-functional parts. Particular attention shall be given to neatness and thoroughness of marking of parts and assemblies, painting, machine screw assemblage, and freedom of parts from burrs and sharp edges which might mar associated equipment or cause injury to operating personnel.

4. QUALITY ASSURANCE PROVISIONS

4.1 **CLASSIFICATION OF TESTS.** Inspection and testing of the skid shall be classified as follows:

a. Preproduction Tests

b. Acceptance Tests

4.2 PREPRODUCTION TESTING

4.2.1 PREPRODUCTION TEST SAMPLES. The preproduction test samples shall consist of models representative of the production adapters. They shall be tested at a military establishment.

4.2.2 PREPRODUCTION TESTS. Preproduction tests shall consist of all tests described in "4.5 TEST METHODS."

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T12:26Z
Check the source to verify that this is the current version before use.

4.3 ACCEPTANCE TESTS. Acceptance tests shall consist of the following individual tests:

a. Examination of Product

b Conformance to Drawings

4.4 TEST CONDITIONS. Test conditions shall be as required for each specific test.

4.5 TEST METHODS

4.5.1 EXAMINATION OF PRODUCT. Each adapter shall be visually examined to determine compliance with the requirements of this specification for which tests are not specified, including materials and workmanship. Failure to satisfy this examination shall be cause for rejection.

4.5.2 CONFORMANCE TO DRAWINGS. Each adapter shall be inspected to determine strict compliance with engineering and subsidiary drawings and specifications and standards specified therein. Non-compliance to these criteria shall be cause for rejection.

4.5.3 FIT TEST. The adapter shall be subjected to a fit test which shall be performed at a military installation. The test shall be performed as follows:

Install the adapter on the MB-5 Cradle. Install test shapes having diameters of 20 inches, 18 inches, 14.75 inches and 12.75 inches on the Adapter.

Interference in making the above installations, excess clearances or binding or failure to mate properly with any piece of associated equipment shall be cause for rejection.

5. PREPARATION FOR DELIVERY

5.1 Packaging shall be level A or C. (See 6.2c)

5.1.2 LEVEL A. The adapter shall be packaged Method III in accordance with Specification MIL-P-116. Unit quantities shall be one each unless otherwise specified.

5.1.3 LEVEL C. The adapter shall be packaged in accordance with the suppliers standard practice.

5.2 Packing shall be level A, B or C. (See 6.2c)

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T12:26Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

S/N 0102-014-1802

☆ U.S. GOVERNMENT PRINTING OFFICE: 1973—714-866/3983 2-1

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T12:26Z
Check the source to verify that this is the current version before use.