MILITARY SPECIFICATION

FILTER UNIT, FLUID, PRESSURE MXU-408/M,
ABSOLUTE 5 MICRON, HYDRAULIC

This amendment forms a part of Military Specification MIL-F-27656B dated 29 November 1968, and is approved for use by all Departments and Agencies of the Department of Defense.

*Add to bottom of page 1:

"Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: the Engineering Division, San Antonio ALC/MMEDO, Kelly AFB, Texas 78241 by using the self addressed Standardization Document Proposal (DD Form 1426) appearing at the end of this document or by letter."

PAGE 1

*1.1, delete in its entirety and substitute:

"1.1 Scope. This specification covers a hydraulic fluid filter unit with a replaceable element for retaining particles larger than 5 microns and 96.6 percent by weight of 5 micron and smaller particles."

*2.1, delete in its entirety and substitute the following 2.1 and new paragraph 2.1.1:

"2.1 Government documents.

2.1.1 Specifications and standards. Unless otherwise specified (see 6.2), the following specifications and standards of the issue listed in that issue of the Department of Defense Index of Specifications and Standards (DoDISS) specified in the solicitation, form a part of this specification to the extent specified herein."

*Under SPECIFICATIONS, FEDERAL, delete "PPP-B-636 Box, Fiberboard" and substitute "PPP-B-636 Box, Shipping, Fiberboard."

*Under STANDARDS, MILITARY, delete "MIL-STD-100" and substitute "DOD-STD-100" same subject.

*Delete title opposite MIL-STD-143 and substitute "Standards and Specifications, Order of Precedence for the Selection of."

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T12:34Z
Check the source to verify that this is the current version before use.

PAGE 2

*Delete "MS33586 Metals, Definition of Dissimilar" and substitute "MIL-STD-889 Dissimilar Metals."

Under Air Force-Navy Aeronautical add:

"AND10050 Bosses, Standard Dimensions for Gasket Seal Straight Thread."

Delete parenthetical source paragraph and substitute the following:

* "(Copies of specifications, standards, drawings and publications required by manufacturers in connection with specific acquisition functions should be obtained from the contracting activity or as directed by the contracting officer.)"

Add the following new paragraph 2.1.2:

* "2.1.2 Other publications. The following document(s) form a part of this specification to the extent specified herein. The issues of the documents which are indicated as DoD adopted shall be the issue listed in the current DoDISS and the supplement thereto, if applicable."

Add the following industry standard and parenthetical source statement:

* "AMERICAN SOCIETY FOR TESTING AND MATERIALS (ASTM)

ASTM D 3951 - 82 Packaging, Commercial

(Application for copies of ASTM publications should be addressed to the American Society for Testing and Materials, 1916 Race Street, Philadelphia, Pennsylvania 19103.)"

Add the following new paragraph 2.1.3:

* "2.1.3 Order of precedence. In the event of a conflict between the text of this specification and the references cited herein, the text of this specification shall take precedence."

PAGE 3

*3.4.3, line 3, delete "MS33586" and substitute "MIL-STD-889."

PAGE 5

Figure 1: In upper left-hand view, opposite "MS33649-16" add "or AND10050-16"; opposite "MS33649-12", add "or AND10050-12." In lower left-hand view, opposite "MS33649-16" add "or AND10050-12."

PAGE 6

3.7.1.5, line 2: Between "MS33649-4" and "drain", insert "or AND10050-4."

3.7.1.6, line 1: After "MS33649-4" add "or AND10050-4."

Source: https://assist.dla.mil -- Downloaded: 202610-20T12:34Z
Check the source to verify that this is the current version before use.

PAGE 7

Delete Figure 2 and substitute the attached Figure 2:

Figure 2 forms page 4 of this amendment.

PAGE 8

3.8, add the following sentence: "In case a single element is furnished, it shall be functionally and dimensionally interchangeable with a two-element set (consisting of a cleanable and a throwaway element) or vice versa."

*3.8.1, line 3, delete "MIL-STD-100" and add "DOD-STD-100."

PAGE 9

*4.1, line 2 and line 4, delete "supplier" and substitute "contractor."

PAGE 22

4.6.6.4, subparagraph e: Delete the first five sentences and substitute the following: "Two minutes after each dust addition, pressure differential, flow and temperature shall be recorded. For element No. 2 (see 4.4.3), AC fine test dust shall be added until 40 grams of dust have been added. For element No. 3 (see 4.4.3), 200 grams of carbonyl iron E shall be added. The differential pressure across the filter unit in each test shall not exceed 115 psi. The pump shall not be stopped during any test. Then, for both elements No. 2 and No. 3, additional AC fine test dust, carbonyl iron E (1-12 microns) and glass beads shall be added in equal proportions until a differential pressure of 5,000 psi is obtained across the element."

PAGE 24

4.6.6.5.1, delete the first sentence and substitute:

"The filter unit shall be cooled to room temperature (70° to 90°F) and vibrated in three mutually perpendicular planes."

PAGE 25

4.6.8.2, delete the third and fourth sentences and substitute the following:

"Elements or parts of elements that are designed to withstand 0 to 150 psi differential pressure in accordance with 3.7.2.4 (a) shall withstand series I tests only. Elements or parts of elements that are designed to withstand 150 to 5,000 psi differential pressure in accordance with 3.7.2.4 (b) shall withstand series II tests only."

PAGE 26

*5. Delete "PREPARATION FOR DELIVERY" and substitute "PACKAGING."

5.1, delete and substitute:

* "5.1 Preservation. Preservation shall be level A or Standard Practice for

Source: https://assist.dla.mil -- Downloaded: 20261O-20T12:34Z
Check the source to verify that this is the current version before use.




FIGURE 2. Element Envelope Dimensions

Source: https://assist.dla.mil -- Downloaded: 20260-20T12:34Z
Check the source to verify that this is the current version before use.

Commercial Packaging, as specified (see 6.2)."

5.1.2, delete in its entirety and substitute:

* "5.1.2 Commercial. Commercial packaging shall be in accordance with ASTM D 3951."

PAGE 27

*5.2, delete in its entirety and add:

"5.2 Packing. Packing shall be level A, B or Commercial, as specified (see 6.2)."

*5.2.2, delete in its entirety and add:

"5.2.2 Level A. The packaged filter unit shall be packed in nailed wooden or wood-cleated plywood boxes conforming to PPP-B-621 or PPP-B-601, overseas type. Closures shall be in accordance with the appendix thereto."

*5.2.3, delete in its entirety and add:

"5.2.3 Level B. The packaged filter unit shall be packed in nailed wooden or wood-cleated plywood boxes conforming to PPP-B-621 or PPP-B-601, domestic type. Closures shall be in accordance with the appendix thereto."

*Add the following new paragraph 5.2.4:

"5.2.4 Commercial. The filter unit shall be packed in accordance with the requirements of ASTM D 3951."

PAGE 28

*6.3, line 5, delete "suppliers" and substitute "contractors."

*6.3, line 10, delete "Aeronautical Systems Division, (Attn: ASNMS-20) Wright-Patterson Air Force Base, Ohio 45433" and substitute "San Antonio Air Logistics Center/MMEDO, Kelly AFB, Texas 78241."

6.4, line 2, delete "committe" and substitute "committee."

*6.4, line 7, delete "will affect or violate the international agreement concerned, the preparing activity will take appropriate reconciliation action through international standardization channels, including departmental offices, if required" and substitute:

"will modify the international agreement concerned, the preparing activity will take appropriate action through international standardization channels including departmental standardization offices to change the agreement or make other appropriate accommodations."

Source: https://assist.dla.mil -- Downloaded: 202610-20T12:34Z
Check the source to verify that this is the current version before use.

*The margins of this amendment are marked with an asterisk or vertical lines to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodians:
Air Force - 99
Army - AV

Review activity:
Air Force - 11
Army - MI, Me

Preparing activity:
Air Force - 82

FSC 4330

☆ U.S. GOVERNMENT PRINTING OFFICE: 1984—705—040/A1374

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T12:34Z
Check the source to verify that this is the current version before use.