MIL-C-60418B (AR)
AMENDMENT 2
19 JULY 1983
SUPERSEDING
AMENDMENT 1
11 June 1982

MILITARY SPECIFICATION

CHARGE, PROPELLING, 155MM, M3A1
LOADING, ASSEMBLING AND PACKING

This Amendment forms a part of Military Specification MIL-C-60418B (AR) dated 23 March 1982, and is approved for use by the US Army Armament Research and Development Command and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 2

* 2.1.2: Delete "7548187 - Packing and Marking of Metal Containers for Propelling Charges, Assembly and Details" and substitute "9331257 - Packing and Marking for Container, Ammo, Metal PA94: for Charge, Propelling, 155MM, M3A1".

PAGE 5

* 4.3.1, Drawings; Delete "7548187" and substitute "9331257".

PAGE 8

* Table II, First Article Inspection: Delete "7548187" and substitute "9331257".

PAGE 9

* 4.4.1: Delete "CBI or BPI from not more than one lot number from one manufacturer" and substitute "CBI or BPI from not more than two lots from the same interfix number from one manufacturer".

PAGE 15

* 4.4.2.6:

Minor defect 201:

Delete "cloth improper" and substitute "thread broken".

FSC: 1320

Delete "4.5.4" and substitute "visual".

Minor defect 202: Delete "marking missing, misleading or unidentifiable" and substitute "any seam or opening incompletely stitched".

PAGE 18

4.4.2.9:

Critical defect 1: Delete critical defect 1 in its entirety.

* Major defect 103: Delete "100%" and substitute "(a)".

* Notes: Add the following: "(a) The frequency of inspection of propellant shall depend upon the method used."

PAGE 20

* 4.4.2.11:

Major defect 102: Delete "100%" and substitute "(a)".

Notes: Add the following: "(a) The frequency of inspection of propellant shall depend upon the method used."

Drawing Number: Delete "9921257" and substitute "9221257".

PAGE 21

* 4.4.2.12:

Add major defect 103: "Propellant weight...(a)... 3.3...4.5.1".

Notes: Add the following: "(a) The frequency of inspection of propellant shall depend upon the method used."

PAGE 22

* 4.4.2.13:

Add major defect 103: "Propellant weight...(a)...3.3 ..4.5.1".

Notes: Add the following: "(a) The frequency of inspection of propellant shall depend upon the method used."

PAGE 23

* 4.4.2.14:

Major defect 102: Delete "20" in number of samples column and substitute "14".

Major defect 103: Delete "100%" and substitute "0.40%".

PAGE 24

* 4.4.2.15: drawing number: Delete "7548187" and substitute "9331257".

PAGE 25

* 4.4.2.16:

Drawing number: Delete "7548187" and substitute "9331257".

Minor defect 201: Add "(a)" to the number of samples column.

Notes: Add the following: "(a) Test plugs may be greased in bulk prior to assembly of containers, and plugs will be inspected by Quality Assurance personnel for acceptability."

PAGE 26

* 4.5.1: Delete 4.5.1 in its entirety and substitute the following:

"4.5.1 Propellant weight (see 3.3). Any increment which fails to comply with the applicable requirement shall be classed defective and removed from the lot. Inspection equipment shall be in accordance with 4.4.3."

* 4.5.1.2: Delete 4.5.1.2 in its entirety and substitute the following:

"4.5.1.2 Method 2. The propellant in a container shall be weighed and then checkweighed 100 percent on a different balance and if performed manually, by another production operator (no adding or subtracting of propellant shall be done during the checkweighing operation). The propellant shall then be placed in the bag and the bag sewn. The weight of the loaded bag should be checked as a major defect using a sampling plan from MIL-STD-105 or MIL-STD-1235 with an AQL of 0.40 percent. The weight of the propellant will be determined by subtracting an average weight of the empty increment bag or the actual weight as marked on the individual bag from the loaded increment weight."

PAGE 27

* 4.5.4; second sentence: Delete "shall be rejected" and substitute "shall be removed".

PAGE 28

* 4.5.6.1:

Delete "Ten (10) zone 1 and ten (10) zone 5 charges" and substitute "Seven (7) zone 1 and seven (7) zone 5 charges".

Delete "factor 0.72" and substitute "factor 0.68".

* 5.1:

Delete paragraph 5.1 in its entirety and substitute the following:

"5.1 Preservation and packaging. N/A

5.2 Packing

5.2.1 Level A. The propelling charges shall be packed, sealed and tested in accordance with the specified requirements of drawing 9331257.

5.2.2 Level B. Pack the same as Level A.

5.2.3 Level C. Pack the same as Level A.

5.3 Marking. Marking shall be in accordance with the specified requirements of drawing 9331257."

NOTE: The margins of this amendment are marked with an asterisk to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian: Army-AR	Preparing activity: Army-AR
	(Project 1320-A703)

[redacted]