MIL-P-60521 (AR)
AMENDMENT 5
21 December 1977
SUPERSEDING
MIL-P-60521 (MU)
AMENDMENT 4
28 February 1974

MILITARY SPECIFICATION

PROJECTILE, HEP-T, 106MM, M346A1
METAL PARTS

This Amendment forms a part of Military Specification MIL-P-60521 (MU) dated 16 May 1966.

PAGE 1

Paragraph 2.1, under Specifications, Military, delete "MIL-P-10025" in its entirety.

Paragraph 2.1, under Standards, Military, add "MIL-STD-1169 - Packaging, Packing and Marking for Shipment of Inert Ammunition Components."

Paragraph 2.1, under Standards, delete "MIL-STD-639 - Surface Roughness Values Preferred for Army Ordnance Materiel" and substitute "ASA-B46.1 Surface Texture, Surface Roughness, Waviness, and Lay".

PAGE 2

Paragraph 3.7.1, line 4, delete "or excessive deformation".

Paragraph 3.8.1, delete in its entirety and substitute 3.8.1, 3.8.1.1, 3.8.1.2 and 3.8.1.3.

"3.8.1 Metal defects, steel.

3.8.1.1 The body, including the cavity, shall be free from cracks, splits, burst, cold shuts, pipe, porosity, inclusions, folds, seams, and other metal defects.

3.8.1.2 The body cavity shall be free of scales, fins, burrs, draw marks, laminations, imbedded foreign matter, pits and sharp edges.

FSC: 1315

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:41Z
Check the source to verify that this is the current version before use.

3.8.1.3 Visual standards for evaluation of metal defects will be established for each contract after the first months production. However, the establishment of visual standards will not waive the requirement for compliance with 3.8.1.1 and 3.8.1.2 (see 6.4)."

PAGE 4

Paragraph 4.3.2, change AQL's from "0.25" for major defects and "0.40" for minor defects to "0.40" for major defects and "0.65" for minor defects.

Delete last line of the paragraph and substitute: "The roughness comparison specimens prescribed by ASA-B46.1 shall be used as a basis of comparison for surface roughness determination."

Add Paragraph 4.3.2.a:

"4.3.2.a Control tool manufacture.-When dimensions are marked "Control Tool Manufacture" the dimension shall be gaged during First Article inspection and after each 250 items produced from each machine in operation. Where destruction of components is necessary to inspect these dimensions, measurement of the tool may be submitted provided the contractor has established correlation between tool dimensions and component dimensions prior to start of production. The contractor shall be responsible for maintaining adequate surveillance to assure drawing requirements are being met throughout the life of the tool. Corrective action will be immediately instituted by the contractor whenever a defective tool control dimension is found."

Paragraph 4.3.2.1, under "Critical", add, "1. Metal defective .....Visual".

Under "Major". delete "111" in its entirety.

PAGE 6

Paragraph 4.3.2.3, under "Critical" add "1. Metal defective .....Visual (Probe light)".

Under "Major", delete "103" in its entirety.

Source: https://assist.dla.mil -- Downloaded: 202610-23T00:41Z
Check the source to verify that this is the current version before use.

PAGE 7

Paragraph 4.3.2.4, under "Critical" add, "1. Metal defective .....Visual (Probe light)".

Under "Major". delete "130" in its entirety.

PAGE 8

Paragraph 4.3.2.5, under "Critical" add, "3. Metal defective .....Visual (Probe light)".

PAGE 12

Paragraph 4.4.1.1 line 4, delete the wording "cross-section" and substitute "a cleaned inside surface".

PAGE 13

* Paragraph 4.4.6.2 Line 4, delete 2000 meters and substitute 1000 meters.

Paragraph 5.2.1.2, delete "MIL-P-10025" and substitute "MIL-STD-1169".

Paragraph 5.2.1.3, delete in its entirety and substitute:

Paragraph 5.2.1.3 Gasket.-Part No. 8596149 shall be packed in accordance with MIL-STD-1169. Pack 1200 gaskets in a 3 x 4 arrangement in one layer, 100 to a cell (coin wrapped in kraft paper) using interlocking separators."

PAGE 14

Add Paragraph 6.4:

"6.4 Visual standards.-Standards to be established at contractors plant in compliance with 3.8.1.3."

* The margins of this amendment are marked with an asterisk to indicate where changes (additions, modifications, corrections, deletions) from the previous issue were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous issue.

Custodian:
Army - AR

Preparing Activity:
Army - AR

Project No. 1315-A162

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:41Z
Check the source to verify that this is the current version before use.