NOTICE OF
CHANGE

DOD-STD-35-130(MI)
NOTICE 2
18 SEPTEMBER 1992

MILITARY STANDARD

AUTOMATED ENGINEERING
DOCUMENT PREPARATION SYSTEM

METERS, FLOW

TO ALL HOLDERS OF DOD-STD-35-130(MI):

1. THE FOLLOWING PAGES OF DOD-STD-35-130(MI) HAVE BEEN REVISED AND SUPERSEDE THE PAGES LISTED.

NEW PAGE	DATE	SUPERSEDED PAGE	DATE
v	18 SEPTEMBER 1992	v	26 JULY 1978
3	18 SEPTEMBER 1992	3	26 JULY 1978
4	18 SEPTEMBER 1992	4	26 JULY 1978
5	18 SEPTEMBER 1992	5	26 JULY 1978
6	18 SEPTEMBER 1992	6	26 JULY 1978
11	18 SEPTEMBER 1992	11	26 JULY 1978
12	18 SEPTEMBER 1992	12	26 JULY 1978

2. RETAIN THIS NOTICE PAGE AND INSERT BEFORE THE TABLE OF CONTENTS.

3. Holders of DOD-STD-35-130(MI) will verify that page changes and additions indicated above have been entered. The notice page will be retained as a check sheet. This issuance, together with appended pages is a separate publication. Each notice is to be retained by stocking points until the Military Standard is completely revised or canceled.

Custodians:
Army-MI

Review activities:
Army-AT, AV, CR, ER
ME, MR, SC

User activity
Army - AR

Preparing activity:
Army - MI

(Project EGDS-A461)

AMSC N/A AREA EGDS
DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:05Z
Check the source to verify that this is the current version before use.

CONTENTS

			Page
Paragraph	1.	SCOPE	1
	1.1	General	1
	1.2	Purpose	1
	1.3	Utilization	1
	1.4	Military Specification Exception Title Index	1
	2.	APPLICABLE DOCUMENTS	5
	2.1	Government documents	5
	2.2	Non-Government publications	6
	3.	DEFINITIONS	7
	4.	GENERAL REQUIREMENTS	9
	4.1	Introduction	9
	4.2	Specification Requirement Sheet (SRS)	9
	4.3	Configuration	9
	4.3.1	Dimensions	9
	4.3.2	Illustrations	9
	4.4	Units of measure	9
	5	DETAILED REQUIREMENTS	11
	5.1	Introduction	11
	5.2	MSE Formats	11
	5.3	Referenced documents	11
	5.4	Deleted	11
	5.5	Tabulation	12
	5.6	Keyword Code Index (KCI) and Standard Paragraphs	15
	5.6.1	Interrelationship of Codes	15
	5.6.2	Automatic MSE Data	15
	5.6.3	DOD-STD-35 Tables	15

TABLES

Table	I.	Title Index	3
	II.	Deleted	12
	III.	Tabulation Candidates	13

APPENDICES

Appendix	A.	Illustrations	119
	B.	Characteristic Code Index	125
		Index	131

Supersedes page v of 26 JULY 1978

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:05Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
METER, FLOW	240001	MIL-F-24259	VELOCITY, TYPE, VOLUME
		MIL-F-24291	ELECTROMAGNETIC TYPE, FLUID
		MIL-M-2082	SHIP, FRESH WATER, VLMTRC, POSITIVE DISPL
		MIL-M-6404	AIRCRAFT FUEL, VLMTRC POSITIVE DISPL, 300 GPM
		MIL-M-18294	FLUID, QTY, VOL
		MIL-M-28519	AIRCRAFT FUEL, POS DISPL, 600 GPM, TYPE MA-1
		MIL-M-28519	A/C FUEL, POS DISPL, 600 GPM

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:05Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
METER, FLOW	240001 (CONT)	MIL-M-51392	FLOW RATE, INDICATING, CHEMICAL ALARM
		MIL-M-55623	VOL, HYDROGEN, HELIUM BALLOON INFLATION
METER, FLOAT TYPE	240002	MIL-M-51392	FLOW RATE INDICATING
METER, VELOCITY TYPE	240003	MIL-F-24259	VOLUME
METER, ELECTROMAGNETIC TYPE	240004	MIL-F-24291	FLUID

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:05Z
Check the source to verify that this is the current version before use.

2. APPLICABLE DOCUMENTS

2.1 Government documents.

2.1.1 Specifications, standards, and handbooks. The following specifications, standards, and handbooks form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those listed in the issue of the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto, cited in the solicitation.

SPECIFICATIONS

MILITARY

MIL-M-2082	Meters, Volumetric Positive Displacement, Liquid, Cold Water and Hot Water Type, Naval Shipboard
MIL-M-6404	Meter, Volumetric Positive Displacement, Liquid, Type F-1, Aircraft Fuel, 300 Gallons Per Minute
MIL-M-18294	Meters, Fluid Quantity Volumetric
MIL-F-24259	Fluid Flowmeter, Volume Velocity Type
MIL-F-24291	Flowmeter, Fluid Electromagnetic Type
MIL-M-28519	Meter, Volumetric, Positive Displacement, Liquid, Aircraft Fuel, 600 GPM
MIL-M-51392	Meter, Flow Rate Indicating, Float Type
MIL-M-55623	Meter, Volume, Hydrogen-Helium ML-605( )/v

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:05Z
Check the source to verify that this is the current version before use.

STANDARDS

MILITARY

DOD-STD-35	Automated Engineering Document Preparation System
MIL-STD-130	Identification Marking of U.S. Military Property
MIL-STD-461	Electromagnetic Interference Characteristics Requirements for Equipment
MIL-STD-462	Electromagnetic Interference Characteristics, Measurement Of
MIL-STD-810	Environmental Test Methods
MIL-STD-1285	Marking of Electrical and Electronic Parts
MIL-STD-1523	Age Control of Age Sensitive Elastomeric Materials
MS33540	Safety Wiring and Cotter Pinning, General Practices For

(Unless otherwise indicated, copies of federal and military specifications, standards, and handbooks are available from the Standardization Documents Order Desk, Bldg 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094.)

2.2 Non-Government publications. The following document(s) form a part of this document to the extent specified herein. Unless otherwise specified, the issues of the documents which are DoD adopted are those listed in the issue of the DODISS cited in the solicitation. Unless otherwise specified, the issues of documents not listed in the DODISS are the issues of the documents cited in the solicitation.

ASME-API1101	Code for Installation Proving and Operation of Positive Displacement Meters in Liquid Hydrocarbon Service

(Application for copies should be addressed to the American Society of Mechanical Engineers, 345 E. 47th Street, New York, N.Y. 10017.)

ASTM E 380	Metric Practice Guide

(Application for copies should be addressed to the American Society for Testing and Materials, 1916 Race St., Philadelphia, Pa. 19103.)

Source: https://assist.dla.mil -- Downloaded: 202610-23T21:05Z
Check the source to verify that this is the current version before use.

5. DETAILED REQUIREMENTS

5.1 Introduction. This section provides instructions for completion of the SRS and references for instructions on specific requirements contained in DOD-STD-35.

5.2 MSE formats. AEDPS has the capability to prepare a six-section or a single-section document. The six-section document appears similar to a six-section military specification. The single-section document appears similar to a military specification sheet. Specification requirements described in DOD-STD-35 are applicable to either of the formats selected. It is mandatory that one of the two following codes and an "X" be entered on the SRS to create the desired MSE format:

a. 0700 for a six-section format

b. 0800 for a single-section format

5.3 Referenced documents. Section 2 of the MSE may contain a list of all referenced documents within Sections 3, 4, and 5 of the MSE. Instructions for referencing documents to appear in Section 2 of the forthcoming MSE are contained in DOD-STD-35.

5.4 Deleted

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:05Z
Check the source to verify that this is the current version before use.

5.5 Tabulation. Instructions for tabulation are provided in DOD-STD-35. Table III provides codes for column headings which may be used for Flow Meter characteristics. When different units of measure within one system (U.S. or SI) are available for specifying a characteristic, only one of the units may be tabulated; e.g. either ounces or pounds.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:05Z
Check the source to verify that this is the current version before use.