MIL-P-63357A (AR)
Amendment 2
10 March 1988
MIL-P-63357A (AR)
Amendment 1
16 March 1981

MILITARY SPECIFICATION

PROJECTILE, TRAINING, 155MM, M823

This Amendment forms a part of MIL-P-63357A, dated 31 March 1980, and is approved for use within the Armament Munitions and Chemical Command, Department of the Army and is available for use by all Department and Agencies of the Department of Defense.

PAGE 1

Delete under Federal Specifications all reference to TT-C-490 and add the following new specification.

"TT-L-50 Lacquer, Nitrocellulose, Acrylic and Acrylic - Butyrate, Aerosol (In pressurized dispensers)."

PAGE 2

* Delete the entire DRAWINGS section and substitute the following:

"DRAWINGS

U.S. Army Armament Research and Development Center

9329721 - Projectile, 155MM, Training, M823 Assembly (Inert)

9305334 - Packaging Assembly for Projectile, 155MM, Heat, Cannon Launch Guided, M712, and Training, M823, with Packing and Marking Instructions.



AMSC N/A FSC 1320

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:43Z
Check the source to verify that this is the current version before use.

9300440 - Container, Ammunition, Metal PA101, for Projectile, 155MM, Heat, Cannon Launched Guided, M712, and Training, M823

9305465 - Extractor Tool Assembly

U.S. Army DARCOM DRAWING

19-48-4159-20PM-1003 - Unitization Procedures for 155MM Copperhead Separate Loading Projectiles Packaged One Per Metal Container, Unitized 6 Containers Per Special I-Way Entry Pallet"



Delete this page and substitute the new attached table.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:43Z
Check the source to verify that this is the current version before use.

## CLASSIFICATION OF DEFECTS & TESTS

| PARAGRAPH | TITLE | | SHEET OF | DRAWING NUMBER |
|---|---|---|---|---|
| | Projectile, 155MM, Training, M823 Assy (Inert) | | 2 2 | NEXT HIGHER ASSEMBLY |
| CATEGORY | EXAMINATION OR TEST | NO. OF SAMPLE UNITS | AQL OR 100% | REQUIREMENT PARAGRAPH | PARAGRAPH REFERENCE /INSPECTION METHOD |
| | Body, Forward<br>Dwg. 9331972<br>Costing Tests | 2 1/ | | 3.2 | 4.5.3 |
| | Body Assembly<br>Dwg. 9331160 | 2 1/ | | 3.2 | 4.5.4 |

NOTES:
1/ Two sets of test panels per TT-L-50 shall be prepared and tested.



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:43Z
Check the source to verify that this is the current version before use.

Under Minor defect 204 change "Gage" to "Visual".

Under Minor defect 206 change "ASTM-E-18".



Delete paragraph 4.5.3 in its entirety and substitute the following:

"4.5.3 Body Forward Coating Tests. Test panels shall be prepared and tested in accordance with TT-L-50 for immersion resistance and self-lifting".

Delete paragraph 4.5.4 in its entirety and substitute the following:

"4.5.4 Body Assembly Coating Tests. Test panels shall be prepared and tested in accordance with TT-L-50 for immersion resistance (4.4.11) and self-lifting (4.4.12)."

* 5.1.1 change drawing number from "9305425" to "9300440."

* 5.2 change drawing number from "9305435" to "19-48-4159-20PM-1003."

The margins of this amendment are marked with an asterisk to indicate where changes (additions, modification, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Army-AR

Preparing activity:
Army-AR
(Project 1320-A B20)



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:43Z
Check the source to verify that this is the current version before use.