METRIC

MIL-W-70342/2
4 November 1988

MILITARY SPECIFICATION SHEET

WASHER, FLAT, REGULAR SERIES (TYPE I), CRES, METRIC

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the washers described herein shall consist of this specification and the latest issue of MIL-W-70342.




FIGURE 1. WASHER, FLAT, REGULAR SERIES (TYPE I), CRES, METRIC

NOTES:

1. All dimensions are in millimeters.

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 202640-23T03:25Z
Check the source to verify that this is the currenversion before use.


REQUIREMENTS:

1. Material: Corrosion resistant steel, Type 303 (UNS S30300) as specified in ASTM A582.

2. Cleaning, descaling and passivation: Clean, descale and passivate as specified in QQ-P-35.

3. Part number: The part number consists of the letter "D" the basic number of this specification sheet and a dash number taken from Table I.

EXAMPLE: D70342/2-084



D70342/2-084 Indicates - Washer, Flat, CRES, Metric; Inside Diameter 8.40; Outside Diameter 17.00; Thickness 1.60.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:25Z
Check the source to verify that this is the current version before use.

TABLE I. DASH NUMBERS AND DIMENSIONS

DASH NUMBER	ØB INSIDE DIA ±0.25	ØA OUTSIDE DIA ±0.50	T THICKNESS	
017	1.70	4.00	0.30	±0.05
024	2.40	6.00	0.50	±0.10
027	2.70	6.50	0.50	±0.10
032	3.20	7.00	0.50	±0.10
043	4.30	9.00	0.80	±0.10
053	5.30	10.00	1.00	±0.20
064	6.40	12.50	1.60	±0.20
074	7.40	14.00	1.60	±0.20
084	8.40	17.00	1.60	±0.20
105	10.50	21.00	2.00	±0.20
130	13.0	24.00	2.50	±0.20
150	15.0	28.00	2.50	±0.20

Custodians:
Army - AR
Navy - AS
Air Force - 99

Review activities:
Army - ER
DLA - IS

User activities:
Army - CE, GL, MI
Navy - MC, SH, YD

Preparing activity:
Army - AR

Agent:
DLA - IS

(Project 5310-1578)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:25Z
Check the source to verify that this is the current version before use.