
MILITARY SPECIFICATION SHEET

(A) STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, PACKING ASSEMBLIES FOR BALLAST TANK

This specification sheet is approved for use by the Naval Sea Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

The complete requirements for acquiring the packing assemblies described herein shall consist of this document and the latest issue of MIL-S-24235.




SH9184

Table I

Packing Assembly Part Number	Part Numbers of Components		Cable types
	Washer 4 REQD	Grommet 1 REQD	
M24235/6-001	M24235/6-011	M24235/6-021	TSS-4, DSS-3, DSS-4
M24235/6-002	M24235/6-012	M24235/6-022	TSS-4, FSS-2
M24235/6-003	M24235/6-012	M24235/6-023	FSS-4, MSS-6

FSC 5975


Source: https://assist.dla.mil -- Downloaded: 2026-10-19T20:23Z
Check the source to verify that this is the current version before use.



SH9185

Table II (Washer Dimensions)

Part Number	V DIA	W	X DIA
M24235/6-011	2.375	3/16	0.531
M24235/6-012	2.875	1/4	.671



SH9186

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T20:23Z
Check the source to verify that this is the current version before use.

Table III (Grommet Dimensions)

Part Number	S DIA	T	U DIA
M24235/6-021	2.398	1	0.490
M24235/6-022	2.898	1-1/4	.490
M24235/6-023	2.898	1-1/4	.600

REQUIREMENTS:

1. Material:

Grommet: Neoprene, of 40 to 50 durometer hardness conforming to MIL-R-15624, class I.
Split washer: Aluminum bronze in accordance with MIL-B-24059.

2. The grommet shall be split perpendicular to the grommet face.

Previous issue of this specification sheet replaced that part of drawing 815-1197090 covering packing assemblies.

Preparing activity:
Navy - SH

(Project 5975-N588)

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T20:23Z
Check the source to verify that this is the current version before use.